

```

EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEEEEEEEEEEEEE DDD DDD TTT
EEEEEEEEEEEEEE DDD DDD TTT
EEEEEEEEEEEEEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD TTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD TTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD TTT

```

**EXE**

Mod

ED 1

ED

ED

ED

ED

ED1

ED

ED

ED  
EDED  
EDSYS  
LIB

L18

```

LL          IIIII
LL          IIIII
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LLLLLLLLLL IIIII
LLLLLLLLLL IIIII
SSSSSSSS
SSSSSSSS
SS
SS
SS
SS
SSSSSS
SSSSSS
SS
SS
SS
SS
SSSSSSSS
SSSSSSSS

```



```
0001 0 %TITLE 'EDT$WFDELLIN - delete the current line'
0002 0 MODULE EDT$WFDELLIN ( ! Delete the current line
0003 0 IDENT = 'V04-000' ! File: WFDELLIN.BLI Edit: JBS1013
0004 0 ) =
0005 1 BEGIN
0006 1
0007 1 *****
0008 1 *
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0011 1 * ALL RIGHTS RESERVED.
0012 1 *
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0018 1 * TRANSFERRED.
0019 1 *
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0022 1 * CORPORATION.
0023 1 *
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0026 1 *
0027 1 *
0028 1 *****
0029 1
0030 1
0031 1 ++
0032 1 FACILITY: EDT -- The DEC Standard Editor
0033 1
0034 1 ABSTRACT:
0035 1
0036 1 Delete the current line. If that empties the current bucket,
0037 1 delete the bucket also.
0038 1
0039 1 ENVIRONMENT: Runs at any access mode - AST reentrant
0040 1
0041 1 AUTHOR: Bob Kushlis, CREATION DATE: October 16, 1978
0042 1
0043 1 MODIFIED BY:
0044 1
0045 1 1-001 - Original. DJS 23-Feb-1981. This module was created by
0046 1 extracting routine EDT$$DEL CURLN from module EDTWF.
0047 1 1-002 - Regularize headers. JBS 16-Mar-1981
0048 1 1-003 - Change index for line numbers from 10 to 15. SMB 18-Jan-1982
0049 1 1-004 - Correct IDENT format. JBS 15-Mar-1982
0050 1 1-005 - New screen update logic. JBS 13-Sep-1982
0051 1 1-006 - Remove EDT$$SET_WKLN. JBS 14-Sep-1982
0052 1 1-007 - Change the name of the delete line routine. SMB 21-Sep-1982
0053 1 1-008 - Modify to use new 48bit macro. STS 01-Oct-1982
0054 1 1-009 - Count the number of deleted lines since the last screen update. JBS 21-Oct-1982
0055 1 1-010 - Change the handling of EDT$$G RECS_INSERTED. JBS 27-Oct-1982
0056 1 1-011 - Up the number of recs inserted before setting SCR_REBUILD. SMB 16-Feb-1983
0057 1 1-012 - Decrement the number of records inserted during this insert sequence. JBS 01-Jun-1983
```

EDTSWFDELLIN - delete the current line

F 6  
16-Sep-1984 02:05:09  
14-Sep-1984 12:25:29

VAX-11 Bliss-32 V4.0-742 Page 2  
DISK\$VMSMASTER:[EDT.SRC]WFDELLIN.BLI;1 (1)

```

: 58      0058 1 1 1-013 - Remove edit 1-012; too many callers don't want this.  JBS 01-Jun-1983
: 59      0059 1 1 --
: 60      0060 1

```

EDT  
V04

•

•

.....

⋮

S R E L L M C



EDT\$WFDELLIN  
V04-000

EDT\$WFDELLIN - delete the current line  
Declarations

G 6  
16-Sep-1984 02:05:09  
14-Sep-1984 12:25:29

VAX-11 Bliss-32 V4.0-742  
DISK\$VMSMASTER:[EDT.SRC]WFDELLIN.BLI;1 Page 3  
(2)

```
: 62      0061 1 %SBTTL 'Declarations'
: 63      0062 1
: 64      0063 1 : TABLE OF CONTENTS:
: 65      0064 1 :
: 66      0065 1
: 67      0066 1 REQUIRE 'EDTSRC:TRAROUNAM';
: 68      0505 1
: 69      0506 1 FORWARD ROUTINE
: 70      0507 1     EDT$DEL_CURLN : NOVALUE;
: 71      0508 1
: 72      0509 1 :
: 73      0510 1 : INCLUDE FILES:
: 74      0511 1 :
: 75      0512 1
: 76      0513 1 REQUIRE 'EDTSRC:EDTREQ';
: 77      0648 1
: 78      0649 1 :
: 79      0650 1 : MACROS:
: 80      0651 1 :
: 81      0652 1 :     NONE
: 82      0653 1 :
: 83      0654 1 : EQUATED SYMBOLS:
: 84      0655 1 :
: 85      0656 1 :     NONE
: 86      0657 1 :
: 87      0658 1 : OWN STORAGE:
: 88      0659 1 :
: 89      0660 1 :     NONE
: 90      0661 1 :
: 91      0662 1 : EXTERNAL REFERENCES:
: 92      0663 1 :
: 93      0664 1 :     In the routine
```

\*\*F

```

95 0665 1 %SBTTL 'EDT$$DEL_CURLN - delete the current line'
96 0666 1
97 0667 1 GLOBAL ROUTINE EDT$$DEL_CURLN                ! Delete the current line
98 0668 1 : NOVALUE =
99 0669 1
100 0670 1
101 0671 1 ++
102 0672 1 FUNCTIONAL DESCRIPTION:
103 0673 1      This routine deletes the current line from the buffer.  Close up the
104 0674 1      gap in the block by moving any text following the deleted line.  If the
105 0675 1      line is the only one in a bucket, then also delete the bucket.
106 0676 1
107 0677 1 FORMAL PARAMETERS:
108 0678 1
109 0679 1     NONE
110 0680 1
111 0681 1 IMPLICIT INPUTS:
112 0682 1
113 0683 1     EDT$$T_LN_BUF
114 0684 1     EDT$$L_SEC_LN
115 0685 1     EDT$$A_CUR_BUF
116 0686 1     EDT$$A_WK_BUK
117 0687 1     EDT$$A_WK_LN
118 0688 1     EDT$$L_LN00
119 0689 1     EDT$$G_RECS_INSERTED
120 0690 1     EDT$$G_SCR_LNS
121 0691 1     EDT$$G_SCR_REBUILD
122 0692 1
123 0693 1 IMPLICIT OUTPUTS:
124 0694 1
125 0695 1     EDT$$G_WK_MODFD
126 0696 1     EDT$$A_CUR_BUF
127 0697 1     EDT$$A_WK_BUK
128 0698 1     EDT$$A_WK_LN
129 0699 1     EDT$$A_SEC_POS
130 0700 1     EDT$$G_RECS_INSERTED
131 0701 1     EDT$$G_SCR_REBUILD
132 0702 1
133 0703 1 ROUTINE VALUE:
134 0704 1
135 0705 1     NONE
136 0706 1
137 0707 1 SIDE EFFECTS:
138 0708 1
139 0709 1     NONE
140 0710 1
141 0711 1 --
142 0712 1
143 0713 2 BEGIN
144 0714 2
145 0715 2 EXTERNAL ROUTINE
146 0716 2     EDT$$WF_DELBUK : NOVALUE,
147 0717 2     EDT$$RD_NXTLN,
148 0718 2     EDT$$SEC_RNGPOS,
149 0719 2     EDT$$SC_DELLN : NOVALUE;
150 0720 2
151 0721 2 EXTERNAL
```



```
152 0722 2 EDT$$A_CUR_BUF : REF TBCB_BLOCK,      ! Current text buffer control block
153 0723 2 EDT$$A_WK_BUK :                      ! Pointer to current bucket
154 0724 2 REF BLOCK [WF_BUKT_SIZE, BYTE] FIELD (WFB_FIELDS),
155 0725 2 EDT$$A_WK_LN : REF LIN_BLOCK,        ! Pointer to current line
156 0726 2 EDT$$G_WK_MODFD,                    ! Flag indicating bucket was modified
157 0727 2 EDT$$L_LN00 : LNOVECTOR [14],
158 0728 2 EDT$$A_SEL_POS,                    ! Position on the select line
159 0729 2 EDT$$L_SEL_LN,                    ! Record number of the select line
160 0730 2 EDT$$T_LN_BUF,                    ! Current line buffer
161 0731 2 EDT$$G_SCR_REBUILD,                ! 1 = rebuild the screen data structure from the work file
162 0732 2 EDT$$G_SCR_LNS,                    ! Number of lines in the text area of the screen
163 0733 2 EDT$$G_RECS_INSERTED;              ! Number of records inserted and deleted since the last screen update
164 0734 2
165 0735 2 LOCAL
166 0736 2 SIZE,
167 0737 2 SOURCE,
168 0738 2 REMAINING;
169 0739 2
170 0740 2 +
171 0741 2 - Test for end of buffer. (do not try to delete if at end of block)
172 0742 2 -
173 0743 2
174 0744 2 IF (.EDT$$A_CUR_BUF [TBCB_LINE_ADDR] EQL .EDT$$A_WK_BUK [WFB_END]) THEN RETURN;
175 0745 2
176 0746 2 +
177 0747 2 - If we are not going to rebuild the screen data structure from the work file,
178 0748 2 - tell the screen package that the current line has been deleted.
179 0749 2 -
180 0750 2
181 0751 2 IF ( NOT .EDT$$G_SCR_REBUILD)
182 0752 2 THEN
183 0753 2 BEGIN
184 0754 2 EDT$$G_RECS_INSERTED = .EDT$$G_RECS_INSERTED + 1;
185 0755 2
186 0756 2 IF (.EDT$$G_RECS_INSERTED GTR (.EDT$$G_SCR_LNS*2)) THEN EDT$$G_SCR_REBUILD = 1 ELSE EDT$$$SC_DELLN ()
187 0757 2
188 0758 2 END;
189 0759 2
190 0760 2 +
191 0761 2 - Update the line and character count fields
192 0762 2 -
193 0763 2 SUBLINE (NUMBER ONE, EDT$$A_CUR_BUF [TBCB_LINE_COUNT]);
194 0764 2 EDT$$A_CUR_BUF [TBCB_CHAR_COUNT] = .EDT$$A_CUR_BUF [TBCB_CHAR_COUNT] - .EDT$$A_WK_LN [LIN_LENGTH];
195 0765 2 +
196 0766 2 - Mark bucket as modified.
197 0767 2 -
198 0768 2 EDT$$G_WK_MODFD = 1;
199 0769 2 +
200 0770 2 - Calculate the length of text to be deleted.
201 0771 2 -
202 0772 2 SIZE = .EDT$$A_WK_LN [LIN_LENGTH] + LIN_FIXED_SIZE + 1;
203 0773 2 +
204 0774 2 - Source is a pointer to the following information.
205 0775 2 -
206 0776 2 SOURCE = CH$PLUS (.EDT$$A_WK_LN, .SIZE);
207 0777 2 +
208 0778 2 - Calculate the number of used bytes left in the block.
```



```
209 0779 2 !-
210 0780 2 REMAINING = .EDT$$A_WK_BUK [WFB_END] - .EDT$$A_CUR_BUF [TBCB_LINE_ADDR] - .SIZE;
211 0781 2 !+
212 0782 2 Update the end of bucket information.
213 0783 2 !-
214 0784 2 EDT$$A_WK_BUK [WFB_END] = .EDT$$A_WK_BUK [WFB_END] - .SIZE;
215 0785 2 !+
216 0786 2 And close up the hole we created.
217 0787 2 !-
218 0788 2
219 0789 2 IF (.REMAINING NEQ 0)
220 0790 2 THEN
221 0791 2 BEGIN
222 0792 2 EDT$$CPY MEM (.REMAINING, .SOURCE, .EDT$$A_WK_LN);
223 0793 2 EDT$$A_WK_LN = CH$PTR (.EDT$$A_WK_BUK, .EDT$$A_CUR_BUF [TBCB_LINE_ADDR]);
224 0794 2 END
225 0795 2 ELSE
226 0796 2 !+
227 0797 2 No text after the line, check to see if bucket is now empty.
228 0798 2 !-
229 0799 2
230 0800 2 IF (.EDT$$A_CUR_BUF [TBCB_LINE_ADDR] EQL WFB_FIXED_SIZE) !
231 0801 2 THEN
232 0802 2 EDT$$WF_DELBUK ()
233 0803 2 ELSE
234 0804 2 EDT$$RD_NXTLN (); ! position to first line in next bucket
235 0805 2
236 0806 2 !+
237 0807 2 Update the select point, if it is after the line being deleted.
238 0808 2 !-
239 0809 2
240 0810 2 CASE EDT$$SEL_RNGPOS () FROM -1 TO 1 OF
241 0811 2 SET
242 0812 2
243 0813 2 [-1] : ! Select line is before current line, or no select
244 0814 2 BEGIN
245 0815 2 0
246 0816 2 END;
247 0817 2
248 0818 2 [0] : ! Select line is current line
249 0819 2 EDT$$A_SEL_POS = CH$PTR (EDT$$T_LN_BUF);
250 0820 2
251 0821 2 [1] : ! Select line is after current line
252 0822 2 SUBLINE (NUMBER_ONE, EDT$$L_SEL_LN);
253 0823 2
254 0824 2 [OUTRANGE] :
255 0825 2 ASSERT (0);
256 0826 2 TES;
257 0827 2
258 0828 1 END; ! of routine EDT$$DEL_CURLN
```

```
.TITLE EDT$WFDELLIN EDT$WFDELLIN - delete the current
line
.IDENT \V04-000\
.EXTRN EDT$$WF_DELBUK, EDT$$RD_NXTLN
```



|           |           |    |           | OFFC 00000                                                         |    |       |      |
|-----------|-----------|----|-----------|--------------------------------------------------------------------|----|-------|------|
|           |           | 5B | 00000000G | 00                                                                 | 9E | 00002 |      |
|           |           | 5A | 00000000G | 00                                                                 | 9E | 00009 |      |
|           |           | 59 | 00000000G | 00                                                                 | 9E | 00010 |      |
|           |           | 58 | 00000000G | 00                                                                 | 9E | 00017 |      |
|           |           | 51 | 00000000G | 00                                                                 | D0 | 0001E |      |
|           |           | 50 |           | 69                                                                 | D0 | 00025 |      |
|           | 04        | A0 |           | 61                                                                 | D1 | 00028 |      |
|           |           |    |           | 01                                                                 | 12 | 0002C |      |
|           |           |    |           |                                                                    | 04 | 0002E |      |
|           |           | 1B |           | 6A                                                                 | E8 | 0002F | 1\$: |
|           |           |    |           | 6B                                                                 | D6 | 00032 |      |
| 50        | 00000000G | 00 |           | 01                                                                 | 78 | 00034 |      |
|           |           | 50 |           | 6B                                                                 | D1 | 0003C |      |
|           |           |    |           | 05                                                                 | 15 | 0003F |      |
|           |           | 6A |           | 01                                                                 | D0 | 00041 |      |
|           |           |    |           | 07                                                                 | 11 | 00044 |      |
|           | 00000000G | 00 |           | 00                                                                 | FB | 00046 | 2\$: |
|           |           | 56 | 00000000G | 00                                                                 | D0 | 0004D | 3\$: |
|           |           | 50 | 18        | A6                                                                 | D0 | 00054 |      |
|           |           |    | 18        | A6                                                                 | D7 | 00058 |      |
|           |           | 50 | 18        | A6                                                                 | D1 | 0005B |      |
|           |           |    |           | 03                                                                 | 1B | 0005F |      |
|           |           |    | 1C        | A6                                                                 | B7 | 00061 |      |
|           |           | 52 | 00000000G | 00                                                                 | D0 | 00064 | 4\$: |
|           |           | 50 |           | 62                                                                 | 9A | 0006B |      |
|           | 1E        | A6 |           | 50                                                                 | C2 | 0006E |      |
|           | 00000000G | 00 |           | 01                                                                 | D0 | 00072 |      |
|           |           | 51 |           | 62                                                                 | 9A | 00079 |      |
|           |           | 51 |           | 08                                                                 | C0 | 0007C |      |
| 53        |           | 52 |           | 51                                                                 | C1 | 0007F |      |
|           |           | 57 |           | 69                                                                 | D0 | 00083 |      |
| 50        | 04        | A7 |           | 66                                                                 | C3 | 00086 |      |
|           |           | 50 |           | 51                                                                 | C2 | 0008B |      |
|           | 04        | A7 |           | 51                                                                 | C2 | 0008E |      |
|           |           |    |           | 50                                                                 | D5 | 00092 |      |
|           |           |    |           | 0E                                                                 | 13 | 00094 |      |
|           | 62        | 63 |           | 50                                                                 | 28 | 00096 |      |
| 00000000G | 00        | 57 |           | 66                                                                 | C1 | 0009A |      |
|           |           |    |           | 15                                                                 | 11 | 000A2 |      |
|           |           | 08 |           | 66                                                                 | D1 | 000A4 | 5\$: |
|           |           |    |           | 09                                                                 | 12 | 000A7 |      |
|           | 00000000G | 00 |           | 00                                                                 | FB | 000A9 |      |
|           |           |    |           | 07                                                                 | 11 | 000B0 |      |
|           |           |    |           | .EXTRN EDT\$\$SEL RNGPOS                                           |    |       |      |
|           |           |    |           | .EXTRN EDT\$\$SC DELLN, EDT\$\$A_CUR_BUF                           |    |       |      |
|           |           |    |           | .EXTRN EDT\$\$A_WK_BUK, EDT\$\$A_WK_LN                             |    |       |      |
|           |           |    |           | .EXTRN EDT\$\$G_WK_MODFD                                           |    |       |      |
|           |           |    |           | .EXTRN EDT\$\$L_LN00, EDT\$\$A_SEL_POS                             |    |       |      |
|           |           |    |           | .EXTRN EDT\$\$L_SEL_LN, EDT\$\$T_LN_BUF                            |    |       |      |
|           |           |    |           | .EXTRN EDT\$\$G_SCR_REBUILD                                        |    |       |      |
|           |           |    |           | .EXTRN EDT\$\$G_SCR_LNS, EDT\$\$G_RECS_INSERTED                    |    |       |      |
|           |           |    |           | .EXTRN EDT\$\$INTER_ERR                                            |    |       |      |
|           |           |    |           | .PSECT _EDT\$CODE, NOWRT, SHR, PIC, 2                              |    |       |      |
|           |           |    |           | .ENTRY EDT\$\$DEL_CURLN, Save R2, R3, R4, R5, R6, R7, R8, - : 0667 |    |       |      |
|           |           |    |           | R9, R10, R11                                                       |    |       |      |
|           |           |    |           | MOVAB EDT\$\$G_RECS_INSERTED, R11                                  |    |       |      |
|           |           |    |           | MOVAB EDT\$\$G_SCR_REBUILD, R10                                    |    |       |      |
|           |           |    |           | MOVAB EDT\$\$A_WK_BUK, R9                                          |    |       |      |
|           |           |    |           | MOVAB FIRST_WORD, R8                                               |    |       |      |
|           |           |    |           | MOVL EDT\$\$A_CUR_BUF, R1                                          |    |       |      |
|           |           |    |           | MOVL EDT\$\$A_WK_BUK, R0                                           |    |       |      |
|           |           |    |           | CMPL (R1), 4(R0)                                                   |    |       |      |
|           |           |    |           | BNEQ 1\$                                                           |    |       |      |
|           |           |    |           | RET                                                                |    |       |      |
|           |           |    |           | BLBS EDT\$\$G_SCR_REBUILD, 3\$                                     |    |       |      |
|           |           |    |           | INCL EDT\$\$G_RECS_INSERTED                                        |    |       |      |
|           |           |    |           | ASHL #1, EDT\$\$G_SCR_LNS, R0                                      |    |       |      |
|           |           |    |           | CMPL EDT\$\$G_RECS_INSERTED, R0                                    |    |       |      |
|           |           |    |           | BLEQ 2\$                                                           |    |       |      |
|           |           |    |           | MOVL #1, EDT\$\$G_SCR_REBUILD                                      |    |       |      |
|           |           |    |           | BRB 3\$                                                            |    |       |      |
|           |           |    |           | CALLS #0, EDT\$\$SC DELLN                                          |    |       |      |
|           |           |    |           | MOVL EDT\$\$A_CUR_BUF, R6                                          |    |       |      |
|           |           |    |           | MOVL 24(R6), SAVE                                                  |    |       |      |
|           |           |    |           | DECL 24(R6)                                                        |    |       |      |
|           |           |    |           | CMPL 24(R6), SAVE                                                  |    |       |      |
|           |           |    |           | BLEQU 4\$                                                          |    |       |      |
|           |           |    |           | DECW 28(R6)                                                        |    |       |      |
|           |           |    |           | MOVL EDT\$\$A_WK_LN, R2                                            |    |       |      |
|           |           |    |           | MOVZBL (R2), R0                                                    |    |       |      |
|           |           |    |           | SUBL2 R0, 30(R6)                                                   |    |       |      |
|           |           |    |           | MOVL #1, EDT\$\$G_WK_MODFD                                         |    |       |      |
|           |           |    |           | MOVZBL (R2), SIZE                                                  |    |       |      |
|           |           |    |           | ADDL2 #8, SIZE                                                     |    |       |      |
|           |           |    |           | ADDL3 SIZE, R2, SOURCE                                             |    |       |      |
|           |           |    |           | MOVL EDT\$\$A_WK_BUK, R7                                           |    |       |      |
|           |           |    |           | SUBL3 (R6), 4(R7), R0                                              |    |       |      |
|           |           |    |           | SUBL2 SIZE, REMAINING                                              |    |       |      |
|           |           |    |           | SUBL2 SIZE, 4(R7)                                                  |    |       |      |
|           |           |    |           | TSTL REMAINING                                                     |    |       |      |
|           |           |    |           | BEQL 5\$                                                           |    |       |      |
|           |           |    |           | MOVC3 REMAINING, (SOURCE), (R2)                                    |    |       |      |
|           |           |    |           | ADDL3 (R6), R7, EDT\$\$A_WK_LN                                     |    |       |      |
|           |           |    |           | BRB 7\$                                                            |    |       |      |
|           |           |    |           | CMPL (R6), #8                                                      |    |       |      |
|           |           |    |           | BNEQ 6\$                                                           |    |       |      |
|           |           |    |           | CALLS #0, EDT\$\$WF_DELBUK                                         |    |       |      |
|           |           |    |           | BRB 7\$                                                            |    |       |      |

EDT\$WFDELLIN  
V04-000

EDT\$WFDELLIN - delete the current line  
EDT\$\$DEL\_CURLN - delete the current line

L 6  
16-Sep-1984 02:05:09  
14-Sep-1984 12:25:29

VAX-11 Bliss-32 V4.0-742  
DISK\$VMSMASTER:[EDT.SRC]WFDELLIN.BLI;1

Page 8  
(3)

|             |    |           |    |          |       |       |                                   |      |
|-------------|----|-----------|----|----------|-------|-------|-----------------------------------|------|
| 00000000G   | 00 | 00        | FB | 000B2    | 6\$:  | CALLS | #0, EDT\$\$RD NXTLN               | 0804 |
| 00000000G   | 00 | 00        | FB | 000B9    | 7\$:  | CALLS | #0, EDT\$\$SEC_RNGPOS             | 0810 |
| 02 FFFFFFFF | 8F | 50        | CF | 000C0    |       | CASEL | R0, #-1, #2                       |      |
| 001A 000E   |    | 0027      |    | 000C8    | 8\$:  | .WORD | 11\$-8\$,-                        |      |
|             |    |           |    |          |       |       | 9\$-8\$,-                         |      |
|             |    |           |    |          |       |       | 10\$-8\$                          |      |
| 00000000G   | 00 | 00        | FB | 000CE    |       | CALLS | #0, EDT\$\$INTER_ERR              | 0825 |
|             |    |           | 04 | 000D5    |       | RET   |                                   | 0810 |
| 00000000G   | 00 | 00000000G | 00 | 9E 000D6 | 9\$:  | MOVAB | EDT\$\$T_LN_BUF, EDT\$\$A_SEL_POS | 0819 |
|             |    |           |    | 04 000E1 |       | RET   |                                   |      |
|             | 50 |           | 68 | D0 000E2 | 10\$: | MOVL  | FIRST_WORD, SAVE                  | 0822 |
|             |    |           | 68 | D7 000E5 |       | DECL  | FIRST_WORD                        |      |
|             | 50 |           | 68 | D1 000E7 |       | CMPL  | FIRST_WORD, SAVE                  |      |
|             |    |           | 03 | 1B 000EA |       | BLEQU | 11\$                              |      |
|             |    | 04        | A8 | B7 000EC |       | DECW  | NEXT_WORD                         |      |
|             |    |           | 04 | 000EF    | 11\$: | RET   |                                   | 0828 |

; Routine Size: 240 bytes, Routine Base: \_EDT\$CODE + 0000

; 259 0829 1  
; 260 0830 1 !<BLF/PAGE>



EDT\$WFDELLIN  
V04-000

EDT\$WFDELLIN - delete the current line  
EDT\$\$DEL\_CURLN - delete the current line

M 6  
16-Sep-1984 02:05:09  
14-Sep-1984 12:25:29

VAX-11 Bliss-32 V4.0-742  
DISK\$VMSMASTER:[EDT.SRC]WFDELLIN.BLI;1 (4)

Page 9

: 262  
: 263  
: 264  
0831 1 END  
0832 1  
0833 0 ELUDOM

! of module EDT\$WFDELLIN

### PSECT SUMMARY

Name Bytes Attributes  
\_EDT\$CODE 240 NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

### Library Statistics

| File                                | -----<br>Total | Symbols<br>Loaded | -----<br>Percent | Pages<br>Mapped | Processing<br>Time |
|-------------------------------------|----------------|-------------------|------------------|-----------------|--------------------|
| _\$255\$DUA28:[EDT.SRC]EDT.L32;1    | 377            | 43                | 11               | 40              | 00:00.2            |
| _\$255\$DUA28:[EDT.SRC]PSECTS.L32;1 | 2              | 1                 | 50               | 7               | 00:00.1            |

### COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:WFDELLIN/OBJ=OBJ\$:WFDELLIN MSRC\$:WFDELLIN.BLI/UPDATE=(ENH\$:WFDELLIN)

: Size: 240 code + 0 data bytes  
: Run Time: 00:16.3  
: Elapsed Time: 00:19.3  
: Lines/CPU Min: 3075  
: Lexemes/CPU-Min: 11988  
: Memory Used: 114 pages  
: Compilation Complete



0141 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

