

MMM	MMM	TTTTTTTTTTTTTT	AAAAAAAAA	AAAAAAAAA	CCCCCCCCCCCC	PPPPPPPPPPPP	
MMM	MMM	TTTTTTTTTTTTTT	AAAAAAAAA	AAAAAAAAA	CCCCCCCCCCCC	PPPPPPPPPPPP	
MMM	MMM	TTTTTTTTTTTTTT	AAAAAAAAA	AAAAAAAAA	CCCCCCCCCCCC	PPPPPPPPPPPP	
MMMMMM	MMMMMM	TTT	AAA	AAA	CCC	PPP	PPP
MMMMMM	MMMMMM	TTT	AAA	AAA	CCC	PPP	PPP
MMMMMM	MMMMMM	TTT	AAA	AAA	CCC	PPP	PPP
MMM	MMM	TTT	AAA	AAA	CCC	PPP	PPP
MMM	MMM	TTT	AAA	AAA	CCC	PPP	PPP
MMM	MMM	TTT	AAA	AAA	CCC	PPP	PPP
MMM	MMM	TTT	AAA	AAA	CCC	PPP	PPP
MMM	MMM	TTT	AAA	AAA	CCC	PPPPPPPPPPPP	
MMM	MMM	TTT	AAA	AAA	CCC	PPPPPPPPPPPP	
MMM	MMM	TTT	AAA	AAA	CCC	PPPPPPPPPPPP	
MMM	MMM	TTT	AAAAAAAAAAAAAAAA	AAAAAAAAAAAAAAAA	CCC	PPP	
MMM	MMM	TTT	AAAAAAAAAAAAAAAA	AAAAAAAAAAAAAAAA	CCC	PPP	
MMM	MMM	TTT	AAAAAAAAAAAAAAAA	AAAAAAAAAAAAAAAA	CCC	PPP	
MMM	MMM	TTT	AAA	AAA	CCC	PPP	
MMM	MMM	TTT	AAA	AAA	CCC	PPP	
MMM	MMM	TTT	AAA	AAA	CCC	PPP	
MMM	MMM	TTT	AAA	AAA	CCC	PPP	
MMM	MMM	TTT	AAA	AAA	CCC	PPP	
MMM	MMM	TTT	AAA	AAA	CCC	PPP	
MMM	MMM	TTT	AAA	AAA	CCCCCCCCCCCC	PPP	
MMM	MMM	TTT	AAA	AAA	CCCCCCCCCCCC	PPP	
MMM	MMM	TTT	AAA	AAA	CCCCCCCCCCCC	PPP	

```

LL               IIIIII               SSSSSSSS
LL               IIIIII               SSSSSSSS
LL               II                   SS
LL               II                   SS
LL               II                   SS
LL               II                   SS
LL               II                   SSSSSS
LL               II                   SSSSSS
LL               II                   SS
LL               II                   SS
LL               II                   SS
LL               II                   SS
LLLLLLLLLLLLLL  IIIIII               SSSSSSSS
LLLLLLLLLLLLLL  IIIIII               SSSSSSSS

```

BCDEFGHIJKLMNOPQRSTUVWXYZ


```
1 0001 0 MODULE CHKDMO (LANGUAGE (BLISS32) ,
2 0002 0 IDENT = 'V04-000' ,
3 0003 0 ) =
4 0004 1 BEGIN
5 0005 1
6 0006 1 *****
7 0007 1 *
8 0008 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
9 0009 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
10 0010 1 * ALL RIGHTS RESERVED.
11 0011 1 *
12 0012 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
13 0013 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
14 0014 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
15 0015 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
16 0016 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
17 0017 1 * TRANSFERRED.
18 0018 1 *
19 0019 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
20 0020 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
21 0021 1 * CORPORATION.
22 0022 1 *
23 0023 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
24 0024 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
25 0025 1 *
26 0026 1 *
27 0027 1 *****
28 0028 1
29 0029 1 ++
30 0030 1
31 0031 1 FACILITY: VAS/VMS MTAACP
32 0032 1
33 0033 1 ABSTRACT:
34 0034 1
35 0035 1 This routine dismounts the volume in use if it should be.
36 0036 1
37 0037 1 ENVIRONMENT:
38 0038 1
39 0039 1 VAX/VMS operating system, including privileged system services
40 0040 1 and internal exec routines.
41 0041 1
42 0042 1 --
43 0043 1
44 0044 1
45 0045 1
46 0046 1 AUTHOR: Andrew C. Goldstein, CREATION DATE: 29-Apr-1977 17:19
47 0047 1
48 0048 1 MODIFIED BY:
49 0049 1
50 0050 1 V03-010 HH0049 Hai Huang 16-Aug-1984
51 0051 1 Call IOC$DALLOC_DMT to handle deallocation on dismount.
52 0052 1
53 0053 1 V03-009 MMD0324 Meg Dumont, 15-Aug-1984 14:37
54 0054 1 Fix to index off the UCBLIST with the NVOL rather than
55 0055 1 the volume number from the MVL. The MVL may not be valid
56 0056 1 thus we shouldn't be using it.
57 0057 1
```



```
58 0058 1 V03-008 ACG0441 Andrew C. Goldstein, 13-Aug-1984 12:12
59 0059 1 Issue IO$_AVAILABLE function after IO$_UNLOAD to release
60 0060 1 drive correctly.
61 0061 1
62 0062 1 V03-007 ACG0441 Andrew C. Goldstein, 11-Aug-1984 16:58
63 0063 1 Rework dismount interlocking to eliminate races and
64 0064 1 uninterlocked procesing. Clear device lock value block on
65 0065 1 dismount.
66 0066 1
67 0067 1 V03-006 MMD0289 Meg Dumont, 10-Apr-1984 14:15
68 0068 1 Fix to use IO$_AVAILABLE instead of setting to SYNC
69 0069 1 IPL and clearing the UCB VALID bit. Also fixed the
70 0070 1 DALLOC_DEV linkage to indicate that R3 is trashed across
71 0071 1 the call. Removed any knowledge inside this routine
72 0072 1 of setting to IPL$_SYNC.
73 0073 1
74 0074 1 V03-005 LMP0221 L. Mark Pilant, 28-Mar-1984 13:04
75 0075 1 Change UCB$_OWNUIC to ORB$_OWNER and UCB$_VPROT to
76 0076 1 ORB$_PROT.
77 0077 1
78 0078 1 V03-004 MMD0281 Meg Dumont, 23-Mar-1984 10:29
79 0079 1 Fix to pass address of UCB on IOC$_DALLOC_DEV call.
80 0080 1
81 0081 1 V03-003 ACG0399 Andrew C. Goldstein, 27-Feb-1984 13:24
82 0082 1 Rename EXE$_UNLOCK_DEV to IOC$_UNLOCK_DEV
83 0083 1
84 0084 1 V03-002 TCM0001 Trudy C. Matthews 10-May-1983
85 0085 1 Call routine EXE$_DALLOC_DEV to correctly do device
86 0086 1 deallocation in a cluster.
87 0087 1
88 0088 1 V03-001 STJ0263 Steven T. Jeffreys 22-Apr-1982
89 0089 1 Do not mung the device allocation access mode.
90 0090 1
91 0091 1 V02-010 DMW00035 David Michael Walp 15-Sep-1981
92 0092 1 Fixed Cancel I/O vs Dismount race condition
93 0093 1
94 0094 1 V02-009 DMW00026 David Michael Walp 20-Jul-1981
95 0095 1 Changes to RET_FREE_PAGE, new parameter to say
96 0096 1 that the P0 space will should be contracted.
97 0097 1
98 0098 1 V02-008 DMW00011 David Michael Walp 14-Mar-1981
99 0099 1 Changed calculation of CCB address to GET_CCB
100 0100 1
101 0101 1 V02-007 REFORMAT Maria del C. Nasr 30-Jun-1980
102 0102 1
103 0103 1 **
104 0104 1
105 0105 1 LIBRARY 'SYSS$LIBRARY:LIB.L32';
106 0106 1
107 0107 1 REQUIRE 'SRC$:MTADEF.B32';
108 0491 1
109 0492 1
110 0493 1 Part of this routine use to run at IPL$_SYNCH, however we will still lock
111 0494 1 the code down.
112 0495 1
113 0496 1 LOCK_CODE;
114 0497 1
```



```
116 0498 1 GLOBAL ROUTINE CHECK_DISMOUNT (UCB) : COMMON_CALL NOVALUE =
117 0499 1
118 0500 1 ++
119 0501 1
120 0502 1 FUNCTIONAL DESCRIPTION:
121 0503 1
122 0504 1 This routine checks if the volume in use is marked for dismount and
123 0505 1 idle. If so, it completes the dismount.
124 0506 1
125 0507 1 CALLING SEQUENCE:
126 0508 1 CHECK_DISMOUNT (ARG1)
127 0509 1
128 0510 1 INPUT PARAMETERS:
129 0511 1 ARG1 - address of unit control block for primary UCB
130 0512 1
131 0513 1 IMPLICIT INPUTS:
132 0514 1 QUEUE_HEAD: queue header for ACP
133 0515 1
134 0516 1 OUTPUT PARAMETERS:
135 0517 1 None
136 0518 1
137 0519 1 IMPLICIT OUTPUTS:
138 0520 1 None
139 0521 1
140 0522 1 ROUTINE VALUE:
141 0523 1 None
142 0524 1
143 0525 1 SIDE EFFECTS:
144 0526 1 Volume dismounted if appropriate
145 0527 1
146 0528 1 --
147 0529 1
148 0530 2 BEGIN
149 0531 2
150 0532 2 BUILTIN
151 0533 2 TESTBITSC;
152 0534 2
153 0535 2 LINKAGE
154 0536 2 DALLOC_DEV = JSB (REGISTER=4,REGISTER=5;) :
155 0537 2 NOPRESERVE (3)
156 0538 2 PRESERVE (2,4,5)
157 0539 2 NOTUSED (6,7,8,9,10,11);
158 0540 2
159 0541 2 EXTERNAL REGISTER
160 0542 2 COMMON_REG;
161 0543 2
162 0544 2 MAP
163 0545 2 UCB : REF BBLOCK; ! address of unit control block
164 0546 2
165 0547 2 LOCAL
166 0548 2 CCB : REF BBLOCK, ! address of channel control block
167 0549 2 STS, ! general status value
168 0550 2 LKSTS : VECTOR [6], ! lock status block
169 0551 2 ! address of mag tape volume entry
170 0552 2 UNLOAD, ! flag to indicate unloading
171 0553 2 PAGE,
172 0554 2 ORB : REF BBLOCK, ! ORB address
```



```
173 0555 2      UCBLIST : REF VECTOR,      ! vector of ucb's allocated to volume set
174 0556 2      VCB      : REF BBLOCK;      ! local address of VCB
175 0557 2
176 0558 2
177 0559 2
178 0560 2      IO_CHANNEL,      ! assign channel for tape I/O
179 0561 2      SCH$GL_CURPCB : REF BBLOCK ADDRESSING_MODE (GENERAL),
180 0562 2      QUEUE_READ  : REF BBLOCK;      ! address of ACP queue header
181 0563 2
182 0564 2
183 0565 2
184 0566 2      IOC$DALLOC_DMT : DALLOC_DEV ADDRESSING_MODE (GENERAL),
185 0567 2      ! deallocate device
186 0568 2      RET_FREE_PAGE : COMMON_CALL, ! return free page to virtual mem pool
187 0569 2      LOCK_IODB,      ! lock I/O data base mutex
188 0570 2      SEND_ERRLOG,
189 0571 2      UNLOCK_IODB,      ! unlock I/O data base mutex
190 0572 2      DEALLOCATE,      ! deallocate dynamic memory
191 0573 2      GET_CCB;          ! get address of the CCB
192 0574 2
193 0575 2
194 0576 2      ! First check if the volume is marked for dismount
195 0577 2
196 0578 2
197 0579 2      IF NOT .BBLOCK[UCB[UCB$L_DEVCHAR], DEV$V_DMT]
198 0580 2      THEN
199 0581 2          RETURN;
200 0582 2
201 0583 2      VCB = .UCB[UCB$L_VCB];          ! pickup VCB address
202 0584 2
203 0585 2      ! The volume is marked for dismount. The remainder of the tests and the
204 0586 2      ! dismount bit twiddling must be done interlocked.
205 0587 2
206 0588 2      LOCK_IODB();
207 0589 2      SET_IPL (IPL$_SYNCH);
208 0590 2
209 0591 2      ! If a cancel I/O is pending we can not dismount the volume, the volume
210 0592 2      ! will be check for dismount when the cancel I/O is completed. This stops
211 0593 2      ! the crash caused by cancel and dismount happening while the ACP has a QIO
212 0594 2      ! with an completion AST outstanding to the volume.
213 0595 2
214 0596 2      IF (.VCB[VCB$W_TRANS] EQL 1) AND (NOT .VCB[VCB$V_CANCELIO])
215 0597 2      THEN
216 0598 2          BEGIN
217 0599 2
218 0600 2          ! The volume is marked for dismount and idle. Mark all UCB's with
219 0601 2          ! dismount in progress to stop all further activity.
220 0602 2
221 0603 2          UCBLIST = BBLOCK[VCB[VCB$L_RVT], RVT$L_UCBLST];
222 0604 2
223 0605 2          DECR NVOL FROM .BBLOCK[VCB[VCB$L_RVT], RVT$B_NVOLS] - 1 TO 0 DO
224 0606 2              BEGIN
225 0607 2                  UCB = .UCBLIST[NVOL];          ! UCB from RVT list
226 0608 2                  UCB[UCB$V_DISMOUNT] = 1;
227 0609 2              END;
228 0610 2
229 0611 2          UNLOCK_IODB ();
```



```
230 0612 3
231 0613 3
232 0614 3
233 0615 3
234 0616 3
235 0617 3
236 0618 3
237 0619 3
238 0620 3
239 0621 3
240 0622 3
241 0623 3
242 0624 3
243 0625 4
244 0626 4
245 0627 4
246 0628 4
247 0629 4
248 0630 4
249 0631 4
250 0632 4
251 0633 4
252 0634 4
253 0635 4
254 0636 4
255 0637 4
256 0638 4
257 0639 4
258 0640 5
259 P 0641 5
260 P 0642 5
261 P 0643 5
262 P 0644 5
263 0645 5
264 0646 5
265 0647 5
266 0648 5
267 0649 4
268 0650 4
269 0651 4
270 0652 4
271 0653 4
272 0654 4
273 0655 4
274 0656 4
275 0657 4
276 0658 4
277 0659 4
278 0660 4
279 0661 4
280 0662 4
281 0663 4
282 0664 4
283 0665 4
284 0666 4
285 0667 4
286 0668 4

! Establish whether volumes are to be unloaded. The primary UCB
! contains the unload flag.
IF TESTBITSC (BBLOCK [.UCBLIST[0], UCB$V_UNLOAD])
THEN UNLOAD = 1
ELSE UNLOAD = 0;

! Loop through the UCB's again. For each one, send the dismount
! error log message and then unload the unit if it is online.
CCB = GET_CCB (.IO CHANNEL);
DECR NVOL FROM .BBLOCK[VCB[VCB$L_RVT], RVT$B_NVOLS] - 1 TO 0 DO
BEGIN
UCB = .UCBLIST[NVOL];          ! UCB from RVT list
SEND_ERRLOG(0, .UCB);

CCB[CCB$L_UCB] = .UCBLIST[NVOL];
IF .UNLOAD
THEN $QIOW(CHAN = .IO CHANNEL, FUNC = IOS_UNLOAD);
$QIOW(CHAN = .IO_CHANNEL, FUNC = IOS_AVAILABLE);

! If the UCB is not allocated, acquire the device lock so
! that its value block can be written.
IF (LKSTS [1] = .UCB [UCB$L_LOCKID]) NEQ 0
AND .UCB [UCB$L_PID] EQ 0
THEN
BEGIN
STS = $ENQW (LKMODE = LCK$K_PWMODE,
             LKSB   = LKSTS,
             EFN    = EFN,
             FLAGS  = LCK$M_CONVERT + LCK$M_SYNCSTS
                   + LCK$M_NOQUOTA);

IF NOT .STS
OR NOT .LKSTS
THEN BUG_CHECK (XQPERR, FATAL, 'Unexpected lock manager error');
END;

! Now complete the dismount. Mark primary unit and secondary
! units dismounted and deallocate those units which should be
! on dismount.
ORB = .UCB[UCB$L_ORB];
LOCK_IODB ();

BBLOCK[UCB[UCB$L_DEVCHAR], DEV$V_MNT] = 0;
BBLOCK[UCB[UCB$L_DEVCHAR], DEV$V_DMT] = 0;
BBLOCK[UCB[UCB$L_DEVCHAR], DEV$V_SWL] = 0;
UCB[UCB$L_VCB] = 0;
UCB[UCB$V_DISMOUNT] = 0;
UCB[UCB$W_REFC] = .UCB[UCB$W_REFC] - 1;
ORB[ORB$L_SYS_PROT] = 0;
ORB[ORB$L_OWN_PROT] = 0;
ORB[ORB$L_GRP_PROT] = 0;
ORB[ORB$L_WOR_PROT] = 0;
ORB[ORB$L_OWNER] = 0;
```



```

287      0669  4
288      0670  4
289      0671  4
290      0672  4
291      0673  4
292      0674  4
293      0675  4
294      0676  4
295      0677  3
296      0678  3
297      0679  3
298      0680  3
299      0681  3
300      0682  3
301      0683  3
302      0684  3
303      0685  3
304      0686  3
305      0687  3
306      0688  3
307      0689  3
308      0690  3
309      0691  3
310      0692  3
311      0693  3
312      0694  4
313      0695  4
314      0696  4
315      0697  4
316      0698  4
317      0699  4
318      0700  4
319      0701  4
320      0702  3
321      0703  3
322      0704  3
323      0705  3
324      0706  3
325      0707  3
326      0708  3
327      0709  3
328      0710  3
329      0711  3
330      0712  3
331      0713  4
332      0714  4
333      0715  4
334      0716  4
335      0717  3
336      0718  3
337      0719  3
338      0720  3
339      0721  3
340      0722  3
341      0723  3
342      0724  2
343      0725  1

! If the device lock exists, now demote it as appropriate (to CR if
! the device is not allocated, to EX otherwise). Clear the value
! block if this is the final dismount.

IF .LKSTS [1] NEQ 0
THEN
  BEGIN
    LKSTS [2] = 0;
    LKSTS [3] = 0;
    LKSTS [4] = 0;
    LKSTS [5] = 0;

    STS = $ENQ (LKMODE = IF .UCB [UCB$L_PID] NEQ 0
                      THEN LCK$K_EXMODE
                      ELSE LCK$K_CRMODE,
                LKSB   = LKSTS,
                EFN    = EFN,
                FLAGS   = LCK$M_CONVERT + LCK$M_CVTSYS
                      + LCK$M_SYNCSTS + LCK$M_NOQUOTA + LCK$M_VALBLK
                );

    IF NOT .STS
    OR NOT .LKSTS
    THEN BUG_CHECK (XQPERR, FATAL, 'Unexpected lock manager error');
    END;

! Call IOC$DALLOC_DMT routine to deallocate the device when appropriate.
!
IOC$DALLOC_DMT (.SCH$GL_CURPCB, .UCB);

UNLOCK_IODB ();
END;

! Finally deallocate the volume set structures.
!
DEALLOCATE(.VCB[VCB$L_RVT]);
DEALLOCATE(.VCB[VCB$L_MVL]);

! return volume virtual page
!
WHILE 1
DO
  BEGIN
    IF REMQUE(.VCB[VCB$L_VPFL], PAGE)
    THEN EXITLOOP;
    RET_FREE_PAGE(.PAGE, TRUE);
  END;

DEALLOCATE(.VCB);
QUEUE_HEAD[AQB$B_MNTCNT] = .QUEUE_HEAD[AQB$B_MNTCNT] - 1;
END
! release the VCB
! end of dismount processing
ELSE
  UNLOCK_IODB();
END;

! end of routine CHECK_DISMOUNT
```


				.TITLE	CHKDMO	
				.IDENT	\V04-000\	
				.EXTRN	IO_CHANNEL, SCH\$GL_CURPCB	
				.EXTRN	QUEUE_HEAD, IOC\$DACLOC_DMT	
				.EXTRN	RET_FREE_PAGE, LOCK_IODB	
				.EXTRN	SEND_ERRLOG, UNLOCK_IODB	
				.EXTRN	DEALLOCATE, GET_CCB	
				.EXTRN	SYSSQIOW, SYSS\$ENQW	
				.EXTRN	BUG\$_XQPERR, SYSS\$ENQ	
				.PSECT	\$LOCKEDC1\$,NOWRT,2	
				.ENTRY	CHECK_DISMOUNT, Save R2,R3,R4,R5,R6,R7,R8,-	0498
					R9,R10	
				SUBL2	#28, SP	
				MOVL	UCB, R0	0579
				BBS	#5, 58(R0), 1\$	
				RET		
				MOVL	52(R0), VCB	0583
				CALLS	#0, LOCK_IODB	0588
				MTPR	#8, #18	0589
				CMPW	12(VCB), #1	0596
				BEQL	3\$	
				BRW	21\$	
				BBS	#5, 11(VCB), 2\$	
				MOVL	32(VCB), R3	0603
				MOVAS	68(R3), UCBLIST	
				MOVZBL	11(R3), NVOL	0607
				BRB	5\$	
				MOVL	(UCBLIST)[NVOL], UCB	
				MOVL	UCB, R1	0608
				BISB2	#16, 102(R1)	
				SOBGEQ	NVOL, 4\$	0605
				CALLS	#0, UNLOCK_IODB	0611
				MOVL	(UCBLIST), R0	0616
				BBCC	#12, 100(R0), 6\$	
				MOVL	#1, UNLOAD	0617
				BRB	7\$	
				CLRL	UNLOAD	0618
				PUSHL	IO_CHANNEL	0623
				CALLS	#1, GET_CCB	
				MOVL	R0, CCB	
				MOVZBL	11(R3), NVOL	0624
				BRW	16\$	
				MOVL	(UCBLIST)[NVOL], UCB	0626
				MOVL	UCB, R3	0627
				PUSHL	R3	
				CLRL	-(SP)	
				CALLS	#2, SEND_ERRLOG	
				MOVL	(UCBLIST)[NVOL], aCCB	0629
				BLBC	UNLOAD, 9\$	0630
				CLRQ	-(SP)	0631
				CLRQ	-(SP)	
				CLRQ	-(SP)	

				07FC 00000	
	5E		1C	C2 00002	
01	50		AC	D0 00005	
	A0		05	E0 00009	
				04 0000E	
	56		A0	D0 0000F 1\$:	
0000G	CF		00	FB 00013	
	12		08	DA 00018	
	01		0C	A6 B1 0001B	
			03	13 0001F	
			0175	31 00021 2\$:	
F8			05	E0 00024 3\$:	
	A6		A6	D0 00029	
	53		44	A3 9E 0002D	
	52		0B	A3 9A 00031	
	50			0D 11 00035	
			6240	D0 00037 4\$:	
	AC		04	AC D0 0003C	
	51		10	88 00040	
	A1		50	F4 00044 5\$:	
0000G	F0		00	FB 00047	
	CF		62	D0 0004C	
	50		0C	E5 0004F	
05	A0		01	D0 00054	
	59		02	11 00057	
			59	D4 00059 6\$:	
			0000G	CF DD 0005B 7\$:	
	CF		01	FB 0005F	
0000G	6E		50	D0 00064	
	58		0B	A3 9A 00067	
			00F2	31 0006B	
			6248	D0 0006E 8\$:	
	AC		04	AC D0 00073	
	53		53	DD 00077	
			7E	D4 00079	
0000G	CF		02	FB 0007B	
	BE		6248	D0 00080	
00	18		59	E9 00085	
			7E	7C 00088	
			7E	7C 0008A	
			7E	7C 0008C	

	7E		0000G	7E 7C 0008E	CLRQ	-(SP)	
				01 7D 00090	MOVQ	#1, -(SP)	
				CF DD 00093	PUSHL	IO CHANNEL	
00000000G	00			7E D4 00097	CLRL	-(SP)	
				0C FB 00099	CALLS	#12, SYSSQIOW	
				7E 7C 000A0 9\$:	CLRQ	-(SP)	0632
				7E 7C 000A2	CLRQ	-(SP)	
				7E 7C 000A4	CLRQ	-(SP)	
				7E 7C 000A6	CLRQ	-(SP)	
	7E		0000G	11 7D 000A8	MOVQ	#17, -(SP)	
				CF DD 000AB	PUSHL	IO CHANNEL	
				7E D4 000AF	CLRL	-(SP)	
00000000G	00			0C FB 000B1	CALLS	#12, SYSSQIOW	
08	AE	20		A3 D0 000B8	MOVL	32(R3), LKSTS+4	0637
		2C		2A 13 000BD	BEQL	11\$	
				A3 D5 000BF	TSTL	44(R3)	0638
				25 12 000C2	BNEQ	11\$	
				7E 7C 000C4	CLRQ	-(SP)	0645
				7E 7C 000C6	CLRQ	-(SP)	
				7E 7C 000C8	CLRQ	-(SP)	
	7E			2A 7D 000CA	MOVQ	#42, -(SP)	
		24		AE 9F 000CD	PUSHAB	LKSTS	
				04 DD 000D0	PUSHL	#4	
				01 DD 000D2	PUSHL	#1	
00000000G	00			0B FB 000D4	CALLS	#11, SYSSQIOW	
5A				50 D0 000DB	MOVL	R0, STS	
04				5A E9 000DE	BLBC	STS, 10\$	0646
04		04		AE E8 000E1	BLBS	LKSTS, 11\$	0647
				FEFF 000E5 10\$:	BUGW		0648
				0000* 000E7	.WORD	<BUG\$ XQPERR!4>	
	53	04		AC D0 000E9 11\$:	MOVL	UCB, R3	0655
	57	1C		A3 D0 000ED	MOVL	28(R3), ORB	
0000G	CF			00 FB 000F1	CALLS	#0, LOCK IOCB	0656
3A	A3	0228		8F AA 000F6	BICW2	#552, 587(R3)	0660
		34		A3 D4 000FC	CLRL	52(R3)	0661
66	A3			10 8A 000FF	BICB2	#16, 102(R3)	0662
		5C		A3 B7 00103	DECW	92(R3)	0663
		18		A7 7C 00106	CLRQ	24(ORB)	0664
		20		A7 7C 00109	CLRQ	32(ORB)	0666
				67 D4 0010C	CLRL	(ORB)	0668
		08		AE D5 0010E	TSTL	LKSTS+4	0675
				37 13 00111	BEQL	15\$	
		0C		AE 7C 00113	CLRQ	LKSTS+8	0678
		14		AE 7C 00116	CLRQ	LKSTS+16	0680
				7E 7C 00119	CLRQ	-(SP)	0690
				7E 7C 0011B	CLRQ	-(SP)	
				7E 7C 0011D	CLRQ	-(SP)	
				7E D4 0011F	CLRL	-(SP)	
	7E	6B		8F 9A 00121	MOVZBL	#107, -(SP)	
		24		AE 9F 00125	PUSHAB	LKSTS	
		2C		A3 D5 00128	TSTL	44(R3)	
				04 13 0012B	BEQL	12\$	
				05 DD 0012D	PUSHL	#5	
				02 11 0012F	BRB	13\$	
				01 DD 00131 12\$:	PUSHL	#1	
				01 DD 00133 13\$:	PUSHL	#1	
00000000G	00			0B FB 00135	CALLS	#11, SYSSQIOW	

5A		50	D0	0013C	MOVL	R0, STS	
04		5A	E9	0013F	BLBC	STS, 14\$	0691
04	04	AE	E8	00142	BLBS	LKSTS, 15\$	0692
			FEFF	00146	BUGW		0693
			0000*	00148	.WORD	<BUG\$ XQPERR!4>	
55	04	AC	D0	0014A	MOVL	UCB, R5	0699
54	00000000G	00	D0	0014E	MOVL	SCH\$GL_CURPCB, R4	
	00000000G	00	16	00155	JSB	IOC\$DACLOC_DMT	
0000G	CF	00	FB	0015B	CALLS	#0, UNLOCK_IODB	0701
	02	58	F4	00160	SOBGEQ	NVOL, 17\$	0624
		03	11	00163	BRB	18\$	
		FF06	31	00165	BRW	8\$	
		A6	DD	00168	PUSHL	32(VCB)	0706
0000G	CF	01	FB	0016B	CALLS	#1, DEALLOCATE	
		34	A6	DD	PUSHL	52(VCB)	0707
0000G	CF	01	FB	00173	CALLS	#1, DEALLOCATE	
	52	3C	B6	0F	REMQUE	@60(VCB), PAGE	0714
			0B	1D	BVS	20\$	
			01	DD	PUSHL	#1	0716
			52	DD	PUSHL	PAGE	
0000G	CF	02	FB	00182	CALLS	#2, RET_FREE_PAGE	
		EF	11	00187	BRB	19\$	0711
		56	DD	00189	PUSHL	VCB	0719
0000G	CF	01	FB	0018B	CALLS	#1, DEALLOCATE	
	50	0000G	CF	D0	MOVL	QUEUE HEAD, R0	0720
		0B	A0	97	DECB	11(R0)	
			04	00198	RET		0596
0000G	CF	00	FB	00199	CALLS	#0, UNLOCK_IODB	0723
			04	0019E	RET		0725

; Routine Size: 415 bytes, Routine Base: \$LOCKEDC1\$ + 0000

:	344	0726	1
:	345	0727	1 END
:	346	0728	1
:	347	0729	0 ELUDOM

PSECT SUMMARY

Name	Bytes	Attributes
\$LOCKEDC1\$	415	NOVEC,NOWRT, RD , EXE,NOSHR, LCL, REL, CON,NOPI,ALIGN(2)

Library Statistics

File	----- Symbols -----		Pages Mapped	Processing Time
	Total	Loaded Percent		

CHKDMO
V04-000

K 16
16-Sep-1984 02:10:21
14-Sep-1984 12:46:36

VAX-11 Bliss-32 V4.0-742
[MTAACP.SRC]CHKDMO.B32;1

Page 10
(2)

; _\$255\$DUA28:[SYSLIB]LIB.L32;1

18619

45

0

1000

00:01.9

COMMAND QUALIFIERS

; BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LISS:CHKDMO/OBJ=OBJ\$:CHKDMO MSRC\$:CHKDMO/UPDATE=(ENH\$:CHKDMO)

; Size: 415 code + 0 data bytes
; Run Time: 00:13.5
; Elapsed Time: 00:34.8
; Lines/CPU Min: 3230
; Lexemes/CPU-Min: 24177
; Memory Used: 181 pages
; Compilation Complete

0253

AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY