

CCCCCCCCCCCC	LLL	DDDDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDDDD	
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCCCCCCCCCCC	LLLLLLLLLLLL	DDDDDDDDDDDD	
r'CCCCCCCCCC	LLLLLLLLLLLL	DDDDDDDDDDDD	
'CCCCCCCCCC	LLLLLLLLLLLL	D. DDDDDDDDDDD	

FILEID**DIFF

DDDDDDDD	IIIIII	FFFFFFF	FFFFFFF
DDDDDDDD	IIIIII	FFFFFFF	FFFFFFF
DD DD	II	FF	FF
DD DD	II	FF	FF
DD DD	II	FF	FF
DD DD	II	FF	FF
DD DD	II	FFFFF	FFFFF
DD DD	II	FFFFF	FFFFF
DD DD	II	FF	FF
DD DD	II	FF	FF
DD DD	II	FF	FF
DD DD	II	FF	FF
DD DD	II	FF	FF
DDDDDDDD	IIIIII	FF	FF
DDDDDDDD	IIIIII	FF	FF

....

CCCCCCCC	LL	DDDDDDDD
CCCCCCCC	LL	DDDDDDDD
CC	LL	DD
CCCCCCCC	LLLLLLLL	DDDDDDDD
CCCCCCCC	LLLLLLLL	DDDDDDDD

MODULE dif_command

Version: 'V04-000'

V03-001 PCG0001 Peter George
Use CLI keyword parsing.

30-Mar-1983

```
define type ignore_keywords
  keyword blank_lines
  keyword comments
  keyword form_feeds
  keyword header,value(default=2,type=$number)
  keyword trailing_spaces
  keyword spacing
  keyword edited,default
  keyword exact
  keyword pretty

define type mode_keywords
  keyword ascii,default
  keyword hexadecimal
  keyword octal

define type separated_keywords
  keyword master,default
  keyword revision,default

define verb differences
  image diff
  parameter p1,prompt='File 1',value(required,list,impcat,type=$infile),label=input1
  parameter p2,prompt='File 2',value(type=$infile),label=input2
  qualifier change_bar, placement=local,value(list)
  qualifier comment_delimiters,value(list)
  qualifier ignore, default,value(list,type=ignore_keywords)
  qualifier line_width, value(required,type=$number)
  qualifier match, value(required,type=$number)
  qualifier maximum_differences,value(required,type=$number)
  qualifier merged, value(type=$number)
  qualifier mode, default,value(list,type=mode_keywords)
  qualifier output, value(type=$outfile)
  qualifier parallel, value(type=$number)
  qualifier separated, value(list,type=separated_keywords)
  qualifier slp
  qualifier width, value(required,type=$number)
  qualifier window, value(required,type=$number)
  qualifier number, default

  disallow (slp AND (merged OR parallel OR separated OR change_bar OR
                      hexadecimal OR octal OR line_width OR width OR
                      pretty OR edited OR number))
```

0046 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

CLD	BACKUP CLD	DCLTABLES CLD	DISMOUNT CLD	ENCRYPT CLD	MCRINT CLD	REPLY CLD
DCLTABLES MAP	CREATE CLD	DEF CLD	DMO CLD	LIBRARIAN CLD	PASCAL CLD	SET CLD
ACC CLD	BAD CLD	DELETE CLD	DUMP CLD	EXCHANGE CLD	MORTABLES CLD	RUN CLD
DCINT CLD	CHECKSUM CLD	EDIT CLD	FORTRAN CLD	LINK CLD	PATCH CLD	SPR CLD
ANALYZE CLD	CLISYM1 CLD	DIFF CLD	HELP CLD	MCRSET CLD	MESSAGE CLD	PHONE CLD
PSECTS R32	CONVERT CLD	DIRECTORY CLD	MACRO CLD	MONITOR CLD	RECOVER CLD	RUNOFF CLD
MORTABLES MAP	COPY CLD	EDIT CLD	INIT CLD	MOUNT CLD	SQL CLD	SEARCH CLD
JNLUSR MAR		MAIL CLD				