

CCCCCCCCCCCC CCCC LLL
CCCCCCCCCCCC CCCC LLL
CCCCCCCCCCCC CCCC LLL
CCC
CCCCCCCCCCCC CCCC LLLL
CCCCCCCCCCCC CCCC LLLL
CCCCCCCCCCCC CCCC LLLL

DDDDDDDDDDDDDD
DDDDDDDDDDDDDD
DDDDDDDDDDDDDD
DDD DDD
DDDDDDDDDDDD
DDDDDDDDDDDD
DDDDDDDDDDDD

FILEID**REPLY

RRRRRRRR	EEEEE	PPPPPPP	LL	YY	YY
RRRRRRRR	EEEEE	PPPPPPP	LL	YY	YY
RR RR	EE	PP PP	LL	YY	YY
RR RR	EE	PP PP	LL	YY	YY
RR RR	EE	PP PP	LL	YY	YY
RR RR	EE	PP PP	LL	YY	YY
RRRRRRRR	EEEEE	PPPPPPP	LL	YY	YY
RRRRRRRR	EEEEE	PPPPPPP	LL	YY	YY
RR RR	EE	PP	LL	YY	YY
RR RR	EE	PP	LL	YY	YY
RR RR	EE	PP	LL	YY	YY
RR RR	EE	PP	LL	YY	YY
RR RR	EEEEE	PP	LLLLLLL	YY	YY
RR RR	EEEEE	PP	LLLLLLL	YY	YY

CCCCCCC	LL	DDDDDDD	
CCCCCCC	LL	DDDDDDD	
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CCCCCCC	LLLLLLL	DDDDDDD	
CCCCCCC	LLLLLLL	DDDDDDD	

```
| Version: 'V04-000'
```

```
define verb reply
  image reply
  parameter p1,prompt='Text'

  qualifier abort           value(required,type=$number)
  qualifier all
  qualifier bell
  qualifier blank_tape       value(required,type=$number)
  qualifier disable          value(list)
  qualifier enable           value(list)
  qualifier initialize_tape  value(required,type=$number)
  qualifier log
  qualifier node             value(list)
  qualifier notify            default
  qualifier pending           value(required,type=$number)
  qualifier shutdown
  qualifier status
  qualifier temporary
  qualifier terminal          value(list,required)
  qualifier to                value(required,type=$number)
  qualifier urgent
  qualifier username          value(list)
  qualifier wait

  disallow (any2 (abort, all, blank_tape, disable, enable, initialize_tape,
                  log, pending, status, terminal, to, username))
  disallow (any2 (bell,
                  abort, blank_tape, disable, enable, initialize_tape,
                  log, pending, status, to))
  disallow (any2 (notify,
                  abort, blank_tape, disable, enable, initialize_tape,
                  log, pending, status, to))
  disallow (any2 (shutdown,
                  abort, blank_tape, disable, enable, initialize_tape,
                  log, pending, status, to))
  disallow (any2 (urgent,
                  abort, blank_tape, disable, enable, initialize_tape,
                  log, pending, status, to))
  disallow (any2 (wait,
                  abort, blank_tape, disable, enable, initialize_tape,
                  log, pending, status, to))
  disallow (shutdown and urgent)
  disallow (temporary and not enable)

define verb request
  image request
  parameter p1,prompt='Text'
  qualifier reply
  qualifier to           value(required,list)
```

0046 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

CLD	BACKUP CLD	DCLTABLES CLD	DISMOUNT CLD	ENCRYPT CLD	MCRINT CLD	REPLY CLD
DCLTABLES MAP	CREATE CLD	DEF CLD	DMO CLD	LIBRARIAN CLD	PASCAL CLD	SET CLD
ACC CLD	BAD CLD	DELETE CLD	DUMP CLD	EXCHANGE CLD	MORTABLES CLD	RUN CLD
DCINT CLD	CHECKSUM CLD	EDIT CLD	FORTRAN CLD	LINK CLD	PATCH CLD	SPR CLD
ANALYZE CLD	CLISYM1 CLD	DIFF CLD	HELP CLD	MCRSET CLD	MESSAGE CLD	PHONE CLD
PSECTS R32	CONVERT CLD	DIRECTORY CLD	MACRO CLD	MONITOR CLD	RECOVER CLD	RUNOFF CLD
MORTABLES MAP	COPY CLD	EDIT CLD	INIT CLD	MOUNT CLD	SQL CLD	SEARCH CLD
JNLUSR MAR		MAIL CLD				