

CCCCCCCCCCCC	RRRRRRRRRRRR	FFFFFFF FFFFFF
CCCCCCCCCCCC	RRRRRRRRRRRR	FFFFFFF FFFFFF
CCCCCCCCCCCC	RRRRRRRRRRRR	FFFFFFF FFFFFF
CCC	RRR	RRR
CCCCCCCCCCCC	RRR	RRR
CCCCCCCCCCCC	RRR	RRR
CCCCCCCCCCCC	RRR	RRR

CCCCCCCC	RRRRRRRR	FFFFFFFFF	MM	MM	DDDDDDDD	LL
CCCCCCCC	RRRRRRRR	FFFFFFFFF	MM	MM	DDDDDDDD	LL
CC	RR	FF	MMMM	MMMM	DD	DD
CC	RR	FF	MMMM	MMMM	DD	DD
CC	RR	FF	MM	MM	DD	DD
CC	RR	FF	MM	MM	DD	DD
CC	RR	FF	MM	MM	DD	DD
CC	RRRRRRRR	FFFFFFF	MM	MM	DD	DD
CC	RRRRRRRR	FFFFFFF	MM	MM	DD	DD
CC	RR	FF	MM	MM	DD	DD
CC	RR	FF	MM	MM	DD	DD
CC	RR	FF	MM	MM	DD	DD
CC	RR	FF	MM	MM	DD	DD
CC	RR	FF	MM	MM	DD	DD
CCCCCCCC	RR	FF	MM	MM	DDDDDDDD	LLLLLLLL
CCCCCCCC	RR	FF	MM	MM	DDDDDDDD	LLLLLLLL

MM	MM	DDDDDDDD	LL
MM	MM	DDDDDDDD	LL
MMMM	MMMM	DD	DD
MMMM	MMMM	DD	DD
MM	MM	DD	DD
MM	MM	DD	DD
MM	MM	DD	DD
MM	MM	DD	DD
MM	MM	DD	DD
MM	MM	DD	DD
MM	MM	DD	DD
MM	MM	DDDDDDDD	LLLLLLLL
MM	MM	DDDDDDDD	LLLLLLLL

Version 'V04-000'

* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.

* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.

* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.

* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

Key def. block

\$STRUCT KEY

F	NEXT, L	:Link to next key def. block
F	REFLIST, L	:Ref. list head
F	KEYADR, L	:Address of ascic string OR binary value
F	VALADR, L	:Address of key value
F	VALFLG, W	:Value flags
F	DEFFLG, W	:Definition flags
F	DEFNAM, L	:Address of ASCIC definer string
L	LENGTH	
E		

Reference block

\$STRUCT REF

F	NEXT, L	:Link to next ref block
F	REFFLG, W	:Reference flags
F	REFLNG, B	:Length of reference name
F	REFNAM, T, 0	:Start of ref name
L	FIXEDSIZE	:Length of fixed part of ref block
E		

Field format block

\$STRUCT FLD

F MASK, W ;Mask for bits
V <M
USRBITS,15 ;Bits available to user
CRFBIT ;If this is clear, then end of formats for this field
>
F SET CLR, B ;0 = clear, 1 = set
F MAX[NG, B ;Max length of field
F FAODSC, B, 8 ;FAO descriptor
F NXTDESC, f, 0 ;Start of next descriptor
E

0068 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

