

EEEEEEEEE	DDDDDDDDDD	TTTTTTTTTT
EEEEEEEEE	DDDDDDDDDD	TTTTTTTTTT
EEEEEEEEE	DDDDDDDDDD	TTTTTTTTTT
EEE	DDD	TTT
EEEEEEEEE	DDDDDDDDDD	TTT
EEEEEEEEE	DDDDDDDDDD	TTT
EEEEEEEEE	DDDDDDDDDD	TTT

FILE ID**TRAROUNAM

☆ ☆

TTTTTTTTT1 RRRRRRRR AAAAAAA RRRRRRRR 000000 UU UU NN NN AAAAAAA MM MM
TTTTTTTTT2 RRRRRRRR AAAAAAA RRRRRRRR 000000 UU UU NN NN AAAAAAA MM MM
TT RR RR AA AA RR RR 00 00 UU UU NN NN AA AA MMMM MMMM
TT RR RR AA AA RR RR 00 00 UU UU NN NN AA AA MMMM MMMM
TT RR RR AA AA RR RR 00 00 UU UU NNNN NN AA AA MM MM MM
TT RR RR AA AA RR RR 00 00 UU UU NNNN NN AA AA MM MM MM
TT RRRRRRRR AA AA RRRRRRRR 00 00 UU UU NN NN AA AA MM MM
TT RRRRRRRR AA AA RRRRRRRR 00 00 UU UU NN NN AA AA MM MM
TT RR RR AAAAAAAAAA RR RR 00 00 UU UU NN NNNN AAAAAAAAAA MM MM
TT RR RR AAAAAAAAAA RR RR 00 00 UU UU NN NNNN AAAAAAAAAA MM MM
TT RR RR AA AA RR RR 00 00 UU UU NN NN AA AA MM MM
TT RR RR AA AA RR RR 00 00 UU UU NN NN AA AA MM MM
TT RR RR AA AA RR RR RR 000000 UUUUUUUUUU NN NN AA AA MM MM
TT RR RR AA AA RR RR RR 000000 UUUUUUUUUU NN NN AA AA MM MM

* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*

+ This file, TRAROUNAM.REQ, translates EDT's routine names into
- 6-character names for the PDP-11 task builder.

+ Edit History:

- 1-001 - Initial creation, using the macros for translating external names.
JBS 08-Apr-1981
- 1-002 - Add names from test compilation. JBS 13-Apr-1981
- 1-003 - Don't translate EDT\$MAIN ENTRY . JBS 13-Apr-1981
- 1-004 - Correct a typo. JBS 14-Apr-1981
- 1-005 - Make created symbols four chars long. JBS 17-Apr-1981
- 1-006 - Add EDT\$MOVE_MEMORY. JBS 21-Apr-1981
- 1-007 - Remove it, its now a macro. JBS 22-Apr-1981
- 1-008 - Add PDP-11 only names, revealed in the current
build. JBS 25-Apr-1981
- 1-009 - ADD MORE NAMES, FROM BUILD. JBS 25-APR-1981
- 1-010 - Put in PDP-11 equivalents of the names, as required. JBS 01-May-1981
- 1-011 - Add U.CVTC, FROM BUILD. JBS 03-MAY-1981
- 1-012 - Add EDT\$RD_JOUTXT . JBS 22-Jun-1981
- 1-013 - Add name equivalents for RSTS/E. JBS 14-Jul-1981
- 1-014 - Add two routines for DEALLOCATING HEAP MEMORY TMV 6-AUG-81
- 1-015 - Add routine for the BELL verb. STS 10-Aug-1981
- 1-016 - Add routine for date/time (CHMINDATE). STS 1-Sep-1981
- 1-017 - Add routine for wps search (WPSSTRING). STS 05-Oct-1981
- 1-018 - Add routine to insert text string for end/page. (FMT_TEXT) STS 07-Oct-1981
- 1-019 - Add routine to check and mark screen for ffs or eob. (EDT\$!) STS 16-OCT-1981
- 1-020 - Add routine to locate WPS paragraphs (FND_WPARA). STS 27-Oct-1981
- 1-021 - Add routine STARTEDT. STS 02-Dec-1981
- 1-022 - Don't translate main routine edt\$startup. STS 07-Dec-1981
- 1-023 - Add EDT\$\$CLR CC. JBS 21-Dec-1981
- 1-024 - ADD EDT\$FILEIO. STS 25-DEC-1981

- 1-025 - Add EDT\$\$CALLFIO. STS 12-Jan-1982
- 1-026 - Add EDT\$\$LDIV. SMB 11-FEB-1982
- 1-027 - Add EDT\$WORKIO and EDT\$\$CALLWIO. STS 11-Feb-1982
- 1-028 - Add EDT\$\$LOAD_MACCAL and EDT\$\$EXE_CMD_NOOVERLAY to help reduce the program size of EDT on the PDP-1Ts. JBS 10-Mar-1982
- 1-029 - Add EDT\$\$LOAD_EXTEND and EDT\$\$LNLM_CMD_NOOVERLAY to help reduce the program size of EDT on the PDP-1Ts. JBS 12-Mar-1982
- 1-030 - Add two more routines for overlay handling on the PDP-11. JBS 15-Mar-1982
- 1-031 - Add two more routines for overlay handling on the PDP-11. JBS 16-Mar-1982
- 1-032 - Give short names to EDT\$\$LOAD_EXTEND and EDT\$\$LOAD_MACCAL so they can be suppressed in the overlay analysis. JBS 18-Mar-1982
- 1-033 - Remove short names from the LOAD etc routines and add two more routines for overlay handling on the PDP-11. JBS 02-Apr-1982
- 1-034 - Add EDT\$\$WORD_WRAP. JBS 07-Apr-1982
- 1-035 - Add EDT\$\$REN_FI. SMB 08-Apr-1982
- 1-036 - Add EDT\$\$PAR_FNAME. SMB 26-Apr-1982
- 1-037 - Add short names for the heap routines. JBS 03-Jun-1982
- 1-038 - Add EDT\$\$SET_COMFNAM. JBS 10-Jun-1982
- 1-039 - Add EDT\$\$TIRES. SMB 30-Jul-1982
- 1-040 - Add EDT\$\$FIND_KEY and EDT\$\$STKEYDEF. JBS 16-Aug-1982
- 1-041 - Add EDT\$\$INIT_I0, to initialize I/O on the PDP-11s. JBS 27-Aug-1982
- 1-042 - Add new entry points for screen update. JBS 10-Sep-1982
- 1-043 - Add the screen repaint entry point. SMB 21-Sep-1982
- 1-044 - Change the name of mark line changed. JBS 24-Sep-1982
- 1-045 - Add new names for overlaying the screen updater. Also, put back in alphabetical order. JBS 25-Sep-1982
- 1-046 - Restore three names deleted by mistake in the last edit. JBS 26-Sep-1982
- 1-047 - Divide one of the screen update nooverlay names into two. JBS 27-Sep-1982
- 1-048 - Add the new name for the keyword lookup routine. JBS 29-Sep-1982
- 1-049 - Add a mnemonic name for EDT\$\$FMT_STR, remove it for EDT\$\$FMT_LIT. JBS 05-Oct-1982
- 1-050 - Add EDT\$\$FIX_NOTRUNC. JBS 01-Nov-1982
- 1-051 - Add EDT\$\$TERM_RCC. JBS 26-Jan-1983
- 1-052 - Add EDT\$\$WF_INIT, remove EDT\$\$WF_WRODEST. JBS 29-Mar-1983
- 1-053 - Add EDT\$\$SC_INS_MODE and EDT\$\$SC REP_MODE. JBS 01-Apr-1983
- 1-054 - Add EDT\$\$FIX_NOTRUNC_NOOVERLAY. JBS 19-Apr-1983
- 1-055 - Add EDT\$\$LOAD_SCRUPDATE. JBS 22-Apr-1983

MACRO

```
ROUTINE NAMES =
ROUTINE_NAME (EDTSSALO_HEAP, ALLHEA)
ROUTINE_NAME (EDTSSAPY_FNTOLN )
ROUTINE_NAME (EDTSSCAL[FIO )
ROUTINE_NAME (EDTSSCALLWIO )
ROUTINE_NAME (EDTSSCAN_KDEF )
ROUTINE_NAME (EDTSSCHG_CAS )
ROUTINE_NAME (EDTSSCHK_CC )
ROUTINE_NAME (EDTSSCHK_CNT )
ROUTINE_NAME (EDTSSCHK_DIR )
ROUTINE_NAME (EDTSSCHM_EXE )
ROUTINE_NAME (EDTSSCHM_HLP )
ROUTINE_NAME (EDTSSCHM_PAREXE )
ROUTINE_NAME (EDTSSCHM_PAREXE_NOOVERLAY, CHMPRO)
ROUTINE_NAME (EDTSSCHM_PAREXE_NOOVERLAY_REF)
ROUTINE_NAME (EDTSSCLR_CC)
ROUTINE_NAME (EDTSSCLR_CMD )
ROUTINE_NAME (EDTSSCLS_FI, IO_CLO)
ROUTINE_NAME (EDTSSCMP_LNO )
ROUTINE_NAME (EDTSSCNV_UPC ; U_CVTC)
ROUTINE_NAME (EDTSSCOMB_LN )
ROUTINE_NAME (EDTSSCPY [N )
ROUTINE_NAME (EDTSSCS_BOTBUF )
ROUTINE_NAME (EDTSSCS_DWN )
ROUTINE_NAME (EDTSSCS_LEFT )
ROUTINE_NAME (EDTSSCS_RIGHT )
ROUTINE_NAME (EDTSSCS_TOP )
ROUTINE_NAME (EDTSSCS_UP )
ROUTINE_NAME (EDTSSDEA_ALLHEAP )
ROUTINE_NAME (EDTSSDEA_HEAP, DEAHEA)
ROUTINE_NAME (EDTSSDEFR )
ROUTINE_NAME (EDTSSDEFK_CMD )
ROUTINE_NAME (EDTSSDEFM_CMD )
ROUTINE_NAME (EDTSSDEF_BFLTK )
ROUTINE_NAME (EDTSSDEL_CHS )
ROUTINE_NAME (EDTSSDEL_CMD )
ROUTINE_NAME (EDTSSDEL_CURLN )
ROUTINE_NAME (EDTSSDEL_LNS )
ROUTINE_NAME (EDTSSDEL_TXTLN )
ROUTINE_NAME (EDTSSSEND_CPY )
ROUTINE_NAME (EDTSSSEND_INS )
ROUTINE_NAME (EDTSSERA_MSGLN )
ROUTINE_NAME (EDTSSSEXE_CHMCMD1 )
ROUTINE_NAME (EDTSSSEXE_CHMCMD2 )
ROUTINE_NAME (EDTSSSEXE_CMD )
ROUTINE_NAME (EDTSSSEXE_CMD_NOOVERLAY, EXENOO)
ROUTINE_NAME (EDTSSSEXE_CMD_NOOVERLAY_REF)
ROUTINE_NAME (EDTSSSEXI_CMD )
ROUTINE_NAME (EDTSSSEXT_CMD )
ROUTINE_NAME (EDTSSFATAL_IOERR . IO_FAT)
ROUTINE_NAME (EDTSSFILL_CMD )
ROUTINE_NAME (EDTSSFILL_LNO )
ROUTINE_NAME (EDTSSFILL_TXT )
ROUTINE_NAME (EDTSSFIND_KEY)
ROUTINE_NAME (EDTSSFIOPN_ERR )
```

ROUTINE_NAME (EDTSS\$FIX_NOTRUNC)
ROUTINE_NAME (EDTSS\$FIX_NOTRUNC_NOOVERLAY)
ROUTINE_NAME (EDTSS\$FLUSH_OBUF IO_FLU)
ROUTINE_NAME (EDTSS\$FMT_CRA F_CHAR)
ROUTINE_NAME (EDTSS\$FMT_CHWID)
ROUTINE_NAME (EDTSS\$FMT_CRLF , F_CRLF)
ROUTINE_NAME (EDTSS\$FMT_DCML , F_DEC)
ROUTINE_NAME (EDTSS\$FMT_LIT)
ROUTINE_NAME (EDTSS\$FMT_MSG)
ROUTINE_NAME (EDTSS\$FMT_STR, F_STR)
ROUTINE_NAME (EDTSS\$FMT_STRCNT)
ROUTINE_NAME (EDTSS\$FMT_TEXT)
ROUTINE_NAME (EDTSS\$FND_BSEN)
ROUTINE_NAME (EDTSS\$FND_BUF)
ROUTINE_NAME (EDTSS\$FND_BWD)
ROUTINE_NAME (EDTSS\$FND_ENT)
ROUTINE_NAME (EDTSS\$FND_EWD)
ROUTINE_NAME (EDTSS\$FND_HLPTOPIC)
ROUTINE_NAME (EDTSS\$FND_SENDLIM)
ROUTINE_NAME (EDTSS\$FND_STR)
ROUTINE_NAME (EDTSS\$FND_SUBSTR)
ROUTINE_NAME (EDTSS\$FND_WPARA)
ROUTINE_NAME (EDTSS\$GET_BUF)
ROUTINE_NAME (EDTSS\$GET_BUFPTR)
ROUTINE_NAME (EDTSS\$GET_DATE)
ROUTINE_NAME (EDTSS\$GET_FNAME IO_NAM)
ROUTINE_NAME (EDTSS\$GET_IFIATTR IO_GAT)
ROUTINE_NAME (EDTSS\$GET_KPADCMD)
ROUTINE_NAME (EDTSS\$GET_LN)
ROUTINE_NAME (EDTSS\$GET_TXTLN)
ROUTINE_NAME (EDTSS\$INIT_CMD)
ROUTINE_NAME (EDTSS\$INIT)
ROUTINE_NAME (EDTSS\$INIT_CHM)
ROUTINE_NAME (EDTSS\$INIT_IO, IO_INI)
ROUTINE_NAME (EDTSS\$INS_CHS)
ROUTINE_NAME (EDTSS\$INS_CMD)
ROUTINE_NAME (EDTSS\$INS_DATIM)
ROUTINE_NAME (EDTSS\$INS_LN)
ROUTINE_NAME (EDTSS\$INS_MOD)
ROUTINE_NAME (EDTSS\$INS_STR)
ROUTINE_NAME (EDTSS\$INS_TXT)
ROUTINE_NAME (EDTSS\$INTER_ERR)
ROUTINE_NAME (EDTSS\$IO_ERRMSG IO_ERR)
ROUTINE_NAME (EDTSS\$JOU_FICLS IO_CAT)
ROUTINE_NAME (EDTSS\$JOU_PUTREC)
ROUTINE_NAME (EDTSS\$KEY_WORD)
ROUTINE_NAME (EDTSS\$KPAD_HLP)
ROUTINE_NAME (EDTSS\$KPAD_INP)
ROUTINE_NAME (EDTSS\$KWORD)
ROUTINE_NAME (EDTSS\$LDIV)
ROUTINE_NAME (EDTSS\$LN_M_CMD)
ROUTINE_NAME (EDTSS\$LN_M_CMD_NOOVERLAY, LN_MNOO)
ROUTINE_NAME (EDTSS\$LN_M_CMD_NOOVERLAY_REF)
ROUTINE_NAME (EDTSS\$LN_HLP)
ROUTINE_NAME (EDTSS\$LN_DEFK)
ROUTINE_NAME (EDTSS\$LN_SUBCMD)

ROUTINE_NAME (EDT\$\$LOAD_CHMCHANGE)
ROUTINE_NAME (EDT\$\$LOAD_CHMINSMOD)
ROUTINE_NAME (EDT\$\$LOAD_CHMPAREN)
ROUTINE_NAME (EDT\$\$LOAD_EXTEND)
ROUTINE_NAME (EDT\$\$LOAD_MACCAL)
ROUTINE_NAME (EDT\$\$LOAD_SCRUPDATE)
ROUTINE_NAME (EDT\$\$LOC_N)
ROUTINE_NAME (EDT\$\$MAC_CALL)
ROUTINE_NAME (EDT\$\$MARK_LNCHG)
ROUTINE_NAME (EDT\$\$MOVCPY_CMD)
ROUTINE_NAME (EDT\$\$MOV_TOCOL)
ROUTINE_NAME (EDT\$\$MRK_LNCHG)
ROUTINE_NAME (EDT\$\$MSG_BELL)
ROUTINE_NAME (EDT\$\$MSG_TOSTR)
ROUTINE_NAME (EDT\$\$NEW_BUF)
ROUTINE_NAME (EDT\$\$NULL_CMD)
ROUTINE_NAME (EDT\$\$NXT_CMDCH)
ROUTINE_NAME (EDT\$\$NXT_LNRNG)
ROUTINE_NAME (EDT\$\$OAPP_FILDEF , IO_0A)
ROUTINE_NAME (EDT\$\$OPN_IFI , IO_0I)
ROUTINE_NAME (EDT\$\$OPN_IFIDF , IO_0ID)
ROUTINE_NAME (EDT\$\$OPN_OFI , IO_00J)
ROUTINE_NAME (EDT\$\$OPN_OFIDF , IO_00D)
ROUTINE_NAME (EDT\$\$OUT_ERRMSG , EMESS)
ROUTINE_NAME (EDT\$\$OUT_FMTBUF , F_PUT)
ROUTINE_NAME (EDT\$\$OUT_HLP)
ROUTINE_NAME (EDT\$\$OUT_MSG)
ROUTINE_NAME (EDT\$\$PARENT)
ROUTINE_NAME (EDT\$\$PAR_FNAME , IO_PAR)
ROUTINE_NAME (EDT\$\$PA_APPDIG)
ROUTINE_NAME (EDT\$\$PA_CMD)
ROUTINE_NAME (EDT\$\$PA_CMDLN , SY_GCOM)
ROUTINE_NAME (EDT\$\$PA_CMD_NOOVERLAY , PACMDO)
ROUTINE_NAME (EDT\$\$PA_CMD_NOOVERLAY_REF)
ROUTINE_NAME (EDT\$\$PA_CRFNGNOD)
ROUTINE_NAME (EDT\$\$PA_DRIV)
ROUTINE_NAME (EDT\$\$PA_GETCH)
ROUTINE_NAME (EDT\$\$PA_NEW_NOD)
ROUTINE_NAME (EDT\$\$PA_SCANOK)
ROUTINE_NAME (EDT\$\$PA_SEMRUT)
ROUTINE_NAME (EDT\$\$PA_TSTMACCAL)
ROUTINE_NAME (EDT\$\$PA_TSTTOK)
ROUTINE_NAME (EDT\$\$PRNT_CMD)
ROUTINE_NAME (EDT\$\$PROC_QRYQAL)
ROUTINE_NAME (EDT\$\$PST_CMD)
ROUTINE_NAME (EDT\$\$PUT_CH)
ROUTINE_NAME (EDT\$\$PUT_CMDCH)
ROUTINE_NAME (EDT\$\$RD_CMDLN , IO_COM)
ROUTINE_NAME (EDT\$\$RD_CURLN)
ROUTINE_NAME (EDT\$\$RD_ECHO)
ROUTINE_NAME (EDT\$\$RD_IFI , IO_GET)
ROUTINE_NAME (EDT\$\$RD_ILN)
ROUTINE_NAME (EDT\$\$RD_JOUTXT)
ROUTINE_NAME (EDT\$\$RD_NXTLN)
ROUTINE_NAME (EDT\$\$RD_PVLN)
ROUTINE_NAME (EDT\$\$REN_FI , IO_REN)

ROUTINE_NAME (EDT\$SRING_BELL)
ROUTINE_NAME (EDT\$SRNG_NUMLN)
ROUTINE_NAME (EDT\$SRNG_NXTLN)
ROUTINE_NAME (EDT\$SRNG_POSFRST)
ROUTINE_NAME (EDT\$SRNG_REPOS)
ROUTINE_NAME (EDT\$SRNG_RETFRST)
ROUTINE_NAME (EDT\$SRPL_CHGDLN)
ROUTINE_NAME (EDT\$SRPL_LN)
ROUTINE_NAME (EDT\$SRPOS)
ROUTINE_NAME (EDT\$SRSEQ)
ROUTINE_NAME (EDT\$SRSEQ_CMD)
ROUTINE_NAME (EDT\$SSAV_BUFPoS)
ROUTINE_NAME (EDT\$SSAV_DELTXT)
ROUTINE_NAME (EDT\$SSAV_LN)
ROUTINE_NAME (EDT\$SSAV_NAMBLK , IO_AUD)
ROUTINE_NAME (EDT\$SSCAN_INSTR)
ROUTINE_NAME (EDT\$SSCAN_SEASTR)
ROUTINE_NAME (EDT\$SSC_ADVCOL)
ROUTINE_NAME (EDT\$SSC_ADVLN)
ROUTINE_NAME (EDT\$SSC_CMPPoS)
ROUTINE_NAME (EDT\$SSC_CPUCSPOS)
ROUTINE_NAME (EDT\$SSC_CPUTNHGH)
ROUTINE_NAME (EDT\$SSC_CPUTNEWCOLPOS)
ROUTINE_NAME (EDT\$SSC_DELLN)
ROUTINE_NAME (EDT\$SSC_ERAALL)
ROUTINE_NAME (EDT\$SSC_ERATOEOL)
ROUTINE_NAME (EDT\$SSC_FNDREC)
ROUTINE_NAME (EDT\$SSC_FULLSCLL)
ROUTINE_NAME (EDT\$SSC_INIT)
ROUTINE_NAME (EDT\$SSC_INSLN)
ROUTINE_NAME (EDT\$SSC_INS_MODE)
ROUTINE_NAME (EDT\$SSC_LNDEL)
ROUTINE_NAME (EDT\$SSC_LNINS)
ROUTINE_NAME (EDT\$SSC_MATCHCOL)
ROUTINE_NAME (EDT\$SSC_MVTOLN)
ROUTINE_NAME (EDT\$SSC_NEWTXT)
ROUTINE_NAME (EDT\$SSC_NONREVID)
ROUTINE_NAME (EDT\$SSC_POSABS)
ROUTINE_NAME (EDT\$SSC_POSCS)
ROUTINE_NAME (EDT\$SSC_POSCSIF)
ROUTINE_NAME (EDT\$SSC_REPAINT)
ROUTINE_NAME (EDT\$SSC_REP_MODE)
ROUTINE_NAME (EDT\$SSC_RESET)
ROUTINE_NAME (EDT\$SSC_REVID)
ROUTINE_NAME (EDT\$SSC_REVIDCHK)
ROUTINE_NAME (EDT\$SSC_RFRELN)
ROUTINE_NAME (EDT\$SSC_RFRESCR)
ROUTINE_NAME (EDT\$SSC_SCLLREG)
ROUTINE_NAME (EDT\$SSC_SCLLUP)
ROUTINE_NAME (EDT\$SSC_SETSCLLREG)
ROUTINE_NAME (EDT\$SSC_SETWID)
ROUTINE_NAME (EDT\$SSC_SHWBLOB)
ROUTINE_NAME (EDT\$SSC_UPD)
ROUTINE_NAME (EDT\$SSC_UPD_NOOVERLAY1, SCUPDO)
ROUTINE_NAME (EDT\$SSC_UPD_NOOVERLAY2, SCUPDX)
ROUTINE_NAME (EDT\$SE_RNGPOS)

ROUTINE_NAME (EDT\$SET_CMD)
ROUTINE_NAME (EDT\$SET_COMFNAME)
ROUTINE_NAME (EDT\$SET_FMTCOL)
ROUTINE_NAME (EDT\$SET_FMTWRRUT)
ROUTINE_NAME (EDT\$SET_HLPFNAM)
ROUTINE_NAME (EDT\$SET_SEASTRU)
ROUTINE_NAME (EDT\$SET_SEASUBSTR)
ROUTINE_NAME (EDT\$SET_STR)
ROUTINE_NAME (EDT\$SET_WKLN)
ROUTINE_NAME (EDT\$SHW_CMD)
ROUTINE_NAME (EDT\$SPLT_LN)
ROUTINE_NAME (EDT\$SPLT_LNINS)
ROUTINE_NAME (EDT\$START_CPY)
ROUTINE_NAME (EDT\$START_INS)
ROUTINE_NAME (EDT\$START_WKINGMSG)
ROUTINE_NAME (EDT\$STOP_WKINGMSG)
ROUTINE_NAME (EDT\$STORE_FMTCH)
ROUTINE_NAME (EDT\$STR_CMP)
ROUTINE_NAME (EDT\$STR_CMPNCAS)
ROUTINE_NAME (EDT\$STR_SEA)
ROUTINE_NAME (EDT\$STR_SEACMD)
ROUTINE_NAME (EDT\$STR_WPSCMP)
ROUTINE_NAME (EDT\$SUB_CMD)
ROUTINE_NAME (EDT\$SUB_NXT)
ROUTINE_NAME (EDT\$SUB_NXTCMD)
ROUTINE_NAME (EDT\$SYS_EXI , SY_EXIT)
ROUTINE_NAME (EDT\$STADJ_CMD)
ROUTINE_NAME (EDT\$TERMIN)
ROUTINE_NAME (EDT\$TERMIN_RCOVMOD)
ROUTINE_NAME (EDT\$TERM_RCC , IO_RCC)
ROUTINE_NAME (EDT\$TIMER_AST , SY_AST)
ROUTINE_NAME (EDT\$STI_BUFCH)
ROUTINE_NAME (EDT\$STI_DELK)
ROUTINE_NAME (EDT\$STI_ECHOCH)
ROUTINE_NAME (EDT\$STI_ECHOSTR)
ROUTINE_NAME (EDT\$STI_ENBLAUTREP)
ROUTINE_NAME (EDT\$STI_ENTERCHM , IO_TAS)
ROUTINE_NAME (EDT\$STI_FLUSHJOUI)
ROUTINE_NAME (EDT\$STI_GETCH , IO_GC)
ROUTINE_NAME (EDT\$STI_INPCH)
ROUTINE_NAME (EDT\$STI_LEAVECHM , IO_TAE)
ROUTINE_NAME (EDT\$STI_OPN , IO_OT)
ROUTINE_NAME (EDT\$STI_RDCMDLN)
ROUTINE_NAME (EDT\$STI_RDSTR , IO_REC)
ROUTINE_NAME (EDT\$STI_RDTYAHED , IO_TRY)
ROUTINE_NAME (EDT\$STI_RES , IO_RT)
ROUTINE_NAME (EDT\$STI_STARTECO)
ROUTINE_NAME (EDT\$STI_TSTTYAHED)
ROUTINE_NAME (EDT\$STI_WRLN , IO_WT)
ROUTINE_NAME (EDT\$STI_WRSTR , IO_WTU)
ROUTINE_NAME (EDT\$STOP_BUF)
ROUTINE_NAME (EDT\$STRN_KPADK)
ROUTINE_NAME (EDT\$STRN_KSTR)
ROUTINE_NAME (EDT\$STR_CLS)
ROUTINE_NAME (EDT\$STR_OPN)
ROUTINE_NAME (EDT\$STR_RD)

```
ROUTINE_NAME (EDT$STR WR )
ROUTINE_NAME (EDT$TSADJ CMD )
ROUTINE_NAME (EDT$STST_BADK )
ROUTINE_NAME (EDT$STST_CHALFA )
ROUTINE_NAME (EDT$STST_CHANUM )
ROUTINE_NAME (EDT$STST_CHNUM )
ROUTINE_NAME (EDT$STST_ENTDELIM )
ROUTINE_NAME (EDT$STST_EOB )
ROUTINE_NAME (EDT$STST_EOL )
ROUTINE_NAME (EDT$STST_KEYDEF )
ROUTINE_NAME (EDT$STST_NONCNTGRNG )
ROUTINE_NAME (EDT$STST_ONSTR )
ROUTINE_NAME (EDT$STY CMD )
ROUTINE_NAME (EDT$STY_CURLN )
ROUTINE_NAME (EDT$SUNDL )
ROUTINE_NAME (EDT$SUPD LNLEN )
ROUTINE_NAME (EDT$SWF_ALLOBUF )
ROUTINE_NAME (EDT$SWF_BOT )
ROUTINE_NAME (EDT$SWF_CACHEBUK )
ROUTINE_NAME (EDT$SWF_CLRBUF )
ROUTINE_NAME (EDT$SWF_CLS , IO_CWF )
ROUTINE_NAME (EDT$SWF_DELBUK )
ROUTINE_NAME (EDT$SWF_EXT )
ROUTINE_NAME (EDT$SWF_FNDBUK )
ROUTINE_NAME (EDT$SWF_INIT, WFINI )
ROUTINE_NAME (EDT$SWF_MAKECUR )
ROUTINE_NAME (EDT$SWF_NEWSBUK )
ROUTINE_NAME (EDT$SWF_NXT_BUKE )
ROUTINE_NAME (EDT$SWF_OPN , IO_OWF )
ROUTINE_NAME (EDT$SWF_RD )
ROUTINE_NAME (EDT$SWF_RELBUK )
ROUTINE_NAME (EDT$SWF_SPLTBUK )
ROUTINE_NAME (EDT$SWF_WR )
ROUTINE_NAME (EDT$SWF_WRBUK )
ROUTINE_NAME (EDT$WORD_WRAP)
ROUTINE_NAME (EDT$WR (CMD )
ROUTINE_NAME (EDT$WR_OFI , IO_PUT)
ROUTINE_NAME (EDT$EDIT )
ROUTINE_NAME (EDT$FILEIO )
ROUTINE_NAME (EDT$WORKIO )
```

%;

MACRO

ROUTINE_NAME (LONG_NAME, SHORT_NAME) =

```
MACRO LONG_NAME =
%IF %NULL (%SHORT_NAME) %THEN
%QUOTE %EXPAND %ASSIGN (NEWSYM_VAL, NEWSYM_VAL+1)
%QUOTE %EXPAND %NAME ('R', %NUMBER (NEWSYM_VAL))
%ELSE SHORT_NAME
%FI
%QUOTE % ; %;
```

```
COMPILETIME
NEWSYM_VAL = 100;
```

TRAROUNAM.REQ;1

M 6
16-SEP-1984 16:50:26.68 Page 9

%IF %BLISS (BLISS16)
%THEN
ROUTINE_NAMES
%FI

UNDECLARE
%QUOTE NEWSYM VAL %QUOTE ROUTINE_NAMES, %QUOTE ROUTINE_NAME;
! End of file TRAROUNAM.REQ

0130 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

ERRMSG
REQ

TRACEOFF
REQ

SUPPORTS
REQ

TRACEON
REQ

TRANSLATE
REQ

TRAROUNAM
REQ

BADKEY
LIS

CALLWIO
LIS

CHMBEGSEN
LIS

CHMBELL
LIS

CHMCHGE
LIS

CHMDELLIN
LIS

SYSSYM
REQ

TRANNAME
REQ

TRACELIT
REQ

CALLFIO
LIS

CHMBEPR
LIS

CHMCHANGE
LIS

CHMCRLRC
LIS

EDTREQ
REQ

KEYPADDEF
REQ

RE

TRACEMAC
REQ

PSECTS
REQ

VERSION
REQ

CHMBEGWRD
LIS

CHMCHKCC
LIS

CHMDELCHR
LIS

CHMEINPUT
LIS