

```

EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEEEEEEEEEEEEE DDD DDD TTT
EEEEEEEEEEEEEE DDD DDD TTT
EEEEEEEEEEEEEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDD TTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDD TTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDD TTT

```

EXE

Mod

EDT

ED

ED
EDED
EDED
EDED
EDED
EDED
EDED
EDED
EDED
SV

LBI
L 16

1

100

100

10

11

100

11

1

1000

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

1

100

10

12

100

1

10

1

100

1

100

```
CCCCCCCC 000000 MM MM MM MM AAAAAA NN NN DDDDDDDD
CCCCCCCC 000000 MM MM MM MM AAAAAA NN NN DDDDDDDD
CC        00    00 MMMM MMMM MMMM MMMM AA AA NN NN DD DD
CC        00    00 MMMM MMMM MMMM MMMM AA AA NN NN DD DD
CC        00    00 MM MM MM MM MM MM AA AA NNNN NN DD DD
CC        00    00 MM MM MM MM MM MM AA AA NNNN NN DD DD
CC        00    00 MM MM MM MM MM MM AA AA NN NN DD DD
CC        00    00 MM MM MM MM MM MM AA AA NN NN DD DD
CC        00    00 MM MM MM MM MM MM AA AA NN NN DD DD
CC        00    00 MM MM MM MM MM MM AA AA NN NN DD DD
CC        00    00 MM MM MM MM MM MM AA AA NN NN DD DD
CCCCCCCC 000000 MM MM MM MM AA AA NN NN DDDDDDDD
CCCCCCCC 000000 MM MM MM MM AA AA NN NN DDDDDDDD
```

....
....
....
....

```
LL          IIIIII SSSSSSSS
LL          IIIIII SSSSSSSS
LL          II      SS
LL          II      SS
LL          II      SS
LL          II      SS
LL          II      SSSSSS
LL          II      SSSSSS
LL          II      SS
LL          II      SS
LL          II      SS
LL          II      SS
LLLLLLLLLL IIIIII SSSSSSSS
LLLLLLLLLL IIIIII SSSSSSSS
```

```
0001 0 %TITLE 'EDT$COMMAND - command line interpreter'
0002 0 MODULE EDT$COMMAND ( ! Command line interpreter
0003 0 IDENT = 'V04-000' ! File: COMMAND.B32 Edit: JBS3002
0004 0 ) =
0005 1 BEGIN
0006 1
0007 1 *****
0008 1 *
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0011 1 * ALL RIGHTS RESERVED. *
0012 1 *
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0018 1 * TRANSFERRED. *
0019 1 *
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0022 1 * CORPORATION. *
0023 1 *
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0026 1 *
0027 1 *
0028 1 *****
0029 1
0030 1
0031 1 ++
0032 1 FACILITY: EDT -- The DEC Standard Editor
0033 1
0034 1 ABSTRACT:
0035 1
0036 1 This module does the result parsing of the EDIT/EDT DCL command.
0037 1
0038 1 ENVIRONMENT: VAX/VMS only
0039 1
0040 1 AUTHOR: Bob Kushlis, CREATION DATE: October 12, 1979
0041 1 Rewritten by Sharon Burlingame with consulting provided by Peter George on February 17, 1983
0042 1
0043 1 MODIFIED BY:
0044 1
0045 1 3-001 - Completely revise module for new DCL command language interface. SMB 17-Feb-1983
0046 1 3-002 - Fix /NOJOURNAL. JBS 27-Apr-1983
0047 1 --
0048 1
```

EDT\$COMMAND
V04-000

EDT\$COMMAND - command line interpreter
Declarations

F 15
16-Sep-1984 00:14:49
14-Sep-1984 12:22:52

VAX-11 Bliss-32 V4.0-742
DISK\$VM\$MASTER:[EDT.SRC]COMMAND.B32;1 Page 2
(2)

```

: 50      0049 1 %SBTTL 'Declarations'
: 51      0050 1
: 52      0051 1 : TABLE OF CONTENTS:
: 53      0052 1 :
: 54      0053 1
: 55      0054 1 REQUIRE 'EDT$SRC:TRAROUNAM';
: 56      0493 1
: 57      0494 1 FORWARD ROUTINE
: 58      0495 1     EDT$SPA_CMDLN : NOVALUE;
: 59      0496 1
: 60      0497 1 :
: 61      0498 1 : INCLUDE FILES:
: 62      0499 1 :
: 63      0500 1
: 64      0501 1 REQUIRE 'EDT$SRC:EDTREQ';
: 65      0636 1
: 66      0637 1 REQUIRE 'EDT$SRC:SYSSYM';
: 67      0667 1
: 68      0668 1 REQUIRE 'TRACESEL';
: 69      0699 1
: 70      0700 1 REQUIRE 'EDT$SRC:TRACEMAC';
: 71      0927 1
: 72      0928 1 LIBRARY 'SYSS$LIBRARY:CLIMAC';
: 73      0929 1
: 74      0930 1 :
: 75      0931 1 : MACROS:
: 76      0932 1 :
: 77      0933 1 :     NONE
: 78      0934 1 :
: 79      0935 1 : EQUATED SYMBOLS:
: 80      0936 1 :
: 81      0937 1 :
: 82      0938 1 : OWN STORAGE:
: 83      0939 1 :
: 84      0940 1 :     NONE
: 85      0941 1 :
: 86      0942 1 : EXTERNAL REFERENCES:
: 87      0943 1 :
: 88      0944 1 :     In the routine
: 89      0945 1 :
```

! Parse the command line

```

: 91      0946 1 %SBTTL 'EDT$SPA_CMDLN - parse command line'
: 92      0947 1
: 93      0948 1 GLOBAL ROUTINE EDT$SPA_CMDLN          ! Parse a command line
: 94      0949 1      : NOVALUE =
: 95      0950 1
: 96      0951 1      ++
: 97      0952 1      FUNCTIONAL DESCRIPTION:
: 98      0953 1
: 99      0954 1      This routine parses the EDT command line returning the following information:
100      0955 1
101      0956 1          The input file name.
102      0957 1
103      0958 1          The output file name.
104      0959 1
105      0960 1          Whether or not journalling is specified and the explicit name if given.
106      0961 1
107      0962 1          Whether or not a command file was specified and the explicit name if given.
108      0963 1
109      0964 1          Whether or not to open the file for READ ONLY.
110      0965 1
111      0966 1          Whether or not to CREATE a new file if the named input file doesn't exist.
112      0967 1
113      0968 1      FORMAL PARAMETERS:
114      0969 1
115      0970 1          NONE
116      0971 1
117      0972 1      IMPLICIT INPUTS:
118      0973 1
119      0974 1          EDT$$Z_CCMD_DESC
120      0975 1          EDT$$Z_CJOU_DESC
121      0976 1          EDT$$Z_COUT_DESC
122      0977 1          EDT$$Z_CINP_DESC
123      0978 1
124      0979 1
125      0980 1      IMPLICIT OUTPUTS:
126      0981 1
127      0982 1          EDT$$Z_CCMD_DESC
128      0983 1          EDT$$Z_CJOU_DESC
129      0984 1          EDT$$Z_COUT_DESC
130      0985 1          EDT$$Z_CINP_DESC
131      0986 1
132      0987 1      ROUTINE VALUE:
133      0988 1
134      0989 1          NONE
135      0990 1
136      0991 1      SIDE EFFECTS:
137      0992 1
138      0993 1          Fills the pointer and length fields of the file name
139      0994 1          string descriptors.
140      0995 1
141      0996 1      --
142      0997 1
143      0998 2      BEGIN
144      0999 2
145      1000 2      EXTERNAL ROUTINE
146      1001 2          CLISPRESENT,          ! Was a parameter/qualifier present
147      1002 2          CLISGET_VALUE;        ! Get the value of that parameter/qualifier
```

```
148 1003 2
149 1004 2
150 1005 2
151 1006 2
152 1007 2
153 1008 2
154 1009 2
155 1010 2
156 1011 2
157 1012 2
158 1013 2
159 1014 2
160 1015 2
161 1016 2
162 1017 2
163 1018 2
164 1019 2
165 1020 2
166 1021 2
167 1022 2
168 1023 2
169 1024 2
170 1025 2
171 1026 2
172 1027 2
173 1028 2
174 1029 2
175 1030 2
176 1031 2
177 1032 2
178 1033 2
179 1034 2
180 1035 2
181 1036 2
182 1037 2
183 1038 2
184 1039 2
185 1040 2
186 1041 2
187 1042 2
188 1043 2
189 1044 2
190 1045 2
191 1046 2
192 1047 2
193 1048 2
194 1049 2
195 1050 2
196 1051 2
197 1052 2
198 1053 2
199 1054 2
200 1055 2
201 1056 2
202 1057 2
203 1058 2
204 1059 2

EXTERNAL
    EDT$Z_CCMD_DESC : BLOCK [, BYTE],
    EDT$Z_CJOU_DESC : BLOCK [, BYTE],
    EDT$Z_COUT_DESC : BLOCK [, BYTE],
    EDT$Z_CINP_DESC : BLOCK [, BYTE],
    EDT$V_OPTIONS : BITVECTOR [32];    ! Options

EXTERNAL LITERAL
    CLIS_NEGATED,    ! /NO was specified
    CLIS_PRESENT,    ! parameter was explicit
    CLIS_ABSENT,     ! parameter was not present in command
    CLIS_DEFAULTED;  ! parameter has been defaulted

LOCAL
    OUTPUT_STATUS,
    COMMAND_STATUS,
    JOURNAL_STATUS,
    CREATE_STATUS,
    RECOVER_STATUS,
    READ_ONLY_STATUS,
    SD_COMMAND : BLOCK [8, BYTE],
    SD_CREATE : BLOCK [8, BYTE],
    SD_INPUT : BLOCK [8, BYTE],
    SD_JOURNAL : BLOCK [8, BYTE],
    SD_OUTPUT : BLOCK [8, BYTE],
    SD_READ : BLOCK [8, BYTE],
    SD_RECOVER : BLOCK [8, BYTE];

!+ Initialize the string descriptors corresponding to the
!- qualifiers and labels in the EDIT.CLD. Note: *** the
!- spelling of the strings must exactly match those of the
!- qualifiers in the CLD file.

SD_COMMAND [DSC$B_DTYPE] = DSC$K_DTYPE_T;
SD_COMMAND [DSC$B_CLASS] = DSC$K_CLASS_S;
SD_COMMAND [DSC$A_POINTER] = UPLIT (BYTE ('COMMAND'));
SD_COMMAND [DSC$W_LENGTH] = 7;

SD_CREATE [DSC$B_DTYPE] = DSC$K_DTYPE_T;
SD_CREATE [DSC$B_CLASS] = DSC$K_CLASS_S;
SD_CREATE [DSC$A_POINTER] = UPLIT (BYTE ('CREATE'));
SD_CREATE [DSC$W_LENGTH] = 6;

SD_INPUT [DSC$B_DTYPE] = DSC$K_DTYPE_T;
SD_INPUT [DSC$B_CLASS] = DSC$K_CLASS_S;
SD_INPUT [DSC$A_POINTER] = UPLIT (BYTE ('INPUT'));
SD_INPUT [DSC$W_LENGTH] = 5;

SD_JOURNAL [DSC$B_DTYPE] = DSC$K_DTYPE_T;
SD_JOURNAL [DSC$B_CLASS] = DSC$K_CLASS_S;
SD_JOURNAL [DSC$A_POINTER] = UPLIT (BYTE ('JOURNAL'));
SD_JOURNAL [DSC$W_LENGTH] = 7;

SD_OUTPUT [DSC$B_DTYPE] = DSC$K_DTYPE_T;
SD_OUTPUT [DSC$B_CLASS] = DSC$K_CLASS_S;
```

```
205 1060 2 SD_OUTPUT [DSC$A_POINTER] = UPLIT (BYTE ('OUTPUT'));
206 1061 2 SD_OUTPUT [DSC$W_LENGTH] = 6;
207 1062 2 !
208 1063 2 SD_READ [DSC$B_DTYPE] = DSC$K_DTYPE_T;
209 1064 2 SD_READ [DSC$B_CLASS] = DSC$K_CLASS_S;
210 1065 2 SD_READ [DSC$A_POINTER] = UPLIT (BYTE ('READ_ONLY'));
211 1066 2 SD_READ [DSC$W_LENGTH] = 9;
212 1067 2 !
213 1068 2 SD_RECOVER [DSC$B_DTYPE] = DSC$K_DTYPE_T;
214 1069 2 SD_RECOVER [DSC$B_CLASS] = DSC$K_CLASS_S;
215 1070 2 SD_RECOVER [DSC$A_POINTER] = UPLIT (BYTE ('RECOVER'));
216 1071 2 SD_RECOVER [DSC$W_LENGTH] = 7;
217 1072 2 !+
218 1073 2 Get the input file spec.
219 1074 2 !-
220 1075 2 CLISGET_VALUE (SD_INPUT, EDT$$Z_CINP_DESC);
221 P 1076 2 $$TRACE (EDT$$TR_COM, EDT$$TR_SCOM_INP, .EDT$$Z_CINP_DESC [DSC$W_LENGTH],
222 1077 2 .EDT$$Z_CINP_DESC [DSC$A_POINTER]);
223 1078 2 !+
224 1079 2 Get the output file spec if there is one.
225 1080 2 !-
226 1081 2 OUTPUT_STATUS = CLISPRESENT (SD_OUTPUT);
227 1082 2 !+
228 1083 2 There is an output file by default. Only turn on the READ_ONLY
229 1084 2 bit if /NOOUTPUT was explicitly specified.
230 1085 2 !-
231 1086 2
232 1087 2 IF (.OUTPUT_STATUS EQL CLIS_PRESENT)
233 1088 2 THEN
234 1089 2 BEGIN
235 1090 2 EDT$$V_OPTIONS [3] = 0;
236 1091 2 CLISGET_VALUE (SD_OUTPUT, EDT$$Z_COUT_DESC);
237 P 1092 2 $$TRACE (EDT$$TR_COM, EDT$$TR_SCOM_OUT, .EDT$$Z_COUT_DESC [DSC$W_LENGTH],
238 1093 2 .EDT$$Z_COUT_DESC [DSC$A_POINTER]);
239 1094 2 END
240 1095 2 ELSE
241 1096 2
242 1097 2 IF (.OUTPUT_STATUS EQL CLIS_NEGATED) THEN EDT$$V_OPTIONS [3] = 1 ELSE EDT$$V_OPTIONS [3] = 0;
243 1098 2
244 1099 2 !+
245 1100 2 Check for explicit command file.
246 1101 2 !-
247 1102 2 COMMAND_STATUS = CLISPRESENT (SD_COMMAND);
248 1103 2
249 1104 2 IF (.COMMAND_STATUS EQL CLIS_NEGATED) ! /NOCOMMAND specified
250 1105 2 THEN
251 1106 2 BEGIN
252 1107 2 EDT$$V_OPTIONS [4] = 1;
253 1108 2 $$TRACE (EDT$$TR_COM, EDT$$TR_SCOM_SW_CMD, %UPVAL, %REF (0));
254 1109 2 END
255 1110 2 ELSE
256 1111 2 BEGIN ! /NOCOMMAND not specified
257 1112 2 EDT$$V_OPTIONS [4] = 0;
258 1113 2
259 1114 2 IF (EDT$$V_OPTIONS [1] = CLISGET_VALUE (SD_COMMAND, EDT$$Z_CCMD_DESC))
260 1115 2 THEN
261 1116 2 BEGIN
```

```
262 P 1117 4          $$TRACE (EDT$STR_COM, EDT$STR_SCOM_CMD, .EDT$SZ_CCMD_DESC [DSC$W_LENGTH],
263 1118 4          .EDT$SZ_CCMD_DESC [DSC$A_POINTER]);
264 1119 4          $$TRACE (EDT$STR_COM, EDT$STR_SCOM_SW_CMD, %UPVAL, %REF (2));
265 1120 4          0
266 1121 4          END
267 1122 3          ELSE
268 1123 3          $$TRACE (EDT$STR_COM, EDT$STR_SCOM_SW_CMD, %UPVAL, %REF (1));
269 1124 3
270 1125 2          END;
271 1126 2
272 1127 2      !+
273 1128 2      !- Check for explicit journal file.
274 1129 2
275 1130 2          JOURNAL_STATUS = CL$PRESENT (SD_JOURNAL);
276 1131 2
277 1132 2          IF (.JOURNAL_STATUS EQL CL$NEGATED)          ! /NOJOURNAL specified
278 1133 2          THEN
279 1134 2              BEGIN
280 1135 2                  EDT$V_OPTIONS [2] = 1;
281 1136 2                  $$TRACE (EDT$STR_COM, EDT$STR_SCOM_SW_JOU, %UPVAL, %REF (0));
282 1137 2                  END
283 1138 2          ELSE
284 1139 2              BEGIN
285 1140 2                  LOCAL
286 1141 2                  STATUS;
287 1142 2                  EDT$V_OPTIONS [2] = 0;
288 1143 2
289 1144 2                  IF (STATUS = CL$GET_VALUE (SD_JOURNAL, EDT$SZ_CJOU_DESC))
290 1145 2                  THEN
291 1146 2                      BEGIN
292 1147 2                          $$TRACE (EDT$STR_COM, EDT$STR_SCOM_JOU, .EDT$SZ_CJOU_DESC [DSC$W_LENGTH],
293 1148 2                          .EDT$SZ_CJOU_DESC [DSC$A_POINTER]);
294 1149 2                          $$TRACE (EDT$STR_COM, EDT$STR_SCOM_SW_JOU, %UPVAL, %REF (2));
295 1150 2                          0
296 1151 2                          END
297 1152 2                      ELSE
298 1153 2                          $$TRACE (EDT$STR_COM, EDT$STR_SCOM_SW_JOU, %UPVAL, %REF (1));
299 1154 2                      END;
300 1155 2
301 1156 2          END;
302 1157 2
303 1158 2      !+
304 1159 2      !- Look for /CREATE qualifier
305 1160 2
306 1161 2          CREATE_STATUS = CL$PRESENT (SD_CREATE);
307 1162 2          EDT$V_OPTIONS [5] = NOT .CREATE_STATUS;
308 1163 2
309 1164 2      !+
310 1165 2      !- Look for /RECOVER qualifier
311 1166 2
312 1167 2          RECOVER_STATUS = CL$PRESENT (SD_RECOVER);
313 1168 2          EDT$V_OPTIONS [0] = .RECOVER_STATUS;
314 1169 2
315 1170 2          IF .RECOVER_STATUS THEN $$TRACE (EDT$STR_COM, EDT$STR_SCOM_SW_REC, %UPVAL, %REF (1));
316 1171 2
317 1172 2      !+
318 1173 2      !- Look for /READ_ONLY qualifier
```

EDT\$COMMAND
V04-000

EDT\$COMMAND - command line interpreter
EDT\$PA_CMDLN - parse command line

K 15
16-Sep-1984 00:14:49
14-Sep-1984 12:22:52

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]COMMAND.B32;1 Page 7 (3)

```

319 1174 2 !-
320 1175 2 READ_ONLY_STATUS = CLISPRESNT (SD_READ);
321 1176 2
322 1177 2 IF (.READ_ONLY_STATUS NEQ CLIS_ABSENT)
323 1178 2 THEN
324 1179 2 BEGIN
325 1180 2
326 1181 2 !+ If journaling was not indicated explicitly, set it based on /READ_ONLY.
327 1182 2 !-
328 1183 2
329 1184 2 IF ((.JOURNAL_STATUS EQL CLIS_ABSENT) OR (.JOURNAL_STATUS EQL CLIS_DEFAULTED))
330 1185 2 THEN
331 1186 2 EDT$V_COPTIONS [2] = .READ_ONLY_STATUS;
332 1187 2
333 1188 2 !+ If an output file was not indicated explicitly, set it based on /READ_ONLY.
334 1189 2 !-
335 1190 2
336 1191 2 IF ((.OUTPUT_STATUS EQL CLIS_ABSENT) OR (.OUTPUT_STATUS EQL CLIS_DEFAULTED))
337 1192 2 THEN
338 1193 2 EDT$V_COPTIONS [3] = .READ_ONLY_STATUS;
339 1194 2
340 1195 2 IF .READ_ONLY_STATUS THEN $$TRACE (EDT$STR_COM, EDT$STR_SCOM_SW_REA, 0, 0);
341 1196 2
342 1197 2
343 1198 2 END;
344 1199 2
345 1200 2 !
346 1201 1 END;
```

! of routine EDT\$PA_CMDLN

.TITLE EDT\$COMMAND EDT\$COMMAND - command line interpreter

.IDENT \V04-000\

.PSECT _EDT\$CODE,NOWRT, SHR, PIC,2

44	4E	41	4D	4D	4F	43	00000	P.AAA:	.ASCII	\COMMAND\	:		
							00007		.BLKB	1	:		
45	54	41	45	52	43	00008	P.AAB:	.ASCII	\CREATE\	:			
						0000E		.BLKB	2	:			
	54	55	50	4E	49	00010	P.AAC:	.ASCII	\INPUT\	:			
						00015		.BLKB	3	:			
4C	41	4E	52	55	4F	4A	00018	P.AAD:	.ASCII	\JOURNAL\	:		
						0001F		.BLKB	1	:			
	54	55	50	54	55	4F	00020	P.AAE:	.ASCII	\OUTPUT\	:		
						00026		.BLKB	2	:			
59	4C	4E	4F	5F	44	41	45	52	00028	P.AAF:	.ASCII	\READ_ONLY\	:
						00031		.BLKB	3	:			
	52	45	56	4F	43	45	52	00034	P.AAG:	.ASCII	\RECOVER\	:	

.EXTRN CLISPRESNT, CLISGET_VALUE
.EXTRN EDT\$Z_CCMD_DESC
.EXTRN EDT\$Z_CJOU_DESC
.EXTRN EDT\$Z_COUT_DESC
.EXTRN EDT\$Z_CINP_DESC
.EXTRN EDT\$V_COPTIONS
.EXTRN CLIS_NEGATED, CLIS_PRESENT

```
.EXTRN CLIS_ABSENT, CLIS_DEFAULTED
07FC 00000
.ENTRY EDT$SPA_CMDLN, Save R2,R3,R4,R5,R6,R7,R8,- R9,R10
5A 00000000G 8F D0 00002 MOVL #CLIS_DEFAULTED, R10
59 00000000G 8F D0 00009 MOVL #CLIS_ABSENT, R9
58 00000000G 8F D0 00010 MOVL #CLIS_NEGATED, R8
57 AB AF 9E 00017 MOVAB P.AAA, R7
56 00000000G 00 9E 0001B MOVAB CLISGET VALUE, R6
55 00000000G 00 9E 00022 MOVAB CLISPRESENT, R5
54 00000000G 00 9E 00029 MOVAB EDT$SV COPTIONS, R4
5E 34 C2 00030 SUBL2 #52, SP
2C AE 010E0007 8F D0 00033 MOVL #17694727, SD_COMMAND
30 AE 67 9E 0003B MOVAB P.AAA, SD_COMMAND+4
24 AE 010E0006 8F D0 0003F MOVL #17694726, SD_CREATE
28 AE 08 A7 9E 00047 MOVAB P.AAB, SD_CREATE+4
1C AE 010E0005 8F D0 0004C MOVL #17694725, SD_INPUT
20 AE 10 A7 9E 00054 MOVAB P.AAC, SD_INPUT+4
14 AE 010E0007 8F D0 00059 MOVL #17694727, SD_JOURNAL
18 AE 18 A7 9E 00061 MOVAB P.AAD, SD_JOURNAL+4
0C AE 010E0006 8F D0 00066 MOVL #17694726, SD_OUTPUT
10 AE 20 A7 9E 0006E MOVAB P.AAE, SD_OUTPUT+4
04 AE 010E0009 8F D0 00073 MOVL #17694729, SD_READ
08 AE 28 A7 9E 0007B MOVAB P.AAF, SD_READ+4
04 AE 010E0007 8F DD 00080 PUSHL #17694727
AE 34 A7 9E 00086 MOVAB P.AAG, SD_RECOVER+4
00000000G 00 9F 0008B PUSHAB EDT$Z CIMP_DESC
24 AE 9F 00091 PUSHAB SD_INPUT
66 10 02 FB 00094 CALLS #2, CLISGET_VALUE
65 10 AE 9F 00097 PUSHAB SD_OUTPUT
53 50 01 FB 0009A CALLS #1, CLISPRESENT
00000000G 8F 53 D1 000A0 MOVL R0, OUTPUT_STATUS
11 12 000A7 CMPL OUTPUT_STATUS, #CLIS_PRESENT
64 08 8A 000A9 BNEQ 1$
00000000G 00 9F 000AC BICB2 #8, EDT$SV COPTIONS
14 AE 9F 000B2 PUSHAB EDT$Z COUT_DESC
66 02 FB 000B5 PUSHAB SD_OUTPUT
0D 11 000B8 CALLS #2, CLISGET_VALUE
58 53 D1 000BA 1$: BRB 3$
05 12 000BD CMPL OUTPUT_STATUS, R8
64 08 88 000BF BNEQ 2$
03 11 000C2 BISB2 #8, EDT$SV COPTIONS
64 08 8A 000C4 2$: BRB 3$
30 AE 9F 000C7 3$: PUSHAB #8, EDT$SV COPTIONS
65 01 FB 000CA CALLS SD_COMMAND
58 50 D1 000CD 1102: CMPL CLISPRESENT
05 12 000D0 COMMAND_STATUS, R8
64 10 88 000D2 BNEQ 4$
14 11 000D5 BISB2 #16, EDT$SV COPTIONS
64 10 8A 000D7 4$: BRB 5$
00000000G 00 9F 000DA BICB2 #16, EDT$SV COPTIONS
34 AE 9F 000E0 PUSHAB EDT$Z CCMD_DESC
66 02 FB 000E3 PUSHAB SD_COMMAND
01 50 F0 000E6 CALLS #2, CLISGET_VALUE
65 18 AE 9F 000EB 5$: INSV R0, #1, #1, EDT$SV COPTIONS
01 01 FB 000EE PUSHAB SD_JOURNAL
CALLS #1, CLISPRESENT
1130
```

EDT\$COMMAND
V04-000

EDT\$COMMAND - command line interpreter
EDT\$\$PA_CMDLN - parse command line

M 15
16-Sep-1984 00:14:49
14-Sep-1984 12:22:52

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]COMMAND.B32;1

Page 9
(3)

EDT
V04

		52		50	D0 000F1	MOVL	R0, JOURNAL_STATUS	:	
		58		52	D1 000F4	CMPL	JOURNAL_STATUS, R8	:	1132
				05	12 000F7	BNEQ	6\$	:	
		64		04	88 000F9	BISB2	#4, EDT\$\$V_COPTIONS	:	1135
				0F	11 000FC	BRB	7\$	:	1132
		64		04	8A 000FE	BICB2	#4, EDT\$\$V_COPTIONS	:	1144
			000000000G	00	9F 00101	PUSHAB	EDT\$\$Z_CJOB_DESC	:	1146
			1C	AE	9F 00107	PUSHAB	SD_JOURNAL	:	
		66		02	FB 0010A	CALLS	#2, CLISGET_VALUE	:	
			28	AE	9F 0010D	PUSHAB	SD_CREATE	:	1162
		65		01	FB 00110	CALLS	#1, CLISPRESENT	:	
		51		50	D2 00113	MCOML	CREATE_STATUS, R1	:	1163
64	01	05		51	F0 00116	INSV	R1, #5, #1, EDT\$\$V_COPTIONS	:	
				5E	DD 0011B	PUSHL	SP	:	1167
		65		01	FB 0011D	CALLS	#1, CLISPRESENT	:	
64	01	00		50	F0 00120	INSV	RECOVER_STATUS, #0, #1, EDT\$\$V_COPTIONS	:	1168
			08	AE	9F 00125	PUSHAB	SD_READ	:	1175
		65		01	FB 00128	CALLS	#1, CLISPRESENT	:	
		59		50	D1 0012B	CMPL	READ_ONLY_STATUS, R9	:	1177
				1E	13 0012E	BEQL	11\$	:	
		59		52	D1 00130	CMPL	JOURNAL_STATUS, R9	:	1184
				05	13 00133	BEQL	8\$	:	
		5A		52	D1 00135	CMPL	JOURNAL_STATUS, R10	:	
				05	12 00138	BNEQ	9\$	:	
64	01	02		50	F0 0013A	INSV	READ_ONLY_STATUS, #2, #1, EDT\$\$V_COPTIONS	:	1186
		59		53	D1 0013F	CMPL	OUTPUT_STATUS, R9	:	1192
				05	13 00142	BEQL	10\$	:	
		5A		53	D1 00144	CMPL	OUTPUT_STATUS, R10	:	
				05	12 00147	BNEQ	11\$	:	
64	01	03		50	F0 00149	INSV	READ_ONLY_STATUS, #3, #1, EDT\$\$V_COPTIONS	:	1194
				04	0014E	RET		:	1201

; Routine Size: 335 bytes, Routine Base: _EDT\$CODE + 003B

: 347 1202 1
: 348 1203 1 !<BLF/PAGE>

EDT\$COMMAND
V04-000

EDT\$COMMAND - command line interpreter
EDT\$PA_CMDLN - parse command line

N 15
16-Sep-1984 00:14:49
14-Sep-1984 12:22:52

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]COMMAND.B32;1 Page 10
(4)

: 350 1204 1 END
: 351 1205 1
: 352 1206 0 ELUDOM

! of module EDT\$COMMAND

PSECT SUMMARY

: Name Bytes Attributes
: _EDT\$CODE 394 NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
-\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	0	0	40	00:00.2
-\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1
-\$255\$DUA28:[SYSLIB]STARLET.L32;1	9776	6	0	581	00:04.1
-\$255\$DUA28:[SYSLIB]CLIMAC.L32;1	14	0	0	9	00:00.1

COMMAND QUALIFIERS

: BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:COMMAND/OBJ=OBJ\$:COMMAND MSRC\$:COMMAND.B32/UPDATE=(ENH\$:COMMAND
:)

: Size: 335 code + 59 data bytes
: Run Time: 00:31.1
: Elapsed Time: 00:42.9
: Lines/CPU Min: 2323
: Lexemes/CPU-Min: 10198
: Memory Used: 164 pages
: Compilation Complete

B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z
[
\
]
^
_
`
a
b
c
d
e
f
g
h
i
j
k
l
m
n
o
p
q
r
s
t
u
v
w
x
y
z
{
|
}
~

0132 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

