

EEEEEEEEE	DDDDDDDDDD	TTTTTTTTTT
EEEEEEEEE	DDDDDDDDDD	TTTTTTTTTT
EEEEEEEEE	DDDDDDDDDD	TTTTTTTTTT
EEE	DDD	TTT
EEEEEEEEE	DDDDDDDDDD	TTT
EEEEEEEEE	DDDDDDDDDD	TTT
EEEEEEEEE	DDDDDDDDDD	TTT

MM MM SSSSSSSS GGGGGGGG TTTTTTTTTT XX XX TTTTTTTTTT
MM MM SSSSSSSS GGGGGGGG TTTTTTTTTT XX XX TTTTTTTTTT
MM MM SS GG TT XX XX TT
MM MM SS GG TT XX XX TT
MM MM SS GG TT XX XX TT
MM MM SSSSSS GG TT XX XX TT
MM MM SSSSSS GG TT XX XX TT
MM MM SS GG GGGGGG TT XX XX TT
MM MM SS GG GGGGGG TT XX XX TT
MM MM SS GG GG TT XX XX TT
MM MM SSSSSSSS GGGGGG TT XX XX TT
MM MM SSSSSSSS GGGGGG TT XX XX TT

LL IIIIIIII SSSSSSSS
LL IIIIIIII SSSSSSSS
LL SS SS
LL SS SS
LL SSSSSS
LL SSSSSS
LL SS SS
LL SS SS
LL SS SS
LLLLLLLLLL IIIIIIII SSSSSSSS

```
1 0001 0 MODULE EDT$MSGTXT ( ! Provide message text to WRITEDTMSG
2 0002 0 IDENT = 'V04-000' ! File: MSGTXT.B32, Edit: JBS1001
3 0003 0 ) =
4 0004 1 BEGIN
5 0005 1 ****
6 0006 1 ****
7 0007 1 *
8 0008 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
9 0009 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
10 0010 1 * ALL RIGHTS RESERVED.
11 0011 1 *
12 0012 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
13 0013 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
14 0014 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
15 0015 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
16 0016 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
17 0017 1 * TRANSFERRED.
18 0018 1 *
19 0019 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
20 0020 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
21 0021 1 * CORPORATION.
22 0022 1 *
23 0023 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
24 0024 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
25 0025 1 *
26 0026 1 *
27 0027 1 ****
28 0028 1 *
29 0029 1 *
30 0030 1 *
31 0031 1 ++
32 0032 1 FACILITY: EDT, the DEC standard editor
33 0033 1
34 0034 1 ABSTRACT:
35 0035 1
36 0036 1 This module returns to a FORTRAN program the VAX/VMS 32-bit
37 0037 1 condition value and text corresponding to an EDT message.
38 0038 1 This result is used to produce EDTMSG.MSG, which is compiled
39 0039 1 into an object module which provides that message text.
40 0040 1 This module is not part of the EDT image.
41 0041 1
42 0042 1 ENVIRONMENT: VAX/VMS only
43 0043 1
44 0044 1 AUTHOR: John Sauter, CREATION DATE: 23-Jul-1981
45 0045 1
46 0046 1 MODIFIED BY:
47 0047 1
48 0048 1 1-001 - Original, from BASERRTXT.B32, created November 3, 1978, last updated
49 0049 1 December 28, 1981 (version 1-002). JBS 23-Jul-1981
50 0050 1 --
51 0051 1
52 0052 1
53 0053 1 <BLF/PAGE>
```

```
: 55      0054 1 |  
: 56      0055 1 | SWITCHES:  
: 57      0056 1 |  
: 58      0057 1 |  
: 59      0058 1 | SWITCHES ADDRESSING_MODE (EXTERNAL = GENERAL, NONEXTERNAL = WORD_RELATIVE);  
: 60      0059 1 |  
: 61      0060 1 |  
: 62      0061 1 | LINKAGES:  
: 63      0062 1 |  
: 64      0063 1 |     NONE  
: 65      0064 1 |  
: 66      0065 1 | TABLE OF CONTENTS:  
: 67      0066 1 |  
: 68      0067 1 |  
: 69      0068 1 | FORWARD ROUTINE  
: 70      0069 1 |     EDT$MSGTXT;  
: 71      0070 1 |           ! Return condition value and text  
: 72      0071 1 |  
: 73      0072 1 | INCLUDE FILES:  
: 74      0073 1 |  
: 75      0074 1 |  
: 76      0075 1 | LIBRARY 'SY$LIBRARY:STARLET.L32';          ! Define system symbols  
: 77      0076 1 |  
: 78      0077 1 | REQUIRE 'EDTSRC:ERRMSG.REQ';          ! Define the ERROR_MESSAGES macro  
: 79      0338 1 |  
: 80      0339 1 | REQUIRE 'EDTSRC:PSECTS';          ! Define the 'PSECTS' macro  
: 81      0444 1 |  
: 82      0445 1 |  
: 83      0446 1 | MACROS:  
: 84      0447 1 |  
: 85      0448 1 |     See next page for message macros.  
: 86      0449 1 |  
: 87      0450 1 | EQUATED SYMBOLS:  
: 88      0451 1 |  
: 89      0452 1 |  
: 90      0453 1 | LITERAL  
: 91      0454 1 |     EDT$K_FAC_NO = 133;          ! The facility code number for EDT  
: 92      0455 1 |  
: 93      0456 1 |  
: 94      0457 1 | PSECTS:  
: 95      0458 1 |  
: 96      0459 1 | DECLARE_PSECTS (EDT);          ! Define the attributes of the program sections  
: 97      0460 1 |  
: 98      0461 1 | OWN STORAGE:  
: 99      0462 1 |  
: 100     0463 1 |     NONE  
: 101     0464 1 |  
: 102     0465 1 | EXTERNAL REFERENCES:  
: 103     0466 1 |  
: 104     0467 1 |  
: 105     0468 1 | EXTERNAL ROUTINE  
: 106     0469 1 |     LIB$SCOPY_R_DX;          ! copy a string  
: 107     0470 1 |  
: 108     0471 1 |  
: 109     0472 1 | +  
: 110     0473 1 | Lay out the information for each message. The source is in  
: 111     0474 1 | -  
:        ERRMSG.REQ.
```

```
: 112      0475 1
: 113      0476 1 MACRO
: 114      M 0477 1   ERR [NAME, SEVERITY, TEXT, ENAME] =
: 115      M 0478 1
: 116      M 0479 1     BYTE (MIN(9, %CHARCOUNT(NAME)))           ! Name length
: 117      0480 1 %
: 118      0481 1
: 119      0482 1 BIND
: 120      0483 1   MESSAGE_NAME_LENGTH = UPLIT (ERROR_MESSAGES, BYTE (0)) : VECTOR [, BYTE];
: 121      0484 1
: 122      0485 1 UNDECLARE %QUOTE
: 123      0486 1   ERR:
: 124      0487 1
: 125      0488 1 MACRO
: 126      M 0489 1   ERR [NAME, SEVERITY, TEXT, ENAME] =
: 127      M 0490 1
: 128      M 0491 1     UPLIT (BYTE (%STRING (NAME)))           ! The name itself
: 129      0492 1 %
: 130      0493 1
: 131      0494 1 BIND
: 132      0495 1   MESSAGE_NAME = UPLIT (ERROR_MESSAGES, LONG (0)) : VECTOR [, LONG];
: 133      0496 1
: 134      0497 1 UNDECLARE %QUOTE
: 135      0498 1   ERR:
: 136      0499 1
: 137      0500 1 MACRO
: 138      M 0501 1   ERR [NAME, SEVERITY, TEXT, ENAME] =
: 139      M 0502 1
: 140      M 0503 1     BYTE (%STRING(SEVERITY))           ! Severity code
: 141      0504 1 %
: 142      0505 1
: 143      0506 1 BIND
: 144      0507 1   MESSAGE_SEVERITY = UPLIT (ERROR_MESSAGES, BYTE (0)) : VECTOR [, BYTE];
: 145      0508 1
: 146      0509 1 UNDECLARE %QUOTE
: 147      0510 1   ERR:
: 148      0511 1
: 149      0512 1 MACRO
: 150      M 0513 1   ERR [NAME, SEVERITY, TEXT, ENAME] =
: 151      M 0514 1
: 152      M 0515 1     BYTE(MIN(255, %CHARCOUNT(TEXT)))       ! Text length
: 153      0516 1 %
: 154      0517 1
: 155      0518 1 BIND
: 156      0519 1   MESSAGE_TEXT_LENGTH = UPLIT (ERROR_MESSAGES, BYTE (0)) : VECTOR [, BYTE];
: 157      0520 1
: 158      0521 1 UNDECLARE %QUOTE
: 159      0522 1   ERR:
: 160      0523 1
: 161      0524 1 MACRO
: 162      M 0525 1   ERR [NAME, SEVERITY, TEXT, ENAME] =
: 163      M 0526 1
: 164      M 0527 1     UPLIT (BYTE(TEXT))           ! The text itself
: 165      0528 1 %
: 166      0529 1
: 167      0530 1 BIND
: 168      0531 1   MESSAGE_TEXT = UPLIT (ERROR_MESSAGES, LONG (0)) : VECTOR [, LONG];
```

EDT\$MSGTXT
V04-000

K 11
16-Sep-1984 01:13:09
14-Sep-1984 12:24:00
VAX-11 Bliss-32 v4.0-742
DISK\$VMSMASTER:[EDT.SRC]MSGTXT.B32;1 Page 4
(2)

: 169
.: 170
.: 171
.: 172 0532 1 UNDECLARE %QUOTE
.: 0533 1 ERR;
.: 0534 1
.: 0535 1

ED
VO

72
6E

20
2C

6E

20

74
70

74
74

66

66

74
73

74

79
6B

64

64

78
69

6F
73

```

174      0536 1 GLOBAL ROUTINE EDT$MSGTXT (
175          0537 1   CODE,
176          0538 1   SEVERITY,
177          0539 1   NAMLEN,
178          0540 1   NAME,
179          0541 1   TXTLEN,
180          0542 1   TEXT
181          0543 1   ) =
182          0544 1
183          0545 1 ++
184          0546 1   FUNCTIONAL DESCRIPTION:
185          0547 1
186          0548 1   Return the 32-bit condition value, mnemonic and text of an EDT
187          0549 1   message to a FORTRAN calling program.
188          0550 1
189          0551 1   FORMAL PARAMETERS:
190          0552 1
191          0553 1   CODE.rl.r      A small integer which specifies which message is wanted.
192          0554 1   VALUE.wt.dx    The severity of the message
193          0555 1   NAMLEN.wl.r    The length of the VAX/VMS mnemonic for the
194          0556 1   condition value.
195          0557 1   NAME.wt.d      The VAX/VMS mnemonic for the condition value.
196          0558 1   (Length as given above.)
197          0559 1   TXTLEN.wl.r    The length of the text corresponding to the
198          0560 1   condition value.
199          0561 1   TEXT.wt.dx     The text corresponding to the condition value.
200          0562 1   (Length as given above.)
201          0563 1
202          0564 1   IMPLICIT INPUTS:
203          0565 1
204          0566 1   NONE
205          0567 1
206          0568 1   IMPLICIT OUTPUTS:
207          0569 1
208          0570 1   NONE
209          0571 1
210          0572 1   ROUTINE VALUE:
211          0573 1
212          0574 1   Always success (SSS_NORMAL)
213          0575 1
214          0576 1   COMPLETION CODES:
215          0577 1
216          0578 1   NONE
217          0579 1
218          0580 1   SIDE EFFECTS:
219          0581 1
220          0582 1   NONE
221          0583 1
222          0584 1   --
223          0585 1
224          0586 2   BEGIN
225          0587 2
226          0588 2   If the code is 1 too large, return with spaces in SEVERITY. This is
227          0589 2   a signal that the list of message codes is exhausted.
228          0590 2
229          0591 2
230          0592 3   IF (.MESSAGE_SEVERITY [..CODE] EQL 0)

```

```

231      0593 2   THEN
232      0594 3     BEGIN
233      0595 3       LIB$COPY_R_DX (%REF (1), %REF (' '), .SEVERITY);
234      0596 3       RETURN (SSS_NORMAL);
235      0597 2       END;
236
237      0598 2
238      0599 2   + Copy the severity name to the caller's descriptor.
239      0600 2   - LIB$COPY_R_DX (%REF (7),
240      0601 2         (SELECTONE .MESSAGE_SEVERITY ..CODE) OF
241      0602 3           SET
242      0603 3             ['S'] : UPLIT ('SUCCESS');
243      0604 3             ['I'] : UPLIT ('INFORMA');
244      0605 3             ['W'] : UPLIT ('WARNING');
245      0606 3             ['E'] : UPLIT ('ERROR ');
246      0607 3             ['F'] : UPLIT ('FATAL ');
247      0608 3             [OTHERWISE] : SIGNAL_STOP (0);
248      0609 3             TES), .SEVERITY);
249      0610 2
250      0611 2   + Copy the message text to the caller's descriptor.
251      0612 2   - LIB$COPY_R_DX (%REF (.MESSAGE_TEXT_LENGTH ..CODE)), .MESSAGE_TEXT ..CODE], .TEXT);
252      0613 2
253      0614 2   + Copy the message name to the caller's descriptor.
254      0615 2   - LIB$COPY_R_DX (%REF (.MESSAGE_NAME_LENGTH ..CODE)), .MESSAGE_NAME ..CODE], .NAME);
255      0616 2
256      0617 2   + Also return the lengths.
257      0618 2   - .NAMELEN = .MESSAGE_NAME_LENGTH ..CODE];
258      0619 2   - .TXTLEN = .MESSAGE_TEXT_LENGTH ..CODE];
259      0620 2
260      0621 2   + All done.
261      0622 2   - .NAMELEN = .MESSAGE_NAME_LENGTH ..CODE];
262      0623 2   - .TXTLEN = .MESSAGE_TEXT_LENGTH ..CODE];
263      0624 2
264      0625 2   + RETURN (SSS_NORMAL);
265      0626 2   - END;
266      0627 2
267      0628 2   + RETURN (SSS_NORMAL);
268      0629 1   - END;

```

! of EDT\$MSGTXT

```

.TITLE EDT$MSGTXT
.IDENT \V04-000\
.PSECT _EDT$CODE,NOWRT, SHR, PIC.2

```

08	00000	P.AAA:	.BYTE	8
07	00001		.BYTE	7
08	00002		.BYTE	8
05	00003		.BYTE	5
09	00004		.BYTE	9
09	00005		.BYTE	9
07	00006		.BYTE	7
08	00007		.BYTE	8
08	00008		.BYTE	8
09	00009		.BYTE	9
09	0000A		.BYTE	9
09	0000B		.BYTE	9
09	0000C		.BYTE	9

N 11
16-Sep-1984 01:13:09
14-Sep-1984 12:24:00VAX-11 Bliss-32 v4.0-742
DISK\$VMSMASTER:[EDT.SRC]MSGTXT.B32;1Page 7
(3)

09	0000D	.BYTE	9
09	0000E	.BYTE	9
09	0000F	.BYTE	9
09	00010	.BYTE	9
09	00011	.BYTE	9
09	00012	.BYTE	9
09	00013	.BYTE	9
09	00014	.BYTE	9
09	00015	.BYTE	9
09	00016	.BYTE	9
08	00017	.BYTE	8
09	00018	.BYTE	9
09	00019	.BYTE	9
09	0001A	.BYTE	9
09	0001B	.BYTE	9
09	0001C	.BYTE	9
06	0001D	.BYTE	6
08	0001E	.BYTE	8
09	0001F	.BYTE	9
09	00020	.BYTE	9
08	00021	.BYTE	8
08	00022	.BYTE	8
09	00023	.BYTE	9
09	00024	.BYTE	9
09	00025	.BYTE	9
09	00026	.BYTE	9
09	00027	.BYTE	9
09	00028	.BYTE	9
09	00029	.BYTE	9
06	0002A	.BYTE	6
08	0002B	.BYTE	8
09	0002C	.BYTE	9
09	0002D	.BYTE	9
06	0002E	.BYTE	6
09	0002F	.BYTE	9
09	00030	.BYTE	9
06	00031	.BYTE	6
09	00032	.BYTE	9
09	00033	.BYTE	9
08	00034	.BYTE	8
09	00035	.BYTE	9
08	00036	.BYTE	8
07	00037	.BYTE	7
09	00038	.BYTE	9
09	00039	.BYTE	9
09	0003A	.BYTE	9
09	0003B	.BYTE	9
09	0003C	.BYTE	9
06	0003D	.BYTE	6
08	0003E	.BYTE	8
08	0003F	.BYTE	8
08	00040	.BYTE	8
08	00041	.BYTE	8
09	00042	.BYTE	9
09	00043	.BYTE	9
09	00044	.BYTE	9
09	00045	.BYTE	9

09	00046	.BYTE	9		63								
09	00047	.BYTE	9		65								
09	00048	.BYTE	9		73								
08	00049	.BYTE	8		65								
09	0004A	.BYTE	9		73								
09	0004B	.BYTE	9		65								
09	0004C	.BYTE	9		73								
09	0004D	.BYTE	9		65								
09	0004E	.BYTE	9		60								
09	0004F	.BYTE	9		73								
09	00050	.BYTE	9		65								
09	00051	.BYTE	9		72								
09	00052	.BYTE	9		74								
09	00053	.BYTE	9		65								
09	00054	.BYTE	9		61								
09	00055	.BYTE	9		20								
07	00056	.BYTE	7		74								
09	00057	.BYTE	9		45								
09	00058	.BYTE	9		73								
08	00059	.BYTE	8		68								
09	0005A	.BYTE	9		61								
09	0005B	.BYTE	9		65								
09	0005C	.BYTE	9		61								
09	0005D	.BYTE	9		20								
08	0005E	.BYTE	8		74								
09	0005F	.BYTE	9		45								
06	00060	.BYTE	6		73								
09	00061	.BYTE	9		64								
09	00062	.BYTE	9		61								
09	00063	.BYTE	9		68								
09	00064	.BYTE	9		61								
07	00065	.BYTE	7		20								
09	00066	.BYTE	9		74								
09	00067	.BYTE	9		45								
00	00068	.BYTE	0		73								
	00069	.BLKB	3		64								
51	45	52	4E	4F	4C	4F	43	0006C P.AAC:	.ASCII \COLONREQ\		65		
	43	43	59	42	4F	42	41	00074 P.AAD:	.ASCII \ABOBYCC\		72		
	46	55	42	46	4F	54	4F	42	0007B P.AAE:	.BLKB 1		6E	
			51	45	52	53	41	0007C P.AAF:	.ASCII \BOTOFBUF\				
	50	50	41	54	55	43	54	54	00084 P.AAG:	.ASCII \ASREQ\			
						00089	41	0008C P.AAH:	.BLKB 3				
	52	55	43	53	41	50	54	54	00095 P.AAA:	.ASCII \ATTCUTAPP\		6F	
						00098	41	00098 P.AAH:	.BLKB 3				
			59	52	54	4E	45	45	000A1 P.AAH:	.ASCII \ATTPASCUR\		6F	
						000A4	52	000A4 P.AAI:	.ASCII \REENTRY\				
						000AB		000AB P.AAJ:	.BLKB 1				
			46	55	42	46	4F	50	4F	54 P.AAJ:	.ASCII \TOPOFBUF\		65
			4D	52	54	54	45	53	4F	4E P.AAK:	.ASCII \NOSETTRM\		
			52	45	54	44	4F	4D	47	48 P.AAL:	.ASCII \CHGMODTER\		65
						000BC	43	000C5 P.AAM:	.BLKB 3				
	48	58	45	46	55	42	4D	4F	43	000C8 P.AAM:	.ASCII \COMBUFEXH\		66
						000D1		000D1 P.AAN:	.BLKB 3				
	41	4C	58	48	58	45	4D	4F	43	000D4 P.AAN:	.ASCII \COMEXHXLA\		
						000DD		000DD P.AAO:	.BLKB 3				
	4F	4C	43	4C	49	46	4D	4F	43	000EO P.AAO:	.ASCII \COMFILCLO\		

50	4F	4E	4C	49	46	4D	4F	43	000E9	P.AAP:	.BLKB	3	\CUMFILNOP\
58	45	4E	4C	49	46	4D	4F	43	000EC	P.AAQ:	.BLKB	3	\COMFILNEX\
44	4C	46	4B	48	43	4E	4F	43	000F5	P.AAR:	.BLKB	3	\CONCHKFLD\
4E	4C	41	54	4F	4E	44	4C	43	00101	P.AAS:	.BLKB	3	\CLDNOTALN\
4E	47	49	5F	5F	43	52	54	43	00104	P.AAT:	.BLKB	3	\CTRC__IGN\
50	4F	43	56	4F	4D	54	53	44	00110	P.AAU:	.BLKB	3	\DSTMVCOP\
4F	42	41	52	4F	54	49	44	45	00119	P.AAV:	.BLKB	3	\EDITORABO\
45	42	54	53	55	4D	54	4E	45	00125	P.AAW:	.BLKB	3	\ENTMUSTBE\
54	50	4F	4D	4F	43	52	52	45	00128	P.AAX:	.BLKB	3	\ERRCOMOPT\
43	50	53	4E	41	52	52	52	45	00131	P.AAY:	.BLKB	3	\ERRRANSPC\
4D	52	54	54	4E	49	4E	50	4F	00134	P.AAZ:	.BLKB	3	\OPNINTRM\
4D	52	54	54	55	4F	4E	50	4F	00140	P.ABA:	.BLKB	3	\OPNOUTTRM\
4C	49	46	50	4E	49	52	52	45	00149	P.ABB:	.BLKB	3	\ERRINPFILE\
4D	52	54	50	4E	49	52	52	45	00151	P.ABC:	.BLKB	3	\ERRINPTRM\
4C	49	46	54	55	4F	52	52	45	00158	P.ABD:	.BLKB	3	\ERROUTFILE\
52	54	41	4C	49	46	44	41	42	00161	P.ABE:	.BLKB	3	\BADFILATR\
			4D	41	4E	4C	49	46	00164	P.AAF:	.BLKB	3	\FILNAM\
							001A5		001AE		.BLKB	2	
4F	43	50	53	4C	49	46	4F	4E	001B0	P.ABG:	.BLKB	3	\NOFILSPC\
4F	4E	41	50	4C	48	52	4F	46	001B8	P.ABH:	.BLKB	3	\FORHLPAANO\
4F	4C	43	4C	49	46	50	4C	48	001C1	P.ABI:	.BLKB	3	\HLPFILCLO\
							001CD		001C4		.BLKB	3	
									001D0	P.ABJ:	.BLKB	3	\NOHLPAVL\
									001D8	P.ABK:	.BLKB	3	\NOHLPINI\
4F	4C	43	4C	49	46	43	4E	49	001E0	P.ABL:	.BLKB	3	\INCFILECLO\
									001E9		.BLKB	3	
4E	50	4F	4C	49	46	43	4E	49	001EC	P.ABM:	.BLKB	3	\INCFILEOPN\
58	45	4E	4C	49	46	43	4E	49	001F5	P.ABN:	.BLKB	3	\INCFILENEX\
4F	4C	43	4C	49	46	50	4E	49	001F8	P.ABN:	.BLKB	3	\INCFILENEX\
4E	50	4F	4C	49	46	50	4E	49	00201	P.ABO:	.BLKB	3	\INPFILCLO\
58	45	4E	4C	49	46	50	4E	49	00204	P.ABP:	.BLKB	3	\INPFILCLO\
4C	49	46	44	54	53	4E	4F	4E	00210	P.ABP:	.BLKB	3	\INPFILOPN\
									00219		.BLKB	3	
									00225	P.ABQ:	.BLKB	3	\INPFILNEX\
									00228	P.ABR:	.BLKB	3	\NONSTDFIL\
									00231		.BLKB	3	
									00234	P.ABS:	.BLKB	2	\INSMEM\
									0023A		.BLKB	2	

4D 52 52 45 52 45 54 4E 49	0023C P.ABT:	.ASCII \INTERERR\
41 4E 46 55 42 56 4E 49	00244 P.ABU:	.ASCII \INVBUFNAM\
	0024D P.ABV:	.BLKB 3
52 48 43 43 53 41 56 4E 49	00250 P.ABW:	.ASCII \INVASCCHR\
	00259 P.ABX:	.BLKB 3
4D 4F 43 54 50 4F 56 4E 49	00262 P.ABY:	.ASCII \INVENT\
	00264 P.ABZ:	.BLKB 2
52 4F 46 52 41 50 56 4E 49	0026D P.ACX:	.ASCII \INVOPTCOM\
	00270 P.ABY:	.BLKB 3
52 54 53 56 4E 49	00279 P.ACZ:	.BLKB 3
4D 4F 43 42 55 53 56 4E 49	00282 P.ACA:	.BLKB 2
	00284 P.ACZ:	.ASCII \INVSUBCOM\
54 45 53 4C 41 56 56 4E 49	0028D P.ACX:	.BLKB 3
	00290 P.ACY:	.ASCII \INVVALSET\
4F 4B 52 57 52 52 45 4F 49	00299 P.ACZ:	.BLKB 3
4C 43 4C 49 46 55 4F 4A	0029C P.ACC:	.ASCII \IOERRWRK\
	002A4 P.ACD:	.ASCII \JOUFILCLO\
4C 49 46 4C 4E 4A 4F 4E	002AD P.ACE:	.BLKB 3
4B 46 45 44 44 41 42	002B0 P.ACF:	.ASCII \NOJNLFIL\
	002B8 P.ACZ:	.BLKB 1
35 35 32 43 58 45 4E 49	002BF P.ACG:	.ASCII \LINEXC255\
40 41 42 43 59 45 4B 43	002C0 P.ACX:	.BLKB 3
51 45 52 59 45 48 43 41	002C9 P.ACZ:	.ASCII \MACKEYREQ\
4D 49 4C 50 4E 49 58 41	002D5 P.ACX:	.BLKB 3
	002D8 P.ACZ:	.ASCII \MAXINPLIN\
4D 55 4E 4E 49 4C 58 41	002E1 P.ACJ:	.BLKB 3
	002E4 P.ACZ:	.ASCII \MAXLINNUM\
4C 41 56 4E 49 4C 58 41	002F0 P.ACK:	.BLKB 3
	002F9 P.ACX:	.ASCII \MAXLINVAL\
4E 46 45 44 4F 4E	002FC P.ACZ:	.BLKB 3
	00302 P.ACZ:	.ASCII \NODEFN\
50 4C 48 59 45 4B 4F 4E	00304 P.ACW:	.BLKB 2
45 47 4E 41 52 44 41 42	0030C P.ACX:	.ASCII \NOKEYHLP\
54 52 57 4C 49 46 4F 4E	00310 P.ACZ:	.BLKB 3
4E 41 52 4C 45 53 4F 4E	00314 P.ACQ:	.ASCII \BADRANGE\
4E 49 4C 48 43 55 53 4F	0031C P.ACZ:	.BLKB 3
	00324 P.ACQ:	.ASCII \NOFILWRT\
	0032D P.ACZ:	.BLKB 3
46 45 44 54 4E 45 57 4F	00330 P.ACZ:	.ASCII \NOSELRAN\
	00339 P.ACZ:	.BLKB 3
4C 4C 49 4C 41 56 4D 55	0033C P.ACZ:	.BLKB 3
	00345 P.ACZ:	.ASCII \NOSUCHLIN\
51 45 52 4C 41 56 4D 55	00348 P.ACZ:	.BLKB 3
	00351 P.ACZ:	.BLKB 3
4D 55 4E 47 49 52 4F 4F	00354 P.ACZ:	.ASCII \NOWENTDEF\
	0035D P.ACZ:	.BLKB 3
4F 4C 43 4C 49 46 54 55	00360 P.ACZ:	.ASCII \NUMVALILL\
	00369 P.ACZ:	.BLKB 3
45 52 43 4C 49 46 54 55	0036C P.ACZ:	.ASCII \NUMVALREQ\
	00375 P.ACZ:	.BLKB 3
46 53 49 4D 4E 45 52 41	00378 P.ACZ:	.ASCII \NOORIGNUM\
	00380 P.ACZ:	.BLKB 3
46 56 4F 4B 54 53 52 41	00389 P.ACZ:	.ASCII \OUTFILCLO\
	0038C P.ACZ:	.BLKB 3
51 4E 59 53 4E 41 53 4C	0038D P.ACZ:	.ASCII \OUTFILCRE\
	0038E P.ACZ:	.BLKB 3
50 55 4E 47 49 52 4F 4F	0038F P.ACZ:	.ASCII \PARENMIS\
	00390 P.ACZ:	.BLKB 3
46 56 4F 4B 54 53 52 41	00391 P.ACZ:	.ASCII \PARSTKOVF\
	00392 P.ACZ:	.BLKB 3
51 4E 59 53 4E 41 53 4C	00393 P.ACZ:	.ASCII \PLSANSYNQ\

53	55	54	41	54	53	53	41	50	00395	.BLKB	3	
4E	4F	43	54	45	52	45	52	50	00398	P.ADA:	.ASCII	\PASSTATUS\
									003A1	.BLKB	3	
									003A4	P.ADB:	.ASCII	\PRERETCON\
									003AD	.BLKB	3	
									003B0	P.ADC:	.ASCII	\PRSKEYDEF\
									003B9	.BLKB	3	
									003BC	P.ADD:	.ASCII	\PRIFILCLO\
									003C5	.BLKB	3	
									003C8	P.ADE:	.ASCII	\PRIFILCRE\
									003D1	.BLKB	3	
									003D4	P.ADF:	.ASCII	\QUOSTRREQ\
									003DD	.BLKB	3	
									003E0	P.ADG:	.ASCII	\RANNONCON\
									003E9	.BLKB	3	
									003EC	P.ADH:	.ASCII	\RANSPCSEQ\
									003F5	.BLKB	3	
									003F8	P.ADI:	.ASCII	\RECTOOBIG\
									00401	.BLKB	3	
									00404	P.ADJ:	.ASCII	\SUBSTRNUL\
									0040D	.BLKB	3	
									00410	P.ADK:	.ASCII	\INVSRAN\
									00417	.BLKB	1	
									00418	P.ADL:	.ASCII	\SELALRACT\
									00421	.BLKB	3	
									00424	P.ADM:	.ASCII	\SEQINCROV\
									0042D	.BLKB	3	
									00430	P.ADN:	.ASCII	\SEQNUMOV\
									00438	P.ADO:	.ASCII	\NONALPNUM\
									00441	.BLKB	3	
									00444	P.ADP:	.ASCII	\STRNOTFND\
									0044D	.BLKB	3	
									00450	P.ADQ:	.ASCII	\KEYNOTDEF\
									00459	.BLKB	3	
									0045C	P.ADR:	.ASCII	\TOEXITHLP\
									00465	.BLKB	3	
									00468	P.ADS:	.ASCII	\TORETKEY\
									00470	P.ADT:	.ASCII	\UNXCHRAFT\
									00479	.BLKB	3	
									0047C	P.ADU:	.ASCII	\UNRCOM\
									00482	.BLKB	2	
									00484	P.ADV:	.ASCII	\UNRCOMOPT\
									0048D	.BLKB	3	
									00490	P.ADW:	.ASCII	\WORFILCLO\
									00499	.BLKB	3	
									0049C	PADX:	.ASCII	\WORFILFAI\
									004A5	.BLKB	3	
									004A8	P.ADY:	.ASCII	\WRKFILOVF\
									004B1	.BLKB	3	
									004B4	P.ADZ:	.ASCII	\WORKING\
									004BB	.BLKB	1	
									004BC	P.AEA:	.ASCII	\WRIFILCLO\
									004C5	.BLKB	3	
									004C8	P.AEB:	.ASCII	\WRIFILCRE\
									004D1	.BLKB	3	
									004D4	P.AAB:	ADDRESS P.AAC, P.AAD, P.AAE, P.AAF, P.AAG, -	
									004EC		P.AAH, P.AAI, P.AAJ, P.AAK, P.AAL, P.AAM, -	

00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00504
00000000' 00000000' 00000000' 00000000' 00000000' 0051C
00000000' 00000000' 00000000' 00000000' 00000000' 00534
00000000' 00000000' 00000000' 00000000' 00000000' 0054C
00000000' 00000000' 00000000' 00000000' 00000000' 00564
00000000' 00000000' 00000000' 00000000' 00000000' 0057C
00000000' 00000000' 00000000' 00000000' 00000000' 00594
00000000' 00000000' 00000000' 00000000' 00000000' 005AC
00000000' 00000000' 00000000' 00000000' 00000000' 005C4
00000000' 00000000' 00000000' 00000000' 00000000' 005DC
00000000' 00000000' 00000000' 00000000' 00000000' 005F4
00000000' 00000000' 00000000' 00000000' 00000000' 0060C
00000000' 00000000' 00000000' 00000000' 00000000' 00624
00000000' 00000000' 00000000' 00000000' 00000000' 0063C
00000000' 00000000' 00000000' 00000000' 00000000' 00654
00000000' 00000000' 00000000' 00000000' 00000000' 0066C
00000000' 00000000' 00000000' 00000000' 00000000' 00674

P.AAN, P.AAO, P.AAP, P.AAQ, P.AAR, P.AAS, - ;
P.AAT, P.AAU, P.AAV, P.AAW, P.AAX, P.AAY, - ;
P.AAZ, P.ABA, P.ABB, P.ABC, P.ABD, P.ABE, - ;
P.ABF, P.ABG, P.ABH, P.ABI, P.ABJ, P.ABK, - ;
P.ABL, P.ABM, P.ABN, P.ABO, P.ABP, P.ABQ, - ;
P.ABR, P.ABS, P.ABT, P.ABU, P.ABV, P.ABW, - ;
P.ABX, P.ABY, P.ABZ, P.ACA, P.AC, P.AC, P.AC, - ;
P.ACD, P.ACE, P.ACF, P.ACG, P.ACH, P.AC, - ;
P.ACJ, P.ACK, P.AC, P.AC, P.AC, P.AC, P.AC, - ;
PACP, P.ACQ, P.AC, P.AC, P.AC, P.AC, P.AC, - ;
P.ACV, P.ACW, P.ACX, P.ACY, P.ACZ, P.AC, - ;
P.ADB, P.ADC, P.ADD, P.ADE, P.ADF, P.AD, - ;
P.ADH, P.ADI, P.ADJ, P.ADK, P.AD, P.ADM, - ;
P.ADN, P.ADO, P.AD, P.ADQ, P.ADR, P.ADS, - ;
P.ADT, P.ADU, P.ADV, P.ADW, P.ADX, P.ADY, - ;
P.ADZ, P.AEA, P.AEB

57 00678 P.AEC: .LONG 0
57 00679 .ASCII \W\ /
57 0067A .ASCII \W\ /
57 0067B .ASCII \W\ /
57 0067C .ASCII \W\ /
57 0067D .ASCII \W\ /
46 0067E .ASCII \F\ /
57 0067F .ASCII \W\ /
57 00680 .ASCII \W\ /
57 00681 .ASCII \W\ /
57 00682 .ASCII \W\ /
57 00683 .ASCII \W\ /
57 00684 .ASCII \W\ /
57 00685 .ASCII \W\ /
57 00686 .ASCII \W\ /
57 00687 .ASCII \W\ /
57 00688 .ASCII \W\ /
57 00689 .ASCII \W\ /
57 0068A .ASCII \W\ /
46 0068B .ASCII \F\ /
57 0068C .ASCII \W\ /
57 0068D .ASCII \W\ /
57 0068E .ASCII \W\ /
46 0068F .ASCII \F\ /
46 00690 .ASCII \F\ /
57 00691 .ASCII \W\ /
57 00692 .ASCII \W\ /
57 00693 .ASCII \W\ /
57 00694 .ASCII \W\ /
57 00695 .ASCII \W\ /
57 00696 .ASCII \W\ /
57 00697 .ASCII \W\ /
57 00698 .ASCII \W\ /
57 00699 .ASCII \W\ /
57 0069A .ASCII \W\ /
57 0069B .ASCII \W\ /
57 0069C .ASCII \W\ /
57 0069D .ASCII \W\ /
57 0069E .ASCII \W\ /
57 0069F .ASCII \W\ /

G 12
16-Sep-1984 01:13:09
14-Sep-1984 12:24:00VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]MSGTXT.B32;1 Page 13
(3)

57	006A0	.ASCII	\W\
49	006A1	.ASCII	\I\
57	006A2	.ASCII	\W\
46	006A3	.ASCII	\F\
57	006A4	.ASCII	\W\
57	006A5	.ASCII	\W\
57	006A6	.ASCII	\W\
57	006A7	.ASCII	\W\
57	006A8	.ASCII	\W\
57	006A9	.ASCII	\W\
57	006AA	.ASCII	\W\
57	006AB	.ASCII	\W\
46	006AC	.ASCII	\F\
57	006AD	.ASCII	\W\
57	006AE	.ASCII	\W\
57	006AF	.ASCII	\W\
57	006B0	.ASCII	\W\
57	006B1	.ASCII	\W\
46	006B2	.ASCII	\F\
46	006B3	.ASCII	\F\
46	006B4	.ASCII	\F\
57	006B5	.ASCII	\W\
57	006B6	.ASCII	\W\
46	006B7	.ASCII	\F\
57	006B8	.ASCII	\W\
57	006B9	.ASCII	\W\
57	006BA	.ASCII	\W\
57	006BB	.ASCII	\W\
57	006BC	.ASCII	\W\
57	006BD	.ASCII	\W\
46	006BE	.ASCII	\F\
57	006BF	.ASCII	\W\
57	006C0	.ASCII	\W\
57	006C1	.ASCII	\W\
57	006C2	.ASCII	\W\
57	006C3	.ASCII	\W\
57	006C4	.ASCII	\W\
57	006C5	.ASCII	\W\
57	006C6	.ASCII	\W\
57	006C7	.ASCII	\W\
57	006C8	.ASCII	\W\
57	006C9	.ASCII	\W\
57	006CA	.ASCII	\W\
57	006CB	.ASCII	\W\
57	006CC	.ASCII	\W\
57	006CD	.ASCII	\W\
57	006CE	.ASCII	\W\
57	006CF	.ASCII	\W\
46	006D0	.ASCII	\F\
46	006D1	.ASCII	\F\
57	006D2	.ASCII	\W\
57	006D3	.ASCII	\W\
57	006D4	.ASCII	\W\
57	006D5	.ASCII	\W\
57	006D6	.ASCII	\W\
57	006D7	.ASCII	\W\
57	006D8	.ASCII	\W\

H 12
16-Sep-1984 01:13:09
14-Sep-1984 12:24:00VAX-11 Bliss-32 v4.0-742
DISK\$VMSMASTER:[EDT.SRC]MSGTXT.B32;1Page 14
(3)

57	006D9	.ASCII	\W\
57	006DA	.ASCII	\W\
46	006DB	.ASCII	\F\
46	006DC	.ASCII	\F\
46	006DD	.ASCII	\F\
57	006DE	.ASCII	\W\
57	006DF	.ASCII	\W\
00	006E0	.BYTE	0
00	006E1	.BLKB	3
0C	006E4 P.AED:	.BYTE	12
11	006E5	.BYTE	17
1D	006E6	.BYTE	29
0D	006E7	.BYTE	13
2A	006E8	.BYTE	42
1F	006E9	.BYTE	31
17	006EA	.BYTE	23
19	006EB	.BYTE	25
29	006EC	.BYTE	41
2F	006ED	.BYTE	47
18	006EE	.BYTE	24
38	006EF	.BYTE	56
20	006F0	.BYTE	32
20	006F1	.BYTE	32
1B	006F2	.BYTE	27
30	006F3	.BYTE	48
20	006F4	.BYTE	32
0E	006F5	.BYTE	14
26	006F6	.BYTE	38
0E	006F7	.BYTE	14
30	006F8	.BYTE	48
17	006F9	.BYTE	23
1C	006FA	.BYTE	28
20	006FB	.BYTE	32
21	006FC	.BYTE	33
1D	006FD	.BYTE	29
1B	006FE	.BYTE	27
1C	006FF	.BYTE	28
15	00700	.BYTE	21
0A	00701	.BYTE	10
1B	00702	.BYTE	27
2F	00703	.BYTE	47
1D	00704	.BYTE	29
1D	00705	.BYTE	29
28	00706	.BYTE	40
20	00707	.BYTE	32
20	00708	.BYTE	32
1B	00709	.BYTE	27
1E	0070A	.BYTE	30
1E	0070B	.BYTE	30
19	0070C	.BYTE	25
32	0070D	.BYTE	50
13	0070E	.BYTE	19
2E	0070F	.BYTE	46
13	00710	.BYTE	19
16	00711	.BYTE	22
0E	00712	.BYTE	14
1F	00713	.BYTE	31

I 12
16-Sep-1984 01:13:09
14-Sep-1984 12:24:00VAX-11 Bliss-32 v4.0-742
DISK\$VMSMASTER:[EDT.SRC]MSGTXT.B32;1Page 15
(3)

21	00714	.BYTE	33
0E	00715	.BYTE	14
12	00716	.BYTE	18
1C	00717	.BYTE	28
16	00718	.BYTE	22
20	00719	.BYTE	32
20	0071A	.BYTE	32
27	0071B	.BYTE	39
27	0071C	.BYTE	39
15	0071D	.BYTE	21
3C	0071E	.BYTE	60
4B	0071F	.BYTE	75
2C	00720	.BYTE	44
0D	00721	.BYTE	13
1E	00722	.BYTE	30
3D	00723	.BYTE	61
16	00724	.BYTE	22
16	00725	.BYTE	22
0C	00726	.BYTE	12
2C	00727	.BYTE	44
15	00728	.BYTE	21
16	00729	.BYTE	22
2E	0072A	.BYTE	46
1F	0072B	.BYTE	31
20	0072C	.BYTE	32
14	0072D	.BYTE	20
16	0072E	.BYTE	22
2B	0072F	.BYTE	43
19	00730	.BYTE	25
19	00731	.BYTE	25
20	00732	.BYTE	32
1E	00733	.BYTE	30
1F	00734	.BYTE	31
16	00735	.BYTE	22
27	00736	.BYTE	39
4C	00737	.BYTE	76
2B	00738	.BYTE	43
1C	00739	.BYTE	28
1A	0073A	.BYTE	26
1E	0073B	.BYTE	30
2A	0073C	.BYTE	42
27	0073D	.BYTE	39
29	0073E	.BYTE	41
14	0073F	.BYTE	20
19	00740	.BYTE	25
25	00741	.BYTE	37
35	00742	.BYTE	53
2A	00743	.BYTE	42
14	00744	.BYTE	20
1B	00745	.BYTE	27
19	00746	.BYTE	25
18	00747	.BYTE	24
12	00748	.BYTE	18
07	00749	.BYTE	7
1E	0074A	.BYTE	30
1F	0074B	.BYTE	31
00	0074C	.BYTE	0

4C	52	54	64	65	72	69	75	71	65	72	20	27	3A	27	0074D	P.AEF:	.BLKB	3	' required\
			43	20	79	62	20	64	65	74	72	6F	62	41	00750	P.AEG:	.ASCII	\Aborted by CTRL/C\	
													43	2F	0075C	P.AEH:	.BLKB	3	
															0076B	P.AEI:	.ASCII	\Advance past bottom of buffer\	
															0076D	P.AEJ:	.BLKB	3	
															00770	P.AEK:	.ASCII	\'AS' required\	
															0077F	P.AEJ:	.BLKB	3	
															0078D	P.AEJ:	.ASCII	\Attempt to CUT or APPEND to current buff\	
															00790	P.AEJ:	.BLKB	3	
															0079D	P.AEJ:	.ASCII	\er\	
															007A0	P.AEJ:	.BLKB	2	
															007AF	P.AEJ:	.ASCII	\Attempt to PASTE current buffer\	
															007BE	P.AEJ:	.BLKB	1	
															007C8	P.AEJ:	.ASCII	\Attempt to re-enter EDT\	
															007CA	P.AEJ:	.BLKB	1	
															007DB	P.AEJ:	.ASCII	\Backup past top of buffer\	
															007EA	P.AEJ:	.BLKB	3	
															007EB	P.AEJ:	.ASCII	\Cannot set terminal type from change mod\	
															007EC	P.AEJ:	.BLKB	1	
															007FB	P.AEJ:	.ASCII	\mmand processing\	
															00803	P.AEM:	.BLKB	1	
															00804	P.AEM:	.ASCII	\Command file could not be opened\	
															00813	P.AEN:	.BLKB	3	
															0081D	P.AEN:	.ASCII	\Consistency check failed, please check y\	
															00820	P.AEN:	.BLKB	1	
															0082F	P.AEN:	.ASCII	\r\n	
															0083E	P.AEO:	.BLKB	3	
															00848	P.AEO:	.ASCII	\e\	
															00849	P.AEO:	.BLKB	3	
															0084C	P.AEO:	.ASCII	\Change mode can be entered only from a t\	
															0085B	P.AEO:	.BLKB	1	
															0086A	P.AEP:	.ASCII	\terminal\	
															00874	P.AEP:	.BLKB	1	
															0087B	P.AEP:	.ASCII	\Command buffer exhausted\	
															0088B	P.AEQ:	.BLKB	1	
															00894	P.AEQ:	.ASCII	\Command buffer exhausted during XLATE co\	
															008A3	P.AEQ:	.BLKB	1	
															008B2	P.AEQ:	.ASCII	\mmand processing\	
															008BC	P.AER:	.BLKB	1	
															008CC	P.AER:	.ASCII	\Command file could not be closed\	
															008DB	P.AES:	.BLKB	1	
															008EA	P.AES:	.ASCII	\Command file could not be opened\	
															008EC	P.AET:	.BLKB	1	
															008FB	P.AET:	.ASCII	\Command file does not exist\	
															0090A	P.AEU:	.BLKB	1	
															0090C	P.AEU:	.ASCII	\Consistency check failed, please check y\	
															0091B	P.AEV:	.BLKB	1	
															00927	P.AEV:	.ASCII	\our file\	
															00928	P.AEV:	.BLKB	1	
															00937	P.AEV:	.ASCII	\Could not align tabs with cursor\	
															00946	P.AEV:	.BLKB	1	
															00950	P.AEV:	.ASCII	\r\n	
															00958	P.AEV:	.BLKB	1	
															00967	P.AEV:	.ASCII	\Backup past top of buffer\	

64 65 72 6F 6E 67 69 20 43 2F 4C 52 54 43	00976		
72 6E 20 59 50 4F 43 6F 69 74 61 6E 20 45 69	00978 P.AEW: .ASCII \CTRL/C ignored\		
6E 6F 20 59 50 4F 43 6F 69 74 61 6E 20 45 69	00986 .BLKB 2		
64 65 72 6F 62 61 20 72 6F 74 69 64 45	00988 P.AEX: .ASCII \Destination for MOVE or COPY not found\		
72 6E 20 59 50 4F 43 6F 69 74 61 6E 20 45 69	00997 .BLKB 2		
64 65 74 72 6F 62 61 20 72 6F 74 69 64 45	009A6 009AE P.AEY: .ASCII \Editor aborted\		
20 65 62 20 74 73 75 6D 20 79 74 69 74 6E 45	009BE .BLKB 2		
20 45 43 4E 45 54 4E 45 53 20 79 74 69 74 6E 45	009C0 P.AEZ: .ASCII \Entity must be WORD, SENTENCE, PARAGRAPH\		
48 50 41 52 47 41 50 20 72 6F 72 72 45 009DE			
6E 61 6D 6D 6F 63 20 6E 69 20 72 6F 72 72 45	009E8 009FO P.AFA: .ASCII \ or PAGE\		
6E 61 6D 6D 6F 63 20 6E 69 20 72 6F 72 72 45	.ASCII \Error in command option\		
6E 61 6D 6D 6F 63 20 6E 69 20 72 6F 72 72 45	00A07 00A08 P.AFB: .ASCII \Error in range specification\		
20 65 67 6E 61 72 20 6E 69 20 72 6F 72 72 45	00A17 00A24 P.AFC: .ASCII \Error opening terminal for input\		
74 20 67 6E 69 6D 65 70 6F 69 20 72 6F 72 72 45	00A33 00A42 P.AFD: .ASCII \Error opening terminal for output\		
74 75 6F 20 72 6F 66 20 6C 61 6E 69 6D 72 72 45	00A53 00A62 P.AFE: .ASCII \Error reading from input file\		
66 20 67 6E 69 64 61 74 75 70 6E 69 20 6D 6F 72 45	00A65 00A68 P.AFF: .ASCII \Error reading from terminal\		
66 65 6C 69 66 20 74 75 70 6E 69 20 6D 6F 72 45	00A77 00A85 00A88 P.AFG: .ASCII \Error writing to output file\		
66 65 6C 69 66 20 74 75 70 6E 69 20 6D 6F 72 45	00A97 00AA3 P.AFH: .ASCII \File attributes error\		
74 20 67 6E 69 74 69 72 77 20 72 6F 72 72 45	00AA4 00AB3 P.AFI: .ASCII \File name:\		
74 65 6C 69 66 20 74 75 70 6E 69 20 6D 6F 72 45	00AC0 00ACF 00AD5 P.AFJ: .ASCII \File specification required\		
73 65 74 75 62 69 72 74 74 61 20 65 6C 69 46	00AD8 00AE2 P.AFK: .ASCII \For help on any other keypad key, press \		
73 65 74 75 62 69 72 74 74 61 20 65 6C 69 46	00AE4 00AF3 00AFF P.AFL: .ASCII \the key\		
74 61 63 69 66 69 63 65 70 73 20 65 6C 69 46	00AF5 00B00 P.AFM: .ASCII \Help file could not be closed\		
74 61 63 69 66 69 63 65 70 73 20 65 6C 69 46	00B0F 00B1E 00B28 P.AFN: .ASCII \Help file could not be opened\		
74 61 63 69 66 69 63 65 70 73 20 65 6C 69 46	00B30 00B3F 00B4D P.AFO: .ASCII \Help File Index could not be initialized\		
74 61 63 69 66 69 63 65 70 73 20 65 6C 69 46	00B50 00B5F 00B6D P.AFN: .ASCII \Include file could not be closed\		
74 61 63 69 66 69 63 65 70 73 20 65 6C 69 46	00B7F 00B8E 00B98 P.AFO: .ASCII \the key\		
73 6F 63 20 65 6C 69 66 20 65 64 75 6C 63 6E 49	00BA7		

6F 63 20 65 6C 69 66 20 65 64 75 6C 63 6E 64 65 00BB6	P.AFP: .ASCII \Include file could not be opened\
6E 65 70 6F 20 65 62 20 74 6F 6E 20 64 6C 75 00BB8	
6F 64 20 65 6C 69 66 20 65 64 75 6C 63 6E 49 00BC7	
6F 64 20 74 73 69 78 65 20 74 6F 6E 20 73 65 00BD6	
6C 75 6F 63 20 65 6C 63 20 65 62 20 74 75 70 6E 49 00BF3	
64 65 73 6F 6C 63 20 65 62 20 74 6F 6E 20 64 00BF4	P.AFR: .BLKB 1 \Input file could not be closed\
6C 75 6F 63 20 65 6C 69 66 20 74 75 70 6E 20 64 00C03	
64 65 6E 65 70 6F 20 65 62 20 74 6F 6E 20 64 00C12	
6C 75 6F 63 20 65 6C 69 66 20 74 75 70 6E 49 00C14	P.AFS: .BLKB 2 \Input file could not be opened\
64 65 6E 65 70 6F 20 65 62 20 74 6F 6E 20 64 00C23	
73 65 6F 64 20 65 6C 69 66 20 74 75 70 6E 49 00C32	
73 65 6F 64 20 74 73 69 78 65 20 74 6F 6E 20 00C34	P.AFT: .BLKB 2 \Input file does not exist\
73 65 6F 64 20 65 6C 69 66 20 74 75 70 6E 49 00C43	
64 6E 61 74 73 20 65 6C 69 66 20 74 75 70 6E 49 00C50	P.AFU: .BLKB 3 \Input file does not have standard text f\
66 20 74 78 65 74 61 68 20 74 6F 6E 20 00C5F	
74 61 60 74 61 6D 72 6F 66 20 65 6C 69 00C6E	
65 6D 20 74 6E 65 69 63 69 66 66 75 73 6E 49 00C78	.ASCII \ile format\
65 6D 20 74 6E 65 69 63 69 66 66 75 73 6E 49 00C82	.BLKB 2
65 6D 20 74 6E 65 69 63 69 66 66 75 73 6E 49 00C84	P.AFV: .ASCII \Insufficient memory\
61 77 74 66 6F 73 20 6C 61 6E 72 65 74 6E 49 00C97	.BLKB 1
61 65 6C 70 20 2D 20 72 6F 62 75 73 20 65 72 00CA7	P.AFW: .ASCII \Internal software error - please submit \
20 74 6C 70 20 2D 20 72 6F 62 75 73 20 65 72 00CB6	
20 72 65 66 66 75 62 20 64 69 6C 61 76 6E 49 00CC0	.ASCII \an SPR\
20 72 65 66 66 75 62 20 64 69 6C 61 76 6E 49 00CC6	.BLKB 2
20 72 65 66 66 75 62 20 64 69 6C 61 76 6E 49 00CD7	PAFX: .ASCII \Invalid buffer name\
74 63 61 72 61 68 63 20 64 69 6C 61 76 6E 49 00CDB	.BLKB 1
74 63 61 72 61 68 63 20 64 69 6C 61 76 6E 49 00CDC	P.AFY: .ASCII \Invalid character code\
79 74 69 74 6E 65 20 64 69 6C 61 76 6E 49 00CF2	.BLKB 2
79 74 69 74 6E 65 20 64 69 6C 61 76 6E 49 00CF4	P.AFZ: .BLKB 2 \Invalid entity\
20 6E 61 6D 6D 6F 63 20 74 61 68 74 20 72 6F 66 00D02	
20 6E 61 6D 6D 6F 63 20 74 61 68 74 20 72 6F 66 00D04	P.AGA: .BLKB 2
20 6E 61 6D 6D 6F 63 20 74 61 68 74 20 72 6F 66 00D13	\Invalid option for that command\
20 6E 61 6D 6D 6F 63 20 74 61 68 74 20 72 6F 66 00D22	
74 65 6D 61 72 6F 20 54 45 53 20 64 69 6C 61 76 6E 49 00D23	P.AGB: .BLKB 1
53 20 72 6F 20 54 45 53 20 64 69 6C 61 76 6E 49 00D24	\Invalid parameter for SET or SHOW\
53 20 72 6F 20 54 45 53 20 64 69 6C 61 76 6E 49 00D33	
67 6E 69 72 74 73 20 64 69 6C 61 76 6E 49 00D45	.BLKB 3
6D 6D 6F 63 62 75 73 20 64 69 6C 61 76 6E 49 00D48	P.AGC: .BLKB 2 \Invalid string\
6D 6D 6F 63 62 75 73 20 64 69 6C 61 76 6E 49 00D56	
6D 6D 6F 63 62 75 73 20 64 69 6C 61 76 6E 49 00D58	P.AGD: .BLKB 2 \Invalid subcommand\
69 20 65 75 6C 61 76 20 64 69 6C 61 76 6E 49 00D6A	
64 6E 61 6D 6D 6F 63 20 54 45 53 20 64 69 6C 61 76 6E 49 00D6C	P.AGE: .BLKB 2 \Invalid value in SET command\
6F 77 20 6E 6F 20 72 6F 72 65 6C 69 66 20 4F 2F 49 00D7B	
6F 77 20 6E 6F 20 72 6F 72 65 6C 69 66 20 4F 2F 49 00D88	P.AGF: .BLKB 2 \I/O error on work file\
6F 63 20 65 6C 69 66 20 74 61 6E 72 75 6F 64 6C 75 00D9E	
73 6F 6C 63 20 65 62 20 74 61 6E 72 75 6F 64 6C 75 00DA0	P.AGG: .BLKB 2
73 6F 6C 63 20 65 62 20 74 61 6E 72 75 6F 64 6C 75 00DAF	\Journal file could not be closed\

6F 63 20 65 6C 69 66 20 6C 61 6E 72 75 64 65 00DBE P.AGH: .ASCII \Journal file could not be opened\ ;
 6E 65 70 6F 20 65 62 20 74 6F 6E 61 63 20 73 79 65 4A 00DC0 P.AGI: .ASCII \Keys cannot be defined in Nokeypad mode\ ;
 20 65 6B 62 20 74 6F 6E 69 20 64 6F 6D 20 66 65 64 00DCF 00DD0 P.ADE: .ASCII \Line exceeded 255 characters, truncated\ ;
 65 6B 6F 4E 20 6E 69 20 64 6F 6D 20 64 61 70 79 00DDF 00DE0 P.AGI: .ASCII \Line exceeded 255 characters, truncated\ ;
 20 2C 73 72 65 74 63 61 72 61 63 6E 75 72 74 00E07 00E08 P.AGJ: :BLKB 1 .ASCII \MACRO or KEY required\ ;
 32 20 64 65 64 65 63 61 78 65 20 65 6E 69 4C 00E17 00E26 P.AGK: .ASCII \file input terminated\ ;
 65 72 20 59 45 4B 20 72 6F 20 4F 52 43 41 4D 00E2F 00E30 P.AGK: .ASCII \Max input line of 2814749767 exceeded, f\ ;
 20 65 6E 69 6C 20 74 75 70 6E 69 20 78 61 4D 00E45 00E48 P.AGL: .ASCII \Max line number exceeded; lines no longer available\ ;
 65 20 37 36 37 39 34 37 34 31 38 32 20 66 6F 00E57 00E66 P.AGL: .ASCII \Max input line of 2814749767 exceeded, f\ ;
 69 6D 72 65 74 20 74 75 70 6E 69 20 65 6C 69 00E70 00E7F P.AGM: .ASCII \Max line number exceeded; lines no longer available\ ;
 72 65 62 6D 75 6E 20 65 6E 69 6C 20 78 61 4D 00E84 00E93 P.AGM: .ASCII \Max line number exceeded; lines no longer available\ ;
 65 6E 69 6C 20 3B 64 65 64 65 65 63 78 65 20 73 00EA2 00EBB P.AGM: .ASCII \r ascending; resequence recommended\ ;
 6D 6D 6F 63 65 72 20 65 63 6E 65 75 71 65 73 00ECA 00ECF P.AGN: .BLKB 1 .ASCII \Max number of lines for this buffer exceeded\ ;
 62 20 66 6F 20 72 65 62 6D 75 6E 20 78 61 4D 00ED0 00EDF P.AGN: .BLKB 1 .ASCII \Max number of lines for this buffer exceeded\ ;
 62 20 73 69 68 74 20 72 6F 66 20 73 65 6E 69 00EEE 00EEF8 P.AGO: .ASCII \ed ed\ ;
 6E 6F 69 74 69 6E 69 66 65 64 20 6F 4E 00EOF9 P.AGO: .ASCII \No definition\ ;
 62 61 6C 69 61 76 61 20 70 6C 65 68 20 6F 4E 00F0C P.AGP: .BLKB 3 .ASCII \No help available for that key\ ;
 79 65 6B 20 74 61 68 74 20 72 6F 66 20 65 6C 00F1B 00F2A P.AGP: .ASCII \No help available for that key\ ;
 35 36 20 6E 61 61 68 74 20 65 72 6F 6D 20 6F 4E 00F2C P.AGQ: .BLKB 2 .ASCII \No more than 65535 lines can be processed\ ;
 62 20 6E 61 63 20 73 65 6E 69 6C 20 35 33 35 00F3B 00F4A P.AGQ: .BLKB 2 .ASCII \No more than 65535 lines can be processed\ ;
 63 20 65 6C 67 6E 69 73 20 61 20 6E 69 20 64 00F54 00F63 P.AGR: .BLKB 3 .ASCII \d in a single command\ ;
 20 65 6C 69 66 20 74 75 70 6E 65 75 6F 20 6F 4E 00F6C 00F7B P.AGR: .BLKB 3 .ASCII \No output file written\ ;
 65 67 6E 61 72 20 74 63 65 76 69 73 20 6F 4E 00F82 00F84 P.AGS: .BLKB 2 .ASCII \No select range active\ ;
 65 67 6E 61 72 20 74 63 65 76 69 73 20 6F 4E 00F93 00F9A P.AGT: .BLKB 2 .ASCII \No such line\ ;
 64 20 65 68 74 20 65 74 6E 65 20 77 6F 4E 00FA8 00FB7 P.AGU: .BLKB 2 .ASCII \Now enter the definition terminated by E\ ;
 69 6D 72 65 74 20 6E 6F 69 74 69 6E 66 65 00FC6 00FD0 P.AGU: .BLKB 2 .ASCII \Now enter the definition terminated by E\ ;
 69 20 65 75 6C 61 76 20 63 69 72 65 6D 75 4E 00FD4 00FE3 P.AGV: .BLKB 3 .ASCII \NTER\ ;
 72 20 65 75 6C 61 76 20 63 69 72 65 6D 75 4E 00FE9 00FEC P.AGW: .BLKB 3 .ASCII \Numeric value illegal\ ;
 72 20 65 75 6C 61 76 20 63 69 72 65 6D 75 4E 00FEC P.AGW: .BLKB 3 .ASCII \Numeric value required\ ;

6E	20	65	6E	6F	69	6C	20	4C	41	4E	49	47	49	52	4F	00FFB	P.AGX:	.BLKB	2	ORIGINAL line numbers no longer an EDT f\			
65	67	6E	6E	6F	6C	20	6F	54	44	65	73	72	65	62	6D	75	01002		.ASCII				
75	6F	63	20	65	6C	20	69	66	20	74	75	70	74	75	4F	01004		.ASCII	\feature\				
65	73	6F	6F	6C	63	20	65	62	20	74	6F	6E	20	64	6C	01013	01022	.BLKB	.ASCII	2	\Output file could not be closed\		
75	6F	63	20	65	6C	20	69	66	20	74	75	70	74	75	4F	01020	01032	P.AGY:	.BLKB	1	\Output file could not be created\		
74	61	65	72	63	20	65	62	20	74	75	70	74	75	4F	01034	01043	01052	01053	P.AGZ:	.ASCII	\Parenthesis mismatch\		
73	69	6D	20	73	69	73	65	68	74	6E	65	72	61	50	01074	01083	01088	01097	P.AHA:	.ASCII	\Parsing stack overflow\		
6F	20	6B	63	61	74	73	20	67	77	6E	69	73	72	61	50	0109E	010A0	P.AHC:	.BLKB	2	\Please answer Y(es), N(o), Q(uit), or A(\		
59	20	72	65	77	73	6E	61	20	65	73	61	65	6C	50	010AF	010BE	010CB	010C8	.ASCII	.BLKB	\ll\		
75	28	51	20	2C	29	6F	28	4E	20	2C	29	73	65	28	010AC	010DB	010CC	010DB	P.AHD:	.ASCII	\Pass bad status to caller\		
6F	74	20	6E	72	75	74	65	72	20	73	73	65	72	50	010E5	010E8	010F7	01101	P.AHE:	.BLKB	3	\Press return to continue \	
79	20	79	65	6B	20	65	68	74	20	73	73	65	72	50	01104	01113	01113	01122	P.AHF:	.BLKB	3	\Press the key you wish to define\	
69	66	65	64	20	6F	74	20	68	73	69	77	20	75	6F	01124	01133	01142	01144	P.AHG:	.ASCII	\Print file could not be closed\		
6C	75	6F	63	20	65	6C	69	66	20	74	6E	69	72	50	01144	01153	01162	01163	P.AHH:	.BLKB	2	\Print file could not be created\	
65	74	61	65	72	63	20	65	62	20	74	6F	6E	20	64	01163	01173	0117A	01164	P.AHI:	.BLKB	1	\Quoted string required\	
51	45	53	45	52	20	72	73	6F	66	20	65	67	6E	61	52	0117C	0118B	0119A	011A3	P.AHJ:	.BLKB	2	\Range for RESEQUENCE must be contiguous\
63	20	65	62	20	74	73	75	6D	75	6F	75	67	69	74	6E	011A4	011B3	011C2	011A4	P.AHK:	.ASCII	1	\Range specified by /SEQUENCE would cause\
64	65	69	66	69	63	65	70	73	20	65	67	6E	61	52	011B3	011C2	011CC	011DB	.ASCII	\ duplicate or non-sequential numbers\			
77	20	45	43	4E	45	55	51	45	53	2F	20	79	62	20	011EA	011EA	011EA	011EA	P.AHL:	.ASCII	\Record too big, truncated to 255 charact\		
6E	20	72	6F	20	65	74	61	63	69	6C	70	75	64	20	011EA	011EA	011EA	011EA	.ASCII	\ers\			
6E	20	6C	61	69	74	6E	65	75	71	65	73	2D	6E	6F	011EA	011EA	011EA	011EA	.ASCII	\ers\			
2C	67	69	62	20	6F	6F	74	20	64	72	6F	63	65	52	011EA	011EA	011EA	011EA	P.AHL:	.ASCII	\Record too big, truncated to 255 charact\		
32	20	6F	74	20	64	65	74	61	63	6E	75	72	74	20	011EA	011EA	011EA	011EA	.ASCII	\ers\			

63 20 67 6E 69 72 74 73 20 68 63 72 61 65 53 0121B P.AHM: .BLKB 1	\Search string cannot be null\
65 74 65 6C 70 6D 6F 63 20 74 63 65 6E 6C 65 53 0121C P.AHM: .ASCII \Search string cannot be null\	
65 74 65 6C 70 6D 6F 63 20 74 63 65 6E 6C 65 53 0122B P.AHN: .ASCII \Select complete lines only\	
73 69 20 65 67 6E 61 72 20 74 63 65 72 6C 65 53 01238 P.AHO: .BLKB 2	\Select range is already active\
65 76 69 74 63 61 20 79 64 61 65 72 6C 61 20 01247 P.AHO: .ASCII \Select range is already active\	
6D 65 72 63 6E 69 20 65 62 20 74 73 75 6D 20 01252 P.AHP: .BLKB 2	\Sequence increment must be less than 655\
73 65 6C 20 65 35 35 36 20 6E 61 68 74 20 01254 P.AHP: .ASCII \Sequence increment must be less than 655\	
65 74 69 6D 69 6C 65 64 20 67 6E 69 72 74 53 01258 P.AHP: .BLKB 2	\Sequence increment must be less than 655\
61 2D 6E 6F 6E 20 65 62 20 74 73 75 6D 20 01263 P.AHP: .ASCII \Sequence increment must be less than 655\	
65 74 69 6D 69 6C 65 64 20 67 6E 69 72 74 53 01267 P.AHR: .BLKB 1	\String delimiter must be non-alphanumeric\
61 2D 6E 6F 6E 20 65 62 20 74 73 75 6D 20 01272 P.AHR: .ASCII \String delimiter must be non-alphanumeric\	
65 74 69 6D 69 6C 65 64 20 67 6E 69 72 74 53 01274 P.AHR: .BLKB 2	\String delimiter must be non-alphanumeric\
61 2D 6E 6F 6E 20 65 62 20 74 73 75 6D 20 01283 P.AHR: .ASCII \String delimiter must be non-alphanumeric\	
65 74 69 6D 69 6C 65 64 20 67 6E 69 72 74 53 01292 P.AHR: .BLKB 1	\String delimiter must be non-alphanumeric\
61 2D 6E 6F 6E 20 65 62 20 74 73 75 6D 20 01296 P.AHR: .ASCII \String delimiter must be non-alphanumeric\	
72 65 62 6D 75 6E 20 65 63 62 20 6E 65 75 71 65 53 012A0 P.AHQ: .BLKB 2	\Sequence number must be less than 65536\
74 20 73 73 65 6C 20 65 63 33 35 36 20 6E 61 68 012A4 P.AHQ: .ASCII \Sequence number must be less than 65536\	
65 74 69 6D 69 6C 65 64 20 67 6E 69 72 74 53 012A8 P.AHQ: .BLKB 1	\Sequence number must be less than 65536\
61 2D 6E 6F 6E 20 65 62 20 74 73 75 6D 20 012B2 P.AHQ: .ASCII \Sequence number must be less than 65536\	
65 74 69 6D 69 6C 65 64 20 67 6E 69 72 74 53 012B6 P.AHQ: .BLKB 2	\Sequence number must be less than 65536\
61 2D 6E 6F 6E 20 65 62 20 74 73 75 6D 20 012C0 P.AHQ: .ASCII \Sequence number must be less than 65536\	
65 74 69 6D 69 6C 65 64 20 67 6E 69 72 74 53 012C4 P.AHQ: .BLKB 1	\Sequence number must be less than 65536\
61 2D 6E 6F 6E 20 65 62 20 74 73 75 6D 20 012C8 P.AHQ: .ASCII \Sequence number must be less than 65536\	
65 74 69 6D 69 6C 65 64 20 67 6E 69 72 74 53 012D2 P.AHQ: .BLKB 2	\Sequence number must be less than 65536\
61 2D 6E 6F 6E 20 65 62 20 74 73 75 6D 20 012D6 P.AHQ: .ASCII \Sequence number must be less than 65536\	
20 74 6F 6E 20 73 61 77 20 67 6E 64 69 72 74 53 012E0 P.AHS: .BLKB 3	\String was not found\
74 6F 6E 20 73 69 20 79 65 6B 20 74 61 68 54 012E4 P.AHS: .ASCII \String was not found\	
74 6F 6E 20 73 69 20 79 65 6B 20 74 61 68 54 012E8 P.AHT: .BLKB 3	\That key is not definable\
74 6F 6E 20 73 69 20 79 65 6B 20 74 61 68 54 012F2 P.AHT: .ASCII \That key is not definable\	
45 48 20 6D 6F 72 66 20 74 69 78 65 20 6F 54 012F6 P.AHU: .BLKB 3	\To exit from HELP, press the spacebar\
73 20 65 68 74 20 73 73 65 72 70 20 6C 50 4C 012F8 P.AHU: .ASCII \To exit from HELP, press the spacebar\	
68 74 20 6F 74 20 6E 72 75 74 65 72 20 6F 54 01302 P.AHV: .BLKB 3	\To return to the keypad diagram, press t\
61 72 67 61 69 64 20 64 61 70 79 65 6B 20 65 01306 P.AHV: .ASCII \To return to the keypad diagram, press t\	
79 65 6B 20 6E 72 75 74 65 72 20 65 68 01310 P.AHV: .BLKB 3	\he return key\
79 65 6B 20 6E 72 75 74 65 72 20 65 68 01314 P.AHV: .ASCII \he return key\	
72 61 68 63 20 64 65 74 63 65 70 78 65 6E 55 01318 P.AHW: .BLKB 3	\Unexpected characters after end of comma\
6E 65 20 72 65 74 66 61 20 73 72 65 74 63 61 01322 P.AHW: .ASCII \Unexpected characters after end of comma\	
61 2D 6E 6F 6E 20 65 62 20 74 73 75 6D 20 01326 P.AHW: .BLKB 3	\Unexpected characters after end of comma\
61 2D 6E 6F 6E 20 65 62 20 74 73 75 6D 20 01330 P.AHW: .ASCII \Unexpected characters after end of comma\	
65 6C 69 61 66 20 65 6C 69 66 20 6B 72 6F 57 01334 P.AHZ: .BLKB 1	\Work file failed to close\
65 6C 69 61 66 20 65 6C 69 66 20 6B 72 6F 57 01338 P.AHZ: .ASCII \Work file failed to close\	
65 6C 69 61 66 20 65 6C 69 66 20 6B 72 6F 57 01342 P.AHZ: .BLKB 3	\Work file failed to open\
66 72 65 76 6F 20 65 6C 69 66 20 6B 72 6F 57 01346 P.AIB: .BLKB 1	\Work file overflow\
67 6E 69 6B 72 6F 57 01350 P.AIB: .ASCII \Work file overflow\	
67 6E 69 6B 72 6F 57 01354 P.AIB: .BLKB 2	\Working\
67 6E 69 6B 72 6F 57 01358 P.AIB: .ASCII \Working\	
67 6E 69 6B 72 6F 57 01362 P.AIB: .BLKB 1	\Working\

6C 75 6F 63 20 65 6C 69 66 20 65 74 6E 20 64 01430 P.AID: .ASCII \Write file could not be closed\ ;
 64 65 73 6F 6C 63 20 65 62 20 74 6F 6E 20 64 0143F ;
 6C 75 6F 63 20 65 6C 69 66 20 65 74 69 72 57 0144E 2
 65 74 61 65 72 63 20 65 62 20 74 6F 6E 20 64 0145F ;
 64 0146E ;
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 0146F P.AEE: .BLKB 1
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 01470 P.AEE: .ADDRESS P.AEF, P.AEG, P.AEH, P.AEI, P.AEJ, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 01488 P.AEK, P.AEL, P.AEM, P.AEN, P.AEO, P.AEP, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 014A0 P.AEQ, P.AER, P.AES, P.AET, P.AEU, P.AEV, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 014B8 P.AEW, P.AEX, P.AEY, P.AEZ, P.AFA, P.AFB, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 014D0 P.AFC, P.AFD, P.AFE, P.AFF, P.AFG, P.AFH, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 014E8 P.AFI, P.AFJ, P.AFK, P.AFL, P.AFM, P.AFN, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 01500 P.AFO, P.AFP, P.AFQ, P.AFR, P.AFS, P.AFT, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 01518 P.AFU, P.AFV, P.AFW, P.AFX, P.AFY, P.AFZ, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 01530 P.AGA, P.AGB, P.AGC, P.AGD, P.AGE, P.AGF, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 01548 P.AGG, P.AGH, P.AGI, P.AGJ, P.AGK, P.AGL, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 01560 P.AGM, P.AGN, P.AGO, P.AGP, P.AGQ, P.AGR, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 01578 P.AGS, P.AGT, P.AGU, P.AGV, P.AGW, P.AGX, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 01590 P.AGY, P.AGZ, P.AHA, P.AHB, P.AHC, P.AHD, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 015A8 P.AHE, P.AHF, P.AHG, P.AHH, P.AHI, P.AHJ, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 015C0 P.AHK, P.AHL, P.AHM, P.AHN, P.AHO, P.AHP, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 015D8 P.AHQ, P.AHR, P.AHS, P.AHT, P.AHU, P.AHV, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 015F0 P.AHW, P.AHX, P.AHY, P.AHZ, P.AIA, P.AIB, -
 00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 01608 P.AIC, P.AID, P.AIE ;
 00 53 53 45 43 43 55 53 01610 P.AIF: .LONG 0
 00 41 4D 52 4F 46 4E 49 0161C P.AIG: .ASCII \SUCCESS\<0>
 00 47 4E 49 4E 52 41 57 01624 P.AIH: .ASCII \INFORMA\<0>
 00 20 20 52 4F 52 52 45 0162C P.AII: .ASCII \WARNING\<0>
 00 20 20 4C 41 54 41 46 01634 P.AIJ: .ASCII \ERROR \<0>
 00 20 20 4C 41 54 41 46 01634 P.AIJ: .ASCII \FATAL \<0>

MESSAGE_NAME_LENGTH=P.AAA
 MESSAGE_NAME= P.AAB
 MESSAGE_SEVERITY= P.AEC
 MESSAGE_TEXT_LENGTH=P.AED
 MESSAGE_TEXT= P.AEE
 .EXTRN LIB\$SCOPY_R_DX

		001C 00000	.ENTRY EDT\$MSGTXT, Save R2,R3,R4	0536
54	00000000G	00 9E 00002	MOVAB LIB\$SCOPY_R DX, R4	
53	F02F	CF 9E 00009	MOVAB MESSAGE_SEVERITY, R3	
5E		08 C2 0000E	SUBL2 #8, SP	
52	04	BC D0 00011	MOVL @CODE, R2	0592
		6342 95 00015	TSTB MESSAGE_SEVERITY[R2]	
		17 12 00018	BNEQ 1\$	
08	AE	08 AC DD 0001D	PUSHL SEVERITY	0595
08	AE	08 AE 9F 00021	MOVL #32, 8(SP)	
08	AE	01 D0 00024	PUSHAB 8(SP)	
64		08 AE 9F 00028	MOVL #1, 8(SP)	
		03 FB 0002B	PUSHAB 8(SP)	
		0093 31 0002E	CALLS #3, LIB\$SCOPY_R_DX	
53	51	08 AC DD 00031	BRW 8\$	0596
53	8F	6342 9A 00034	PUSHL SEVERITY	0611
		51 91 00038	MOVZBL MESSAGE_SEVERITY[R2], R1	0603
		07 12 0003C	CMPB R1, #83	0605
			BNEQ 2\$	

	50	0F9C	C3 9E 0003E	MOVAB	P.AIF, R0	:
49	8F		3D 11 00043	BRB	7\$	0606
			51 91 00045	CMPB	R1, #73	
	50	0FA4	07 12 00049	BNEQ	3\$	
			C3 9E 0004B	MOVAB	P.AIG, R0	
57	8F		30 11 00050	BRB	7\$	0607
			51 91 00052	CMPB	R1, #87	
	50	0FAC	07 12 00056	BNEQ	4\$	
			C3 9E 00058	MOVAB	P.AIH, R0	
45	8F		23 11 0005D	BRB	7\$	0608
			51 91 0005F	CMPB	R1, #69	
	50	0FB4	07 12 00063	BNEQ	5\$	
			C3 9E 00065	MOVAB	P.AII, R0	
46	8F		16 11 0006A	BRB	7\$	0609
			51 91 0006C	CMPB	R1, #70	
	50	0FBC	07 12 00070	BNEQ	6\$	
			C3 9E 00072	MOVAB	P.AIJ, R0	
			09 11 00077	BRB	7\$	
			7E D4 00079	CLRL	-(SP)	0610
00000000G	00		01 FB 0007B	CALLS	#1, LIB\$STOP	
			50 DD 00082	PUSHL	R0	
OC	AE		07 DD 00084	MOVL	#7, 12(SP)	0602
		OC	AE 9F 00088	PUSHAB	12(SP)	
	64		03 FB 0008B	CALLS	#3, LIB\$SCOPY_R_DX	
			18 AC DD 0008E	PUSHL	TEXT	0615
		ODF8	C342 DD 00091	PUSHL	MESSAGE_TEXT[R2]	
OC	AE	6C A342	9A 00096	MOVZBL	MESSAGE_TEXT_LENGTH[R2], 12(SP)	
		OC	AE 9F 0009C	PUSHAB	12(SP)	
	64		03 FB 0009F	CALLS	#3, LIB\$SCOPY_R_DX	
			10 AC DD 000A2	PUSHL	NAME	0619
		FE5C	C342 DD 000A5	PUSHL	MESSAGE_NAME[R2]	
OC	AE	F988 C342	9A 000AA	MOVZBL	MESSAGE_NAME_LENGTH[R2], 12(SP)	
		OC	AE 9F 000B1	PUSHAB	12(SP)	
	64		03 FB 000B4	CALLS	#3, LIB\$SCOPY_R_DX	
OC	BC	F988 C342	9A 000B7	MOVZBL	MESSAGE_NAME_LENGTH[R2], @NAMLEN	0623
14	BC	6C A342	9A 000BE	MOVZBL	MESSAGE_TEXT_LENGTH[R2], @TXTLEN	0624
	50		01 DO 000C4	MOVL	#1, R0	0628
			04 000C7	RET		0629

; Routine Size: 200 bytes, Routine Base: _EDT\$CODE + 163C

: 268 0630 1
: 269 0631 1 END
: 270 0632 1
: 271 0633 0 ELUDOM

.EXTRN LIB\$STOP

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	5892	NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC.ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
\$_\$255\$DUA28:[SYSLIB]STARLET.L32;1	9776	1	0	581	00:02.2

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LISS:MSGTXT/OBJ=OBJ\$:MSGTXT MSRC\$:MSGTXT.B32/UPDATE=(ENH\$:MSGTXT)

Size: 200 code + 5692 data bytes
Run Time: 00:52.3
Elapsed Time: 01:46.3
Lines/CPU Min: 726
Lexemes/CPU-Min: 17685
Memory Used: 197 pages
Compilation Complete

S
RE
LL
M
C

0137 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

