

EEEEEEEEE	DDDDDDDDDD	TTTTTTTTTT
EEEEEEEEE	DDDDDDDDDD	TTTTTTTTTT
EEEEEEEEE	DDDDDDDDDD	TTTTTTTTTT
EEE	DDD	TTT
EEEEEEEEE	DDDDDDDDDD	TTT
EEEEEEEEE	DDDDDDDDDD	TTT
EEEEEEEEE	DDDDDDDDDD	TTT

FILEID**TRACELIT

TTTTTTTTT1	RRRRRRRR	AAAAAA	CCCCCCC	EEEEEEE	LL		TTTTTTTTT
TTTTTTTTT	RRRRRRRR	AAAAAA	CCCCCCC	EEEEEEE	LL		TTTTTTTTT
TT	RR	RR	AA	AA	CC		TT
TT	RR	RR	AA	AA	CC		TT
TT	RR	RR	AA	AA	CC		TT
TT	RR	RR	AA	AA	CC		TT
TT	RRRRRRRR	AA	AA	CC	EE	LL	
TT	RRRRRRRR	AA	AA	CC	EE	LL	
TT	RR	RR	AAAAAAA	CC	EE	LL	
TT	RR	RR	AAAAAAA	CC	EE	LL	
TT	RR	RR	AA	AA	CC	EE	LL
TT	RR	RR	AA	AA	CC	EE	LL
TT	RR	RR	AA	AA	CCCCCCC	EEEEEEE	LLLLLLL
TT	RR	RR	AA	AA	CCCCCCC	EEEEEEE	LLLLLLL
LL		IIIIII	SSSSSSS				
LL		II	SSSSSSS				
LL		II	SS				
LL		II	SS				
LL		II	SSSSS				
LL		II	SSSSS				
LL		II	SS				
LL		II	SS				
LL		II	SS				
LL		II	SS				
LLLLLLLL		IIIIII	SSSSSSS				
LLLLLLLL		IIIIII	SSSSSSS				

```
0001 0 ****  
0002 0 *  
0003 0 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY  
0004 0 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.  
0005 0 * ALL RIGHTS RESERVED.  
0006 0 *  
0007 0 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED  
0008 0 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE  
0009 0 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER  
0010 0 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY  
0011 0 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY  
0012 0 * TRANSFERRED.  
0013 0 *  
0014 0 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE  
0015 0 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT  
0016 0 * CORPORATION.  
0017 0 *  
0018 0 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS  
0019 0 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.  
0020 0 *  
0021 0 *  
0022 0 *  
0023 0 *  
0024 0 *+ This file, TRACELIT.REQ, contains the literals for trace record types and  
0025 0 * subtypes.  
0026 0 *-  
0027 0 *  
0028 0 *  
0029 0 MACRO  
M 0030 0 TRACELIT =  
M 0031 0  
M 0032 0  
M 0033 0 LITERAL  
M 0034 0 EDT$STR_START = 1, ! Startup  
M 0035 0 EDT$STR_SSTART_INIT = 1, First record in file  
M 0036 0 EDT$STR_SSTART_TERM = 2, Terminal type  
M 0037 0 EDT$STR_COM = 2, Command Line  
M 0038 0 EDT$STR_SCOM_INP = 1, Input file name  
M 0039 0 EDT$STR_SCOM_OUT = 2, Output file name  
M 0040 0 EDT$STR_SCOM_CMD = 3, Command file name  
M 0041 0 EDT$STR_SCOM_JOU = 4, Journal file name  
M 0042 0 EDT$STR_SCOM_SW_JOU = 5, Value of /JOURNAL switch  
M 0043 0 EDT$STR_SCOM_SW_CMD = 6, Value of /COMMAND switch  
M 0044 0 EDT$STR_SCOM_SW_REC = 7, Value of /RECOVER switch  
M 0045 0 EDT$STR_SCOM_SWREA = 8, /READ switch seen  
M 0046 0 EDT$STR_KEY = 3, Keyboard input  
M 0047 0 EDT$STR_SK_PROMPT = 1, Prompt string  
M 0048 0 EDT$STR_SK_LN = 2, ! Line read using RMS  
M 0049 0 EDT$STR_SK_STS = 3, RMS STS from that read  
M 0050 0 EDT$STR_SK_TERM_NE = 4, Line terminator, not echoed  
M 0051 0 EDT$STR_SK_CH = 5, ! Characters read using QIO, with echo  
M 0052 0 EDT$STR_SK_CH_NE = 6, Characters read using QIO, no echo  
M 0053 0 EDT$STR_SCR = 4, Screen output  
M 0054 0 EDT$STR_SSCR_LN = 1, Line printed using RMS  
M 0055 0 EDT$STR_SSCR_CH = 2, Characters printed using QIO  
M 0056 0 EDT$STR_INFO = 5, Input file open  
M 0057 0 EDT$STR_SINFO_FNAM = 1, File name
```

C 12
15-Sep-1984 23:01:53
15-Sep-1984 22:44:40

VAX-11 Bliss-32 V4.0-742
_S255\$DUA28:[EDT.SRC]TRACELIT.REQ;1 Page 2
(1)

M 0058 0	EDT\$STR-SIFO-DNAM = 2,	Default file name
M 0059 0	EDT\$STR-SIFO-RLNAM = 3,	Related file name
M 0060 0	EDT\$STR-SIFO-OPN-STS = 4,	STS from \$OPEN
M 0061 0	EDT\$STR-SIFO-OPN-STV = 5,	STV from \$OPEN
M 0062 0	EDT\$STR-SIFO-OPN-IFI = 6,	IFI from \$OPEN
M 0063 0	EDT\$STR-SIFO-CON-STS = 7,	STS from \$CONNECT
M 0064 0	EDT\$STR-SIFO-CON-STV = 8,	STV from \$CONNECT
M 0065 0	EDT\$STR-SIFO-CON-ISI = 9,	ISI from \$CONNECT
M 0066 0	EDT\$STR-SIFO-RNAM = 10,	Resultant file name
M 0067 0	EDT\$STR-IFR = 6,	Input file read
M 0068 0	EDT\$STR-SIFR-ISI = 1,	ISI of file
M 0069 0	EDT\$STR-SIFR-STS = 2,	STS from \$GET
M 0070 0	EDT\$STR-SIFR-STV = 3,	STV from \$GET
M 0071 0	EDT\$STR-SIFR-REC = 4,	Text of the record read
M 0072 0	EDT\$STR-IFC = 7,	Input file close
M 0073 0	EDT\$STR-SIFC-IFI = 1,	IFI of file
M 0074 0	EDT\$STR-SIFC-STS = 2,	STS from \$CLOSE
M 0075 0	EDT\$STR-SIFC-STV = 3,	STV from \$CLOSE
M 0076 0	EDT\$STR-SFO = 8,	Output file open
M 0077 0	EDT\$STR-SFO-FNAM = 1,	File name
M 0078 0	EDT\$STR-SFO-DNAM = 2,	Default file name
M 0079 0	EDT\$STR-SFO-RLNAM = 3,	Related file name
M 0080 0	EDT\$STR-SFO-CRE-STS = 4,	STS from \$CREATE
M 0081 0	EDT\$STR-SFO-CRE-STV = 5,	STV from \$CREATE
M 0082 0	EDT\$STR-SFO-CRE-IFI = 6,	IFI from \$CREATE
M 0083 0	EDT\$STR-SFO-CON-STS = 7,	STS from \$CONNECT
M 0084 0	EDT\$STR-SFO-CON-STV = 8,	STV from \$CONNECT
M 0085 0	EDT\$STR-SFO-CON-ISI = 9,	ISI from \$CONNECT
M 0086 0	EDT\$STR-SFO-RNAM = 10,	Resultant file name
M 0087 0	EDT\$STR-AFO = 9,	Append file open
M 0088 0	EDT\$STR-SAFO-FNAM = 1,	File name
M 0089 0	EDT\$STR-SAFO-DNAM = 2,	Default file name
M 0090 0	EDT\$STR-SAFO-RLNAM = 3,	Related file name
M 0091 0	EDT\$STR-SAFO-OPN-STS = 4,	STS from \$OPEN
M 0092 0	EDT\$STR-SAFO-OPN-STV = 5,	STV from \$OPEN
M 0093 0	EDT\$STR-SAFO-OPN-IFI = 6,	IFI from \$OPEN
M 0094 0	EDT\$STR-SAFO-CON-STS = 7,	STS from \$CONNECT
M 0095 0	EDT\$STR-SAFO-CON-STV = 8,	STV from \$CONNECT
M 0096 0	EDT\$STR-SAFO-CON-ISI = 9,	ISI from \$CONNECT
M 0097 0	EDT\$STR-SAFO-RNAM = 10,	Resultant file name
M 0098 0	EDT\$STR-OFW = 10,	Output file write
M 0099 0	EDT\$STR-SOFW-ISI = 1,	ISI of file
M 0100 0	EDT\$STR-SOFW-REC = 2,	Text of the record to be written
M 0101 0	EDT\$STR-SOFW-STS = 3,	STS from \$PUT
M 0102 0	EDT\$STR-SOFW-STV = 4,	STV from \$PUT
M 0103 0	EDT\$STR-DFC = 11,	Output file close
M 0104 0	EDT\$STR-SDFC-IFI = 1,	IFI of file
M 0105 0	EDT\$STR-SDFC-STS = 2,	STS from \$CLOSE
M 0106 0	EDT\$STR-SDFC-STV = 3,	STV from \$CLOSE
M 0107 0	EDT\$STR-FLU = 12,	\$FLUSH
M 0108 0	EDT\$STR-SFLU-ISI = 1,	ISI for \$FLUSH
M 0109 0	EDT\$STR-CLO = 13,	\$CLOSE
M 0110 0	EDT\$STR-SCLO-IFI = 1,	IFI for \$CLOSE
M 0111 0	EDT\$STR-IDLE = 14,	
M 0112 0	EDT\$STR-SIDLE-KIN = 1,	! Idle point ! Idle waiting for keyboard input
M 0113 0	EDT\$STR-EXI = 15,	! EXIT ! (No subtype really needed)
M 0114 0	EDT\$STR-SEXI = 1	

D 12
15-Sep-1984 23:01:53
15-Sep-1984 22:44:40

VAX-11 Bliss-32 v4.0-742
_S255\$DUA28:[EDT.SRC]TRACELIT.REQ;1 Page 3
(1)

0115 0 %:
0116 0 :
0117 0 ! End of file TRACELIT.REQ

: COMMAND QUALIFIERS

: BLISS/LIBRARY=EDTSRC:TRACELIT/LIST=LIS\$:/SOURCE=REQUIRE SRC\$:TRACELIT

: Run Time: 00:01.2
: Elapsed Time: 00:04.2
: Lines/CPU Min: 6104
: Lexemes/CPU-Min: 17530
: Memory Used: 13 pages
: Library Precompilation Complete

0140 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

SCRUPDATM
LIS

STARTDT
LIS

TISAVE
LIS

SETCOMMAND
LIS

TIAUTO
LIS

TIDELETE
LIS

TILINE
LIS

TRACEMAC
LIS

UFBUFFER
LIS

SCRZAPSIN
LIS

SCRUPDATN
LIS

TITYPAHD
LIS

TSTKEYDEF
LIS

SUPPORTS
LIS

TICLRAUD
LIS

TRAROUNAM
LIS

TICHAR
LIS

TIECHO
LIS

TRANSLATE
LIS

UFSTRING
LIS

SYSVAX
LIS

TRACELIT
LIS

UCVTCASE
LIS

SCRWID
LIS