


```

RRRRRRRR      TTTTTTTTTT  LL      MM      MM      AAAAAA      CCCCCCCC      MM      MM      AAAAAA      RRRRRRRR
RRRRRRRR      TTTTTTTTTT  LL      MM      MM      AAAAAA      CCCCCCCC      MM      MM      AAAAAA      RRRRRRRR
RR      RR      TT      MMMM  MMMM  AA      AA      CC      MMMM  MMMM  AA      AA      RR      RR
RR      RR      TT      MMMM  MMMM  AA      AA      CC      MMMM  MMMM  AA      AA      RR      RR
RR      RR      TT      MM  MM  MM  AA      AA      CC      MM  MM  MM  AA      AA      RR      RR
RR      RR      TT      MM  MM  MM  AA      AA      CC      MM  MM  MM  AA      AA      RR      RR
RRRRRRRR      TT      LL      MM      MM      AAAAAA      CCCCCCCC      MM      MM      AAAAAA      RRRRRRRR
RRRRRRRR      TT      LL      MM      MM      AAAAAA      CCCCCCCC      MM      MM      AAAAAA      RRRRRRRR
RR  RR      TT      LL      MM      MM      AAAAAA      CCCCCCCC      MM      MM      AAAAAA      RR  RR
RR  RR      TT      LL      MM      MM      AAAAAA      CCCCCCCC      MM      MM      AAAAAA      RR  RR
RR      RR      TT      LL      MM      MM      AAAAAA      CCCCCCCC      MM      MM      AAAAAA      RR      RR
RR      RR      TT      LL      MM      MM      AAAAAA      CCCCCCCC      MM      MM      AAAAAA      RR      RR
RR      RR      TT      LLLLLLLLLL  MM      MM      AA      AA      CC      MM      MM      AA      AA      RR      RR
RR      RR      TT      LLLLLLLLLL  MM      MM      AA      AA      CC      MM      MM      AA      AA      RR      RR

```

```

MM      MM      AAAAAA      RRRRRRRR
MM      MM      AAAAAA      RRRRRRRR
MMMM  MMMM  AA      AA      RR      RR
MMMM  MMMM  AA      AA      RR      RR
MM  MM  MM  AA      AA      RR      RR
MM  MM  MM  AA      AA      RR      RR
MM      MM  AA      AA      RRRRRRRR
MM      MM  AA      AA      RRRRRRRR
MM      MM  AAAAAA      RR  RR
MM      MM  AAAAAA      RR  RR
MM      MM  AA      AA      RR      RR
MM      MM  AA      AA      RR      RR
MM      MM  AA      AA      RR      RR

```

♦ This file, RTLACMAR.MAR, defines macros from the RTL for STARLET.MLB.
♦ Edit: SBL1003

```
*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****
```

♦ Edit History:

- ♦ 1-001 - Original, with just \$LIB KEY TABLE. JBS 19-DEC-1979
- ♦ 1-002 - Add copyright notice. SBL 11-Mar-1980
- ♦ 1-003 - Reset location counter to proper place at end of \$LIB_KEY_TABLE.
SBL 10-Sep-1981

♦ \$LIB_KEY_TABLE builds the data structure for LIB\$LOOKUP_KEY.
♦ It is called with a single argument, consisting of a list of
♦ pairs. The pairs consist of the keyword string followed
♦ by the (32-bit) value associated with the keyword. For example:

```
$LIB_KEY_TABLE <<A,0>,<B,1>,<C,2>>
```

♦ associates A with 0, B with 1 and C with 2.

♦ This macro produces one entry in the key table. It is called from
♦ \$LIB_KEY_TABLE with LIB\$\$A_STRLOC pointing to the place to put the keyword
♦ string. LIB\$\$A_STRLOC is updated.

```

      .MACRO          $$LIB KEY ENTRY STRING, VALUE
      .ADDRESS       LIB$$A_STRLOC
      .LONG          VALUE
LIB$$A_HERE=.
.=LIB$$A_STRLOC

```

```
.ASCIC          \STRING\
LIB$$A_STRLOC=.
.=LIB$$A_HERE
.ENDM          $$LIB_KEY_ENTRY
:
: This macro produces the key table for LIB$LOOKUP_KEY.
:
: .MACRO          $LIB_KEY_TABLE PAIRS
:
: + Count the number of argument pairs.
: -
LIB$$K_NPAIRS=0
: .IRP          ENTRY, <PAIRS>
LIB$$K_NPAIRS=LIB$$K_NPAIRS+1
: .ENDR
:
: + Emit the count of following longwords.
: -
: .LONG          LIB$$K_NPAIRS*2
:
: + Compute where the strings will start.
: -
LIB$$A_STRLOC=.+<8*LIB$$K_NPAIRS>
:
: + Emit each table entry, with its string.
: -
: .IRP          ENTRY, <PAIRS>
: $$LIB_KEY_ENTRY ENTRY
: .ENDR
:
: + Reset location counter to just past the last string.
: -
.=LIB$$A_STRLOC
: .ENDM          $LIB_KEY_TABLE
:
: End of macro $LIB_KEY_TABLE
:
: End of file RTLACMAR.MAR
```

RTLMACB32 REQ	STRMACROS REQ	RTLOOBBG REQ	RTLPSECT REQ	STRLNK REQ	RTLMAC MAR	LIBASCEBC LIS	LIBASTINP LIS	LIBBINTRE LIS	LIBCHAR LIS
					LIBDEF FOR	LIBANASTR LIS	LIBASNMBX LIS	LIBBBCCI LIS	
					LIBABUPCA LIS	LIBADDP LIS			
					SIGDEF FOR		LIBASCTIM LIS		
					LIBTABMAC MAR		LIBATTACH LIS		
					LIBAZEREV LIS		LIBBBSST LIS	LIBCALLG LIS	LIBCLICAL LIS
					LIBADDP LIS				