

FILEID**OTSMG

M 16

000000	TTTTTTTTTT	SSSSSSSS	MM	MM	MM	SSSSSSSS	GGGGGGGG
000000	TTTTTTTTTT	SSSSSSSS	MMMM	MMMM	SS	SSSSSSSS	GGGGGGGG
00	00	TT	SS	MM	MM	SS	GG
00	00	TT	SS	MM	MM	SS	GG
00	00	TT	SS	MM	MM	SS	GG
00	00	TT	SS	MM	MM	SS	GG
00	00	TT	SS	MM	MM	SS	GG
00	00	TT	SS	MM	MM	SS	GG
00	00	TT	SS	MM	MM	SS	GG
00	00	TT	SS	MM	MM	SS	GG
00	00	TT	SS	MM	MM	SS	GG
00	00	TT	SS	MM	MM	SS	GG
00	00	TT	SS	MM	MM	SS	GG
000000	TT	SSSSSSSS	MM	MM	SSSSSSSS	GGGGGGGG
000000	TT	SSSSSSSS	MM	MM	SSSSSSSS	GGGGGGGG

LL	IIIIII	SSSSSSSS
LL	IIIIII	SSSSSSSS
LL	IIII	SS
LLLLLLLL	IIIIII	SSSSSSSS
LLLLLLLL	IIIIII	SSSSSSSS

1 .TITLE OTSSMSGDEF OTSS facility messages
2 :IDENT '2-003' ! File: OTSMMSG.MSG Edit: SBL2003
3 *****
4 *
5 *
6 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
7 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
8 * ALL RIGHTS RESERVED.
9 *
10 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
11 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
12 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
13 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
14 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
15 * TRANSFERRED.
16 *
17 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
18 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
19 * CORPORATION.
20 *
21 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
22 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
23 *
24 *
25 *****
26
27
28 2-001 - Convert to MESSAGE utility source format. Adapted from OTSMMSG.MDL
29 version 1-009. SBL 22-Apr-1981
30 2-002 - Add OTSS WRONUMARG. RKR 4-SEP-1981
31 2-003 - Add .TITLE and .IDENT. SBL 28-Aug-1982
32 --
33
34 +
35 Symbols are defined following the standard for global names:
36
37 OTSS_abcumnoxyz
38
39 In addition, the library standards specify that the letters "abc", "mno",
40 and "xyz" are the first three letters of the first three words of the error
41 message, not counting articles and prepositions.
42
43 The names of all procedures using each error condition value should appear
44 in the comments included with each error definition.
45
46
47 MACRO-32 Programming:
48
49 The macros call:
50
51 \$OTSDEF
52
53 will cause all symbols to be made available to the module.
54 The Run-time Library declares these symbols EXTERNAL;
55 the macros are provided only for the convenience of the user.
56

```


57 !-
58
59
60
61
62
63
64
65
66 !+
67 Define OTSS SEVERE error messages
68 !-
69
70 ; Do not have concept of error number (see FOR$ MTH$)
71 ; Set sub-system specific bit and make SEVERE
72 ; Set LH to 23 (decimal) OTSS prefix
73
00000017 74 .FACILITY OTS,23 /SYSTEM .
75 .SEVERITY FATAL
76
0017800C 77 INVSTRDES <invalid string descriptor>
00178014 78 FATINTERR <fatal internal error in Run-Time Library>
0017801C 79 INTDATCOR <internal data corrupted in Run-Time Library>
00178024 80 IO CONCLO <I/O continued to closed file>
0017802C 81 INPCONERR <input conversion error>
00178034 82 OUTCONERR <output conversion error>
0017803C 83 STRIS INT <string is interlocked>
00178044 84 INSVIRMEM <insufficient virtual memory>
0017804C 85 WRONUMARG <wrong number of arguments>
86 !
87
88
89 !+
90 Define OTSS WARNING messages:
91 !-
92
93 ; Do not have concept of error number (see FOR$ MTH$)
94 ; Set sub-system specific bit and make WARNING
95 ; Set LH to 23 (decimal) OTSS prefix
96
97
98 .SEVERITY WARNING
99 .BASE 128
100
00178400 101 USEFLORES <use of floating reserved operand>
102
103
104 .END
105
106 ! End of file OTSMMSG.MSG

```

There were 0 errors, 0 warnings, and 0 informational messages issued.
MESSAGE/NOTEXT/LIS=LIS\$:OTSMMSG/OBJ=OBJ\$:OTSMMSG MSRC\$:OTSMMSG

0212 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY



0213 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

