

|        |        |     |              |              |     |
|--------|--------|-----|--------------|--------------|-----|
| NNN    |        | NNN | CCCCCCCCCCCC | PPPPPPPPPPPP |     |
| NNN    |        | NNN | CCCCCCCCCCCC | PPPPPPPPPPPP |     |
| NNN    |        | NNN | CCCCCCCCCCCC | PPPPPPPPPPPP |     |
| NNN    |        | NNN | CCC          | PPP          | PPP |
| NNN    |        | NNN | CCC          | PPP          | PPP |
| NNN    |        | NNN | CCC          | PPP          | PPP |
| NNNNNN |        | NNN | CCC          | PPP          | PPP |
| NNNNNN |        | NNN | CCC          | PPP          | PPP |
| NNNNNN |        | NNN | CCC          | PPP          | PPP |
| NNN    | NNN    | NNN | CCC          | PPPPPPPPPPPP |     |
| NNN    | NNN    | NNN | CCC          | PPPPPPPPPPPP |     |
| NNN    | NNN    | NNN | CCC          | PPPPPPPPPPPP |     |
| NNN    | NNNNNN | NNN | CCC          | PPP          |     |
| NNN    | NNNNNN | NNN | CCC          | PPP          |     |
| NNN    | NNNNNN | NNN | CCC          | PPP          |     |
| NNN    | NNN    | NNN | CCC          | PPP          |     |
| NNN    | NNN    | NNN | CCC          | PPP          |     |
| NNN    | NNN    | NNN | CCC          | PPP          |     |
| NNN    | NNN    | NNN | CCCCCCCCCCCC | PPP          |     |
| NNN    | NNN    | NNN | CCCCCCCCCCCC | PPP          |     |
| NNN    | NNN    | NNN | CCCCCCCCCCCC | PPP          |     |

.....

```

NN      NN      CCCCCCCC  PPPPPPP  SSSSSSSS  TTTTTTTTTT  AAAAAA  LL      000000  AAAAAA
NN      NN      CCCCCCCC  PPPPPPP  SSSSSSSS  TTTTTTTTTT  AAAAAA  LL      000000  AAAAAA
NN      NN      CC      PP      PP  SS      TT      AA      AA  LL      00      00  AA      AA
NN      NN      CC      PP      PP  SS      TT      AA      AA  LL      00      00  AA      AA
NNNN    NN      CC      PP      PP  SS      TT      AA      AA  LL      00      00  AA      AA
NNNN    NN      CC      PP      PP  SS      TT      AA      AA  LL      00      00  AA      AA
NN      NN      CC      PPPPPPP  SSSSSS      TT      AA      AA  LL      00      00  AA      AA
NN      NN      CC      PPPPPPP  SSSSSS      TT      AA      AA  LL      00      00  AA      AA
NN      NN      CC      PP      SS      TT      AAAAAAAAAA  LL      00      00  AAAAAAAAAA
NN      NN      CC      PP      SS      TT      AAAAAAAAAA  LL      00      00  AAAAAAAAAA
NN      NN      CC      PP      SS      TT      AA      AA  LL      00      00  AA      AA
NN      NN      CC      PP      SS      TT      AA      AA  LL      00      00  AA      AA
NN      NN      CC      PP      SS      TT      AA      AA  LL      00      00  AA      AA
NN      NN      CCCCCCCC  PP      SSSSSSSS  TT      AA      AA  LLLLLLLLLL  000000  AA      AA
NN      NN      CCCCCCCC  PP      SSSSSSSS  TT      AA      AA  LLLLLLLLLL  000000  AA      AA
                                     ....
                                     ....
                                     ....

LL      I I I I I  SSSSSSSS
LL      I I I I I  SSSSSSSS
LL      I I      SS
LL      I I      SS
LL      I I      SS
LL      I I      SS
LL      I I      SSSSSS
LL      I I      SSSSSS
LL      I I      SS
LL      I I      SS
LL      I I      SS
LL      I I      SS
LLLLLLLLLLLL  I I I I I  SSSSSSSS
LLLLLLLLLLLL  I I I I I  SSSSSSSS

```



```
0001 0 XTITLE 'Load Parse States and Data'
0002 0 MODULE NCPSTALOA (IDENT = 'V04-000', LIST(NOOBJECT)) =
0003 1 BEGIN
0004 1
0005 1
0006 1 *****
0007 1 *
0008 1 *  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0009 1 *  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0010 1 *  ALL RIGHTS RESERVED.
0011 1 *
0012 1 *  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0013 1 *  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0014 1 *  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0015 1 *  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0016 1 *  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0017 1 *  TRANSFERRED.
0018 1 *
0019 1 *  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0020 1 *  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0021 1 *  CORPORATION.
0022 1 *
0023 1 *  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0024 1 *  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0025 1 *
0026 1 *
0027 1 *****
0028 1
0029 1
0030 1 ++
0031 1 FACILITY:      Network Control Program (NCP)
0032 1
0033 1 ABSTRACT:
0034 1
0035 1     States and data for the parsing of NCP load commands
0036 1
0037 1 ENVIRONMENT:   VAX/VMS Operating System
0038 1
0039 1 AUTHOR:       Darrell Duffy   , CREATION DATE: 25-September-79
0040 1
0041 1 MODIFIED BY:
0042 1
0043 1     V03-002 RPG0002      Bob Grosso      10-Jun-1983
0044 1     Add UNA as a service device.
0045 1
0046 1     V03-001 RPG0001      Bob Grosso      29-Apr-1983
0047 1     Add Physical address.
0048 1
0049 1     V004      TMH0004      Tim Halvorsen  31-Dec-1981
0050 1     Add DMF32 as a service device.
0051 1
0052 1     V003      TMH0003      Tim Halvorsen  15-Aug-1981
0053 1     Add DMP, DMV and DPV service devices.
0054 1
0055 1     V002      TMH0002      Tim Halvorsen  14-Jul-1981
0056 1     Add reference to SEM_LINE_ID macro, in order for
0057 1     SE_CIRC_ID to work.
```

58  
59  
60  
61  
62

|      |   |    |
|------|---|----|
| 0058 | 1 | :  |
| 0059 | 1 | :  |
| 0060 | 1 | :  |
| 0061 | 1 | :  |
| 0062 | 1 | -- |

V001

TMH0001

Tim Halvorsen 22-Jun-1981

Change BUILD\_SDB reference to use full entity type field.  
Change to load via circuit, not line.



```

: 64      0063 1 %SBTTL 'Definitions'
: 65      0064 1
: 66      0065 1
: 67      0066 1
: 68      0067 1
: 69      0068 1
: 70      0069 1
: 71      0070 1
: 72      0071 1
: 73      0072 1
: 74      0073 1
: 75      0074 1
: 76      0075 1
: 77      0076 1
: 78      0077 1

          INCLUDE FILES:

          LIBRARY 'LIB$:NMALIBRY';
          LIBRARY 'LIB$:NCPLIBRY';
          LIBRARY 'SYSS$LIBRARY:TPAMAC';

          EXTERNAL REFERENCES:

          ACT_DFN                                ! External symbols for action routines

```



```

80      0078 1 %SBTTL 'Parameter blocks'
81      0079 1
82      0080 1
83      0081 1
84      0082 1
85      0083 1
86      0084 1
87      0085 1
88      0086 1
89      0087 1
90      P 0088 1 BUILD_PCL
91      P P 0089 1
92      P P 0090 1 (LOA,
93      P P 0091 1
94      P P 0092 1 SLI, TKN, PCNO_SLI,
95      P P 0093 1 SPW, HXPS, PCNO_SPA,
96      P P 0094 1 SDV, NUMB, PCNO_SDV,
97      P P 0095 1 CPU, NUMB, PCNO_CPU,
98      P P 0096 1 LFL, TKN, PCNO_LOA,
99      P P 0097 1 SLF, TKN, PCNO_SLO,
100     P P 0098 1 TLF, TKN, PCNO_TLO,
101     P P 0099 1 STY, NUMB, PCNO_STY,
102     P P 0100 1 SID, TKNQ, PCNO_SID,
103     P P 0101 1 HOS, NADR, PCNO_IHO,
104     P P 0102 1 NAM, TKN, PCNO_NNA,
105     P P 0103 1 ADR, NUMW, PCNO_ADD,
106     P P 0104 1 PHA, NIADR, PCNO_PHA,
107     P P 0105 1
108     P P 0106 1 ,END, ,
109     P P 0107 1 )
110     P P 0108 1
111     P P 0109 1 BUILD_PCL
112     P P 0110 1
113     P P 0111 1 (LOV,
114     P P 0112 1
115     P P 0113 1
116     P P 0114 1 SPW, HXPS, PCNO_SPA, LOA_SPW,
117     P P 0115 1 SDV, NUMB, PCNO_SDV, LOA_SDV,
118     P P 0116 1 CPU, NUMB, PCNO_CPU, LOA_CPU,
119     P P 0117 1 LFL, TKN, PCNO_LOA, LOA_LFL,
120     P P 0118 1 SLF, TKN, PCNO_SLO, LOA_SLF,
121     P P 0119 1 TLF, TKN, PCNO_TLO, LOA_TLF,
122     P P 0120 1 STY, NUMB, PCNO_STY, LOA_STY,
123     P P 0121 1 SID, TKNQ, PCNO_SID, LOA_SID,
124     P P 0122 1 HOS, NADR, PCNO_IHO, LOA_HOS,
125     P P 0123 1 NAM, TKN, PCNO_NNA, LOA_NAM,
126     P P 0124 1 ADR, NUMW, PCNO_ADD, LOA_ADR,
127     P P 0125 1 PHA, NIADR, PCNO_PHA, LOA_PHA,
128     P P 0126 1
129     P P 0127 1 ,END, ,
130     P P 0128 1 )
131     P P 0129 1 BUILD_PBK
132     P P 0130 1
133     P P 0131 1 (LOA,
134     P P 0132 1
135     P P 0133 1
136     P P 0134 1
```



```
137 P 0135 1 NOD, NADR, , VRB_ENT,
138 P 0136 1 SLI, TKN, ,
139 P 0137 1 SPW, HXPS, ,
140 P 0138 1 LFL, TKN, ,
141 P 0139 1 SLF, TKN, ,
142 P 0140 1 TLF, TKN, ,
143 P 0141 1 HOS, NADR, ,
144 P 0142 1 NAM, TKN, ,
145 P 0143 1 ADR, NUMW, ,
146 P 0144 1 PHA, NIADR, ,
147 P 0145 1
148 P 0146 1 SDVP, LITB, NMASC_SOFD_DP, LOA_SDV,
149 P 0147 1 SDVU, LITB, NMASC_SOFD_DU, LOA_SDV,
150 P 0148 1 SDVL, LITB, NMASC_SOFD_DL, LOA_SDV,
151 P 0149 1 SDVQ, LITB, NMASC_SOFD_DQ, LOA_SDV,
152 P 0150 1 SDVA, LITB, NMASC_SOFD_DA, LOA_SDV,
153 P 0151 1 SDVUP, LITB, NMASC_SOFD_DUP, LOA_SDV,
154 P 0152 1 SDVMC, LITB, NMASC_SOFD_DMC, LOA_SDV,
155 P 0153 1 SDVTE, LITB, NMASC_SOFD_DTE, LOA_SDV,
156 P 0154 1 SDVKL, LITB, NMASC_SOFD_KL8, LOA_SDV,
157 P 0155 1 SDVMP, LITB, NMASC_SOFD_DMP, LOA_SDV,
158 P 0156 1 SDVMV, LITB, NMASC_SOFD_DMV, LOA_SDV,
159 P 0157 1 SDVPV, LITB, NMASC_SOFD_DPV, LOA_SDV,
160 P 0158 1 SDVMF, LITB, NMASC_SOFD_DMF, LOA_SDV,
161 P 0159 1 SDVUN, LITB, NMASC_SOFD_UNA, LOA_SDV,
162 P 0160 1
163 P 0161 1 CPU8, LITB, NMASC_CPU_8, LOA_CPU,
164 P 0162 1 CPU11, LITB, NMASC_CPU_11, LOA_CPU,
165 P 0163 1 CPU10, LITB, NMASC_CPU_1020, LOA_CPU,
166 P 0164 1 VAX, LITB, NMASC_CPU_VAX, LOA_CPU,
167 P 0165 1
168 P 0166 1 STSL, LITB, NMASC_SOFT_SECL, LOA_STY,
169 P 0167 1 STTL, LITB, NMASC_SOFT_TERL, LOA_STY,
170 P 0168 1 STOS, LITB, NMASC_SOFT_OSYS, LOA_STY,
171 P 0169 1
172 P 0170 1 SID, TKNQ, ,
173 P 0171 1
174 0172 1 )
175 0173 1
176 P 0174 1 BUILD_SDB
177 P 0175 1
178 0176 1 (LOA, NMASC_ENT_NOD, VRB_ENT, LOA)
179 0177 1
180 P 0178 1 BUILD_SDB
181 P 0179 1
182 0180 1 (LOV, NMASC_ENT_NOD, LOA_SLI, LOV)
```

```
184 0181 1 %SATTL 'Prompt strings'
185 0182 1
186 0183 1
187 0184 1 Build prompt strings
188 0185 1
189 0186 1
190 0187 1 BIND
191 0188 1
192 P 0189 1 PROMPT_STRINGS
193 P 0190 1 (LOA,
194 P 0191 1
195 P 0192 1 ENT, ' (NODE node-id, VIA circuit-name): ',
196 P 0193 1 VIA, 'Circuit to use (circuit-name): ',
197 P 0194 1 NOD, 'Node to load (node-name, address): ',
198 0195 1
199 0196 2 )
200 0197 1 ;
```



```
.. 202      0198 1 %SBTTL 'State Table Entry'
.. 203      0199 1
.. 204      0200 1 $INIT_STATE (NCP$G_STIBL_LOA, NCP$G_KYTBL_LOA);
.. 205      0201 1
.. 206      0202 1
.. 207      0203 1
.. 208      0204 1
.. 209      0205 1
.. 210      0206 1
.. 211      0207 1
.. 212      0208 1
.. 213      0209 1
.. 214      P 0210 1
.. 215      P 0211 1
.. 216      P 0212 1
.. 217      P 0213 1
.. 218      P 0214 1
.. 219      P 0215 1
.. 220      0216 1
.. 221      0217 1
.. 222      0218 1
.. 223      0219 1
.. 224      0220 1
.. 225      0221 1
.. 226      P 0222 1
.. 227      P 0223 1
.. 228      P 0224 1
.. 229      P 0225 1
.. 230      P 0226 1
.. 231      0227 1
.. 232      0228 1
.. 233      P 0229 1
.. 234      P 0230 1
.. 235      0231 1
.. 236      0232 1
.. 237      P 0233 1
.. 238      P 0234 1
.. 239      0235 1
```

'State Table Entry'

\$INIT\_STATE (NCP\$G\_STIBL\_LOA, NCP\$G\_KYTBL\_LOA);

Load Command

Dispatch to entity types and prompt if end of string

COMMAND PROMPT  
(LOA, ENT, NCP\$\_INVKEY,  
( 'NODE', ST\_LOA\_NOD),  
( 'VIA', ST\_LOA\_VIA)  
)

Obtain Node ID

COMMAND PROMPT  
(LOA, NOD, NCP\$\_INVVAL,  
( (SE\_NODE\_ID), , ACT\$SAVPRM, , , PBK\$G\_LOA\_NOD)  
)

\$STATE (,  
( (ST\_LOA\_PRM) )  
);

\$STATE (,  
(TPA\$\_EOS, TPA\$\_EXIT, ACT\$VRB\_UTILITY, , , SDB\$G\_LOA)  
);

```
: 241      0236 1
: 242      0237 1
: 243      0238 1
: 244      0239 1
: 245      0240 1
: 246      P 0241 1
: 247      P 0242 1
: 248      P 0243 1
: 249      P 0244 1
: 250      P 0245 1
: 251      0246 1
: 252      0247 1
: 253      P 0248 1
: 254      P 0249 1
: 255      0250 1
: 256      0251 1
: 257      P 0252 1
: 258      P 0253 1
: 259      0254 1

Load over specified circuit

COMMAND PROMPT
(LOA, VIA, NCPS_INVVAL,
( (SE_CIRC_ID), , ACT$SAVPRM, NMASC_ENT_CIR,
NCP$GL_OPTION, PBK$G_LOA_SLI)
);

$STATE (,
( (ST_LOA_PRM) )
);

$STATE (,
(TPAS_EOS, TPAS_EXIT, ACT$VRB_UTILITY, , , SDB$G_LOV)
);
```



```
.. 261      0255 1 %SBTTL 'Load Parameters'
.. 262      0256 1
.. 263      0257 1
.. 264      0258 1
.. 265      0259 1
.. 266      0260 1
.. 267      P 0261 1 $STATE (ST_LOA_PRM,
.. 268      P 0262 1 (TPAS_EOS, TPAS_EXIT, ACT$SAVPRM, , , PBK$G_VRB_ALL),
.. 269      P 0263 1 (TPAS_LAMBDA)
.. 270      0264 1 );
.. 271      0265 1
.. 272      0266 1
.. 273      0267 1 %SBTTL 'Dispatch States'
.. 274      0268 1
.. 275      0269 1
.. 276      0270 1
.. 277      0271 1
.. 278      0272 1
.. 279      P 0273 1 $STATE (ST_LOA_PRC,
.. 280      P 0274 1
.. 281      P 0275 1 DISPATCH_STATES
.. 282      P 0276 1 (LOA,
.. 283      P 0277 1
.. 284      P 0278 1 ADR, 'ADDRESS',
.. 285      P 0279 1 CPU, 'CPU',
.. 286      P 0280 1 LFL, 'FROM',
.. 287      P 0281 1 HOS, 'HOST',
.. 288      P 0282 1 NAM, 'NAME',
.. 289      P 0283 1 PSW, 'PASSWORD',
.. 290      P 0284 1 PHA, 'PHYSICAL',
.. 291      P 0285 1 SLF, 'SECONDARY',
.. 292      P 0286 1 SVC, 'SERVICE',
.. 293      P 0287 1 SOF, 'SOFTWARE',
.. 294      P 0288 1 TLF, 'TERTIARY',
.. 295      P 0289 1 SLI, 'VIA',
.. 296      P 0290 1
.. 297      P 0291 1 )
.. 298      P 0292 1
.. 299      P 0293 1 (TPAS_EOS, TPAS_EXIT)
.. 300      0294 1 );
```

## Load Parse States and Data Process States

VAX-11 BLISS-32 V4.0-742  
[NCP.SRC]NCPSTALOA.B32;1

Page 10  
(8)

| Address | Operation | Register | Value | Comment                 |
|---------|-----------|----------|-------|-------------------------|
| 302     |           | 0295     | 1     | %SB7TL 'Process States' |
| 303     |           | 0296     | 1     |                         |
| 304     |           | 0297     | 1     |                         |
| 305     |           | 0298     | 1     | Process States          |
| 306     |           | 0299     | 1     |                         |
| 307     |           | 0300     | 1     |                         |
| 308     | P         | 0301     | 1     | PROCESS_STATES          |
| 309     | P         | 0302     | 1     | (LOA,                   |
| 310     | P         | 0303     | 1     |                         |
| 311     | P         | 0304     | 1     | ADR, ,                  |
| 312     | P         | 0305     | 1     | CPU, ,                  |
| 313     | P         | 0306     | 1     | LFL, ,                  |
| 314     | P         | 0307     | 1     | HOS, ,                  |
| 315     | P         | 0308     | 1     | NAM, ,                  |
| 316     | P         | 0309     | 1     | PSW, ,                  |
| 317     | P         | 0310     | 1     | PHA, 'ADDRESS',         |
| 318     | P         | 0311     | 1     | SLF, 'LOADER',          |
| 319     | P         | 0312     | 1     | SDV, ,                  |
| 320     | P         | 0313     | 1     | SID, ,                  |
| 321     | P         | 0314     | 1     | SLI, ,                  |
| 322     | P         | 0315     | 1     | SPW, ,                  |
| 323     | P         | 0316     | 1     | STY, ,                  |
| 324     | P         | 0317     | 1     | TLF, 'LOADER',          |
| 325     | P         | 0318     | 1     | )                       |
| 326     |           | 0319     | 1     |                         |
| 327     |           | 0320     | 1     |                         |



```
.. 329      0321 1
.. 330      0322 1
.. 331      0323 1
.. 332      0324 1
.. 333      0325 1
.. 334      P 0326 1 $STATE (ST_LOA_PRC_SVC,
.. 335      P 0327 1
.. 336      P 0328 1 DISPATCH_STATES
.. 337      P 0329 1 (LOA,
.. 338      P 0330 1
.. 339      P 0331 1 SDV, 'DEVICE',
.. 340      P 0332 1 SPW, 'PASSWORD',
.. 341      P 0333 1
.. 342      P 0334 1 )
.. 343      P 0335 1 );
.. 344      0336 1
.. 345      0337 1
.. 346      0338 1
.. 347      0339 1
.. 348      0340 1
.. 349      P 0341 1 $STATE (ST_LOA_PRC_SOF,
.. 350      P 0342 1
.. 351      P 0343 1 DISPATCH_STATES
.. 352      P 0344 1 (LOA,
.. 353      P 0345 1
.. 354      P 0346 1 SID, 'IDENTIFICATION',
.. 355      P 0347 1 STY, 'TYPE',
.. 356      P 0348 1
.. 357      P 0349 1 )
.. 358      P 0350 1 );
.. 359      0351 1
```

```
.. 361      0352 1 %SBTTL 'Subexpressions'
... 362      0353 1
... 363      0354 1
... 364      0355 1
... 365      0356 1
... 366      0357 1
... 367      P 0358 1 SUB_EXPRESSIONS
... 368      P 0359 1 (LOA,
... 369      P 0360 1
... 370      P 0361 1 ADR, (SE_NODE_ADR),
... 371      P 0362 1 LFL, (SE_FILE_ID),
... 372      P 0363 1 HOS, (SE_NODE_ID),
... 373      P 0364 1 NAM, (SE_NODE_NAM),
... 374      P 0365 1 SID, (SE_SOFT_ID),
... 375      P 0366 1 SLF, (SE_FILE_ID),
... 376      P 0367 1 SLI, (SE_CIRC_ID),
... 377      P 0368 1 SPW, (SE_HEX_PSW),
... 378      P 0369 1 TLF, (SE_FILE_ID),
... 379      P 0370 1 PHA, (SE_NI_ADR),
... 380      F 0371 1
... 381      0372 1 )
... 382      0373 1
... 383      P 0374 1 $STATE (ST_LOA_PSW,
... 384      P 0375 1 (TPA$_LAMBDA, ST_LOA_SPW)
... 385      0376 1 );
```

! Another way to say service password



```
.. 387 0377 1 %SBTTL 'Define Subexpressions from Library'
.. 388 0378 1
.. 389 0379 1
.. 390 0380 1 Define subexpressions from library
.. 391 0381 1
.. 392 0382 1
.. 393 0383 1 SEM_LOAD (LOA)      ! Special load parameter decoding
.. 394 0384 1 SEM_FILE_ID      ! File id strings
.. 395 0385 1 SEM_HEX_PSW      ! Hex password
.. 396 0386 1 SEM_CIRC_ID      ! Circuit name strings
.. 397 0387 1 SEM_LINE_ID      ! Line ID strings
.. 398 0388 1 SEM_NODE_ID      ! Node id strings
.. 399 0389 1 SEM_QUOT_STR      ! Quoted strings
.. 400 0390 1 SEM_NI_ADR        ! NI address
```

NCPSTALOA  
V04-000

Load Parse States and Data  
Object Listing of Parse Table

L 2  
16-Sep-1984 00:35:01  
14-Sep-1984 12:48:24

VAX-11 Bliss-32 V4.0-742  
[NCP.SRC]NCPSTALOA.B32;1

Page 14  
(12)

```
: 402      0391 1 %SBTTL 'Object Listing of Parse Table'
: 403      0392 1
: 404      0393 1 END                                !End of module
: 405      0394 0 ELUDOM
```



0270

**DIGITAL EQUIPMENT CORPORATION**  
**CONFIDENTIAL AND PROPRIETARY**