

PPPPPPPPPPPP		AAAAAAAAAA		SSSSSSSSSSSS		RRRRRRRRRRRR		TTTTTTTTTTTTTT		LLL
PPPPPPPPPPPP		AAAAAAAAAA		SSSSSSSSSSSS		RRRRRRRRRRRR		TTTTTTTTTTTTTT		LLL
PPPPPPPPPPPP		AAAAAAAAAA		SSSSSSSSSSSS		RRRRRRRRRRRR		TTTTTTTTTTTTTT		LLL
PPP	PPP	AAA	AAA	SSS		RRR	RRR	TTT		LLL
PPP	PPP	AAA	AAA	SSS		RRR	RRR	TTT		LLL
PPP	PPP	AAA	AAA	SSS		RRR	RRR	TTT		LLL
PPP	PPP	AAA	AAA	SSS		RRR	RRR	TTT		LLL
PPP	PPP	AAA	AAA	SSS		RRR	RRR	TTT		LLL
PPP	PPP	AAA	AAA	SSS		RRR	RRR	TTT		LLL
PPPPPPPPPPPP		AAA	AAA	SSSSSSSSSS		RRRRRRRRRRRR		TTT		LLL
PPPPPPPPPPPP		AAA	AAA	SSSSSSSSSS		RRRRRRRRRRRR		TTT		LLL
PPPPPPPPPPPP		AAA	AAA	SSSSSSSSSS		RRRRRRRRRRRR		TTT		LLL
PPP		AAAAAAAAAAAAAAAA		SSS		RRR	RRR	TTT		LLL
PPP		AAAAAAAAAAAAAAAA		SSS		RRR	RRR	TTT		LLL
PPP		AAAAAAAAAAAAAAAA		SSS		RRR	RRR	TTT		LLL
PPP		AAA	AAA	SSS		RRR	RRR	TTT		LLL
PPP		AAA	AAA	SSS		RRR	RRR	TTT		LLL
PPP		AAA	AAA	SSS		RRR	RRR	TTT		LLL
PPP		AAA	AAA	SSS		RRR	RRR	TTT		LLL
PPP		AAA	AAA	SSSSSSSSSSSS		RRR	RRR	TTT		LLLLLLLLLLLLLLLL
PPP		AAA	AAA	SSSSSSSSSSSS		RRR	RRR	TTT		LLLLLLLLLLLLLLLL
PPP		AAA	AAA	SSSSSSSSSSSS		RRR	RRR	TTT		LLLLLLLLLLLLLLLL

52

Sym

PAS

PAS

PAS
PAS

PAS

PAS
PASPAS
PAS

PAS

PAS
PAS

PAS
PAS

PAS

PAS
PASPAS
PAS

PAS

PAS
PAS

PAS

PAS

PAS
PAS

PAS

PAS
PASPAS
PAS

PAS

DAC

PAS

PAS

DAS

PAS

PAS

PAS
PAS

PAS

PAS

PAC

PAS

PAS

PAS
PAS

PAS

PAS
PAS

PAS

```
PPPPPPPP      AAAAAA      SSSSSSSS      DDDDDDDD      EEEEEEEEEEE      LL      EEEEEEEEEEE      TTTTTTTTTT      EEEEEEEEEEE
PPPPPPPP      AAAAAA      SSSSSSSS      DDDDDDDD      EEEEEEEEEEE      LL      EEEEEEEEEEE      TTTTTTTTTT      EEEEEEEEEEE
PP      PP      AA      AA      SS      DD      DD      EE      LL      EE      TT      EE
PP      PP      AA      AA      SS      DD      DD      EE      LL      EE      TT      EE
PP      PP      AA      AA      SS      DD      DD      EE      LL      EE      TT      EE
PP      PP      AA      AA      SS      DD      DD      EE      LL      EE      TT      EE
PPPPPPPP      AA      AA      SSSSSS      DD      DD      EEEEEEEEE      LL      EEEEEEEEE      TT      EEEEEEEEE
PPPPPPPP      AA      AA      SSSSSS      DD      DD      EEEEEEEEE      LL      EEEEEEEEE      TT      EEEEEEEEE
PP      AAAAAAAAAA      SS      DD      DD      EE      LL      EE      TT      EE
PP      AAAAAAAAAA      SS      DD      DD      EE      LL      EE      TT      EE
PP      AA      AA      SS      DD      DD      EE      LL      EE      TT      EE
PP      AA      AA      SS      DD      DD      EE      LL      EE      TT      EE
PP      AA      AA      SSSSSSSS      DDDDDDDD      EEEEEEEEEEE      LLLLLLLLLL      EEEEEEEEEEE      TT      EEEEEEEEEEE
PP      AA      AA      SSSSSSSS      DDDDDDDD      EEEEEEEEEEE      LLLLLLLLLL      EEEEEEEEEEE      TT      EEEEEEEEEEE

LL      IIIIII      SSSSSSSS
LL      IIIIII      SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLL      IIIIII      SSSSSSSS
LLLLLLLLLL      IIIIII      SSSSSSSS
```



```
1 0001 0 MODULE PAS$DELETE ( %TITLE 'DELETE procedure'
2 0002 0 IDENT = '1-001' ! File: PASDELETE.B32 Edit: SBL1001
3 0003 0 ) =
4 0004 1 BEGIN
5 0005 1
6 0006 1 *****
7 0007 1 *
8 0008 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
9 0009 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
10 0010 1 * ALL RIGHTS RESERVED. *
11 0011 1 *
12 0012 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
13 0013 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
14 0014 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
15 0015 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
16 0016 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
17 0017 1 * TRANSFERRED. *
18 0018 1 *
19 0019 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
20 0020 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
21 0021 1 * CORPORATION. *
22 0022 1 *
23 0023 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
24 0024 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
25 0025 1 *
26 0026 1 *
27 0027 1 *****
28 0028 1
29 0029 1
30 0030 1 ++
31 0031 1 FACILITY: Pascal Language Support
32 0032 1
33 0033 1 ABSTRACT:
34 0034 1
35 0035 1 This module contains PAS$DELETE, which implements the
36 0036 1 VAX-11 Pascal DELETE procedure.
37 0037 1
38 0038 1 ENVIRONMENT: User mode - AST reentrant
39 0039 1
40 0040 1 AUTHOR: Steven B. Lionel, CREATION DATE: 29-January-1982
41 0041 1
42 0042 1 MODIFIED BY:
43 0043 1
44 0044 1 1-001 - Original. SBL 29-January-1982
45 0045 1 --
46 0046 1
```

PAS\$DELETE
1-001

DELETE procedure
Declarations

C 4
16-Sep-1984 01:30:24
14-Sep-1984 12:51:25

VAX-11 Bliss-32 V4.0-742
[PASRTL.SRC]PASDELETE.B32;1

Page 2
(2)

```
: 48      0047 1 %SBTTL 'Declarations'
: 49      0048 1
: 50      0049 1 PROLOGUE DEFINITIONS:
: 51      0050 1
: 52      0051 1
: 53      0052 1 REQUIRE 'RTLIN:PASPROLOG';           ! Externals, linkages, PSECTs, structures
: 54      0116 1
: 55      0117 1
: 56      0118 1 TABLE OF CONTENTS:
: 57      0119 1
: 58      0120 1
: 59      0121 1 FORWARD ROUTINE
: 60      0122 1     PAS$DELETE: NOVALUE;           ! Do a DELETE
: 61      0123 1
: 62      0124 1
: 63      0125 1 MACROS:
: 64      0126 1
: 65      0127 1     NONE
: 66      0128 1
: 67      0129 1 EQUATED SYMBOLS:
: 68      0130 1
: 69      0131 1     NONE
: 70      0132 1
: 71      0133 1 FIELDS:
: 72      0134 1
: 73      0135 1     NONE
: 74      0136 1
: 75      0137 1 OWN STORAGE:
: 76      0138 1
: 77      0139 1     NONE
```

PAS
1-0

S
R
E
L
M
C

PASSDELETE
1-001

DELETE procedure
PASSDELETE - DELETE procedure

D 4
16-Sep-1984 01:30:24
14-Sep-1984 12:51:25

VAX-11 Bliss-32 V4.0-742
[PASRTL.SRC]PASSDELETE.B32;1

Page 3
(3)

**F

```

79 0140 1 %SBTTL 'PASSDELETE - DELETE procedure'
80 0141 1 GLOBAL ROUTINE PASSDELETE (
81 0142 1     PFV: REF $PASSPFV_FILE_VARIABLE,      ! File variable
82 0143 1     ERROR                                ! Unwind address if error
83 0144 1     ): NOVALUE =
84 0145 1
85 0146 1 ++
86 0147 1 FUNCTIONAL DESCRIPTION:
87 0148 1
88 0149 1     PASSDELETE implements the VAX-11 Pascal DELETE procedure. It
89 0150 1     deletes the current file component.
90 0151 1
91 0152 1 CALLING SEQUENCE:
92 0153 1
93 0154 1     CALL PASSDELETE (PFV.mr.r [, ERROR.j.r])
94 0155 1
95 0156 1 FORMAL PARAMETERS:
96 0157 1
97 0158 1     PFV                - The Pascal File Variable (PFV) passed by reference.
98 0159 1                       The structure of the PFV is defined in PASPFV.REQ.
99 0160 1
100 0161 1     ERROR           - Optional. If specified, the address to unwind to
101 0162 1                       if an error occurs.
102 0163 1
103 0164 1 IMPLICIT INPUTS:
104 0165 1
105 0166 1     NONE
106 0167 1
107 0168 1 IMPLICIT OUTPUTS:
108 0169 1
109 0170 1     NONE
110 0171 1
111 0172 1 ROUTINE VALUE:
112 0173 1
113 0174 1     NONE
114 0175 1
115 0176 1 SIDE EFFECTS:
116 0177 1
117 0178 1     NONE
118 0179 1
119 0180 1 SIGNALLED ERRORS:
120 0181 1
121 0182 1     FILNOTOPE - File not open
122 0183 1     FILNOTINS - File is not in Inspection mode
123 0184 1     DELNOTALL - DELETE is not allowed for a sequential organization file
124 0185 1     FILNOTDIR - file is not opened for direct access
125 0186 1     FILNOTKEY - file is not opened for keyed access
126 0187 1     CURCOMUND - current component is undefined
127 0188 1     ERRDURDEL - Error during DELETE
128 0189 1
129 0190 1 --
130 0191 1
131 0192 1
132 0193 2 BEGIN
133 0194 2
134 0195 2 LOCAL
135 0196 2     FCB: REF $PASSFCB_CONTROL_BLOCK,      ! File Control Block
```

PAS\$DELETE
1-001

DELETE procedure
PAS\$DELETE - DELETE procedure

E 4
16-Sep-1984 01:30:24 VAX-11 Bliss-32 V4.0-742
14-Sep-1984 12:51:25 [PASRTL.SRC]PASDELETE.B32;1

Page 4
(3)

```

136 0197 2      PFV_ADDR: VOLATILE,           ! Enable argument
137 0198 2      UNWIND_ACT: VOLATILE,        ! Enable argument
138 0199 2      ERROR_ADDR: VOLATILE;        ! Enable argument
139 0200 2
140 0201 2      BIND
141 0202 2      RAB = FCB: REF BLOCK [, BYTE], ! RMS RAB
142 0203 2      FAB = FCB: REF $PAS$FAB_FCB_STRUCT; ! RMS FAB
143 0204 2
144 0205 2      BUILTIN
145 0206 2      ACTUALCOUNT;
146 0207 2
147 0208 2      ENABLE
148 0209 2      PAS$$IO_HANDLER (PFV_ADDR, UNWIND_ACT, ERROR_ADDR);
149 0210 2
150 0211 2      IF ACTUALCOUNT () GEQU 2
151 0212 2      THEN
152 0213 2      ERROR_ADDR = .ERROR;           ! Set unwind address
153 0214 2
154 0215 2      !+
155 0216 2      ! Set PFV address enable argument.
156 0217 2      !-
157 0218 2
158 0219 2      PFV_ADDR = PFV [PFV$R_PFV];
159 0220 2
160 0221 2      !+
161 0222 2      ! Validate and lock PFV
162 0223 2      !-
163 0224 2
164 0225 2      PAS$$VALIDATE_PFV (PFV [PFV$R_PFV]; FCB);
165 0226 2
166 0227 2      !+
167 0228 2      ! Set unwind action to unlock file.
168 0229 2      !-
169 0230 2
170 0231 2      UNWIND_ACT = PAS$K_UNWIND_UNLOCK;
171 0232 2
172 0233 2      !+
173 0234 2      ! Open file if it should be implicitly opened.
174 0235 2      !-
175 0236 2
176 0237 2      IF NOT .PFV [PFV$V_VALID]
177 0238 2      THEN
178 0239 2      PAS$$OPEN_IMPLICIT (PFV [PFV$R_PFV], FCB [FCB$R_FCB]; FCB);
179 0240 2
180 0241 2      !+
181 0242 2      ! Verify that the file is open.
182 0243 2      !-
183 0244 2
184 0245 2      IF NOT .PFV [PFV$V_OPEN]
185 0246 2      THEN
186 0247 2      $PAS$IO_ERROR (PAS$_FILNOTOPE,0);
187 0248 2
188 0249 2      !+
189 0250 2      ! Verify that the file is in Inspection mode.
190 0251 2      !-
191 0252 2
192 0253 2      IF NOT .FCB [FCB$V_INSPECTION]
```

PAS\$DELETE
1-001

DELETE procedure
PAS\$DELETE - DELETE procedure

F 4
16-Sep-1984 01:30:24
14-Sep-1984 12:51:25

VAX-11 Bliss-32 V4.0-742
[PASRTL.SRC]PASDELETE.B32;1

Page 5
(3)

```
193 0254 2 THEN
194 0255 2     $PASSIO_ERROR (PASS_FILNOTINS,0);
195 0256 2
196 0257 2     !+
197 0258 2     ! Verify that the file is not sequential organization.
198 0259 2     !-
199 0260 2
200 0261 2 IF .FAB [FAB$B_ORG] EQL FAB$C_SEQ
201 0262 2 THEN
202 0263 2     $PASSIO_ERROR (PASS_DELNOTALL,0);
203 0264 2
204 0265 2     !+
205 0266 2     ! Verify that the file was opened either direct or keyed.
206 0267 2     !-
207 0268 2
208 0269 2 IF .FCB [FCB$V_SEQUENTIAL] ! Neither DIRECT nor KEYED
209 0270 2 THEN
210 0271 2     IF .FAB [FAB$B_ORG] EQL FAB$C_REL ! Relative?
211 0272 2     THEN
212 0273 2         $PASSIO_ERROR (PASS_FILNOTDIR,0)
213 0274 2     ELSE
214 0275 2         ! Must be INDEXED
215 0276 2         $PASSIO_ERROR (PASS_FILNOTKEY,0);
216 0277 2
217 0278 2     !+
218 0279 2     ! Do the $DELETE to delete the current component.
219 0280 2     !-
220 0281 2 IF NOT $PASSRMS_OP ($DELETE (RAB=.RAB))
221 0282 2 THEN
222 0283 2     BEGIN
223 0284 2         !+
224 0285 2         ! $DELETE failed. Determine if the error was 'no current record'
225 0286 2         ! If so, give error 'current component is undefined', otherwise
226 0287 2         ! generic error
227 0288 2         !-
228 0289 2
229 0290 2     IF .RAB [RAB$L_STS] EQL RMSS$_CUR
230 0291 2     THEN
231 0292 2         $PASSIO_ERROR (PASS_CURCOMUND) ! Current component undefined
232 0293 2     ELSE
233 0294 2         $PASSIO_ERROR (PASS_ERRDURDEL); ! Error during DELETE
234 0295 2     END;
235 0296 2
236 0297 2     !+
237 0298 2     ! Undefine file buffer
238 0299 2     ! Cancel previous LOCATE
239 0300 2     ! Indicate successful operation
240 0301 2     ! Unlock the file
241 0302 2     !-
242 0303 2
243 0304 2 FCB [FCB$L_STATUS] = 0;
244 0305 2 FCB [FCB$V_LOCATE] = 0;
245 0306 2 PFV [PFV$V_DFB] = 0;
246 0307 2 PFV [PFV$V_LOCK] = 0;
247 0308 2
248 0309 2 RETURN;
249 0310 2
```


PASSDELETE
1-001

; 250

DELETE procedure
PASSDELETE - DELETE procedure

0311 1 END;

G 4
16-Sep-1984 01:30:24 VAX-11 Bliss-32 V4.0-742
14-Sep-1984 12:51:25 [PASRTL.SRC]PASDELETE.B32;1

Page 6
(3)

! End of routine PASSDELETE

.TITLE PASSDELETE DELETE procedure
.IDENT \1-001\

.EXTRN PASSDELETE, PASS\$IO_HANDLER
.EXTRN PASS\$VALIDATE_PFV
.EXTRN PASS\$OPEN_IMPLICIT
.EXTRN PASS\$SIGNAL, PASSK_FILNOTOPE
.EXTRN PASSK_FILNOTINS
.EXTRN PASSK_DELNOTALL
.EXTRN PASSK_FILNOTDIR
.EXTRN PASSK_FILNOTKEY
.EXTRN SYSSDELETE, PASSK_CURCOMUND
.EXTRN PASSK_ERRDURDEL

.PSECT _PASSCODE, NOWRT, SHR, PIC, 2

			00CC 00000	.ENTRY PASSDELETE, Save R2,R3,R6,R7	
	53	00000000G	00 9E 00002	MOVAB PASS\$SIGNAL, R3	0141
	5E		08 C2 00009	SUBL2 #8, SP	
		04	7E D4 0000C	CLRL ERROR_ADDR	0193
	6D	00AB	AE 7C 0000E	CLRQ UNWIND_ACT	
	02		6C 91 00016	MOVAL 13\$, (FP)	0211
			04 1F 00019	CMPB (AP), #2	
	6E	08	AC D0 0001B	BLSSU 1\$	0213
	56	04	AC D0 0001F	MOVL ERROR, ERROR_ADDR	0219
08	AE		56 D0 00023	MOVL PFV, R6	
		00000000G	00 16 00027	MOVL R6, PFV_ADDR	0225
04	AE		01 D0 0002D	JSB PASS\$VALIDATE_PFV	0231
	06	06	A6 E8 00031	MOVL #1, UNWIND_ACT	0237
		00000000G	00 16 00035	BLBS 6(R6), 2\$	0239
08	07	A6	05 E0 0003B	JSB PASS\$OPEN_IMPLICIT	0245
			7E D4 00040	BBS #5, 7(R6), 3\$	0247
	7E	00G	8F 9A 00042	CLRL -(SP)	
			32 11 00046	MOVZBL #PASSK_FILNOTOPE, -(SP)	
08	FD	A7	03 E0 00048	BRB 7\$	0253
			7E D4 0004D	BBS #3, -3(FCB), 4\$	0255
	7E	00G	8F 9A 0004F	CLRL -(SP)	
		61	25 11 00053	MOVZBL #PASSK_FILNOTINS, -(SP)	
			A7 95 00055	BRB 7\$	0261
			08 12 00058	TSTB 97(FCB)	
			7E D4 0005A	BNEQ 5\$	0263
	7E	00G	8F 9A 0005C	CLRL -(SP)	
			18 11 00060	MOVZBL #PASSK_DELNOTALL, -(SP)	
	18	FC	A7 E9 00062	BRB 7\$	0269
	10	61	A7 91 00066	BLBC -4(FCB), 8\$	0271
			08 12 0006A	CMPB 97(FCB), #16	
			7E D4 0006C	BNEQ 6\$	0273
	7E	00G	8F 9A 0006E	CLRL -(SP)	
			06 11 00072	MOVZBL #PASSK_FILNOTDIR, -(SP)	
			7E D4 00074	BRB 7\$	0275
	7E	00G	8F 9A 00076	CLRL -(SP)	
	63		02 FB 0007A	MOVZBL #PASSK_FILNOTKEY, -(SP)	
			04 0007D	CALLS #2, PASS\$SIGNAL	
				RET	

PAS\$DELETE
1-001

DELETE procedure
PAS\$DELETE - DELETE procedure

H 4
16-Sep-1984 01:30:24
14-Sep-1984 12:51:25

VAX-11 Bliss-32 V4.0-742
[PASRTL.SRC]PASDELETE.B32;1

Page 7
(3)

00000000G	00		57	DD	0007E	8\$:	PUSHL	FCB		0281
	28		01	FB	00080		CALLS	#1, SYSS\$DELETE		
0001825A	8F		50	E8	00087		BLBS	\$\$\$STATUS, 12\$		
			50	D1	0008A		CMPL	\$\$\$STATUS, #98906		
	E7	FF	04	12	00091		BNEQ	9\$		
	18		A7	E8	00093		BLBS	-1(FCB), 8\$		
000184B4	8F	08	50	E8	00097	9\$:	BLBS	\$\$\$STATUS, 12\$		0290
			A7	D1	0009A		CMPL	8(FCB), #99508		
	7E	00G	06	12	000A2		BNEQ	10\$		0292
			8F	9A	000A4		MOVZBL	#PASSK_CURCOMUND, -(SP)		
	7E	00G	04	11	000A8		BRB	11\$		0294
	63		8F	9A	000AA	10\$:	MOVZBL	#PASSK_ERRDURDEL, -(SP)		
			01	FB	000AE	11\$:	CALLS	#1, PASS\$\$SIGNAL		
				04	000B1		RET			
		D4	A7	D4	000B2	12\$:	CLRL	-44(FCB)		0304
FE	A7		01	8A	000B5		BICB2	#1, -2(FCB)		0305
06	A6	8002	8F	AA	000B9		BICW2	#32770, 6(R6)		0307
				04	000BF		RET			0311
				0000	000C0	13\$:	.WORD	Save nothing		0193
	50	08	AC	D0	000C2		MOVL	8(AP), R0		
	50	04	A0	D0	000C6		MOVL	4(R0), R0		
		F4	A0	9F	000CA		PUSHAB	ERROR_ADDR		
		F8	A0	9F	000CD		PUSHAB	UNWIND_ACT		
		FC	A0	9F	000D0		PUSHAB	PFV_ADDR		
			03	DD	000D3		PUSHL	#3		
			5E	DD	000D5		PUSHL	SP		
	7E	04	AC	7D	000D7		MOVQ	4(AP), -(SP)		
00000000G	00		03	FB	000DB		CALLS	#3, PASS\$\$IO_HANDLER		
				04	000E2		RET			

; Routine Size: 227 bytes, Routine Base: _PAS\$CODE + 0000

; 251 0312 1
; 252 0313 1 !<BLF/PAGE>

PASSDELETE
1-001

DELETE procedure
PASSDELETE - DELETE procedure

I 4
16-Sep-1984 01:30:24
14-Sep-1984 12:51:25

VAX-11 Bliss-32 V4.0-742
[PASRTL.SRC]PASDELETE.B32;1

Page 8
(4)

: 254
: 255
: 256
0314 1 END
0315 1
0316 0 ELUDOM

! End of module PASSDELETE

PSECT SUMMARY

:
: Name Bytes Attributes
: _PASS\$CODE 227 NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

:
: File Total Symbols Loaded Percent Pages Mapped Processing Time
: \$255\$DUA28:[SYSLIB]STARLET.L32;1 9776 10 0 581 00:01.0
: \$255\$DUA28:[PASRTL.OBJ]PASLIB.L32;1 427 98 22 33 00:00.4

COMMAND QUALIFIERS

:
: BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACE/LIS=LIS\$:PASDELETE/OBJ=OBJ\$:PASDELETE MSRC\$:PASDELETE/UPDATE=(ENH\$:PASDELETE
:)

: Size: 227 code + 0 data bytes
: Run Time: 00:07.2
: Elapsed Time: 00:21.4
: Lines/CPU Min: 2648
: Lexemes/CPU-Min: 17103
: Memory Used: 107 pages
: Compilation Complete

0294 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY